















































































- speed, 336–38; strength-final size relationship, 335–36; uncertainty and, 323–27
- slow flows, van der Pol oscillator, 182–83; stitched with fast flows, 183–84
- slow swimming, 205–6; life a micron scales and, 206–8; Purcell's three-link swimmer and moving at low Reynold's number, 208–12
- social context of payoffs, 257–58
- speed of runs, *E. coli*, 126–27
- spiral waves, cardiac tissue, 188
- spontaneous emergence of order, 237–39
- spontaneous mutations, 4; cohort perspective of, 14–15; dynamics of, 11–14
- spontaneous symmetry breaking, 232–36
- springs, 176–77
- stability of steady states, 37–38
- standard Vicsek model (SVM): homework problems, 245–47; informed leaders and collective behaviors in groups, 239–41; local rules and emergent outcomes, 236–37; locusts and, 241–43; self-propelled particles and spontaneous emergence of order, 237–39; starlings and, 243–45
- Stanford, Leland, 198
- starlings, 227, 243–45
- steady states: finding, 36–37; kinase cascades, 131; stability of, 37–38; vegetation patterns, 247–48
- stirring number, 124
- stochasticity: as bursty, 68–72; continuous and discrete paths, 60–61; deriving the mean and variance of stochastic cellular dynamics in, 66–68; dynamics of individual cells in, 64–68; in evolution of population, baseline expectations for, 99–103; geometry of bursts and, 72–76; getting to a full model of, 64–66; homework problems, 77–79; outbreaks, 324–26; randomness in, 57–60; and selection in evolutionary dynamics, 103–6; selection in light of, 105–6; technical appendix, 80–86; timing between individual events and, 62–64
- strength-final size relationship, 335–36
- Streptococcus thermophilus*, 22
- survival of the fittest, 91
- sweeps, 107–8
- swimming *E. coli*, 123–25; behavior of, 125–27; slow, 205–12
- synthetic biology, 46–47
- T6SS system, 267–71; derivation of replicator dynamic model for, 278
- targeted gene regulation, 33–39, 105–6
- Taylor expansion, 26–27
- technical appendices: chemotaxis, 142–44; conflict and cooperation, 277–79; eco-evolutionary dynamics, 302–8; evolutionary dynamics, 113–17; excitation, 191–94; flocking and collective behavior, 247–49; gene regulation, 50–56; mutations, 25–28; neuronal dynamics, 170–72; organismal locomotion, 217–21; outbreak dynamics, 333–38; stochasticity, 80–86
- teratomas, 29–30
- terminal velocity, 218–20
- terrestrial locomotion, 212–14
- Thomas, Lewis, 196
- three-link swimmer, 208–12
- timing between individual events, 62–64
- transcription factor (TF), 32; diffusive contact between DNA and, 50
- transduction, 129
- transmembrane potential, 156
- transmembrane voltage, 150
- transmission matrix, 105–6
- Travisano, M., 107
- trigonometric functions, 191
- trophic level competition, 288
- Turner, Paul, 265–66
- Twain, Mark, 196, 197
- Twort, Frederick, 4
- ultimatum game, 251–52
- unbeatable strategy, 263
- van der Pol (VDP) oscillator: fast flows in, 181–82; fast subsystem dynamics for, 193–94; rescaling of, 191–92; slow flows in, 182–83; stability and bifurcations of, 192–93; stitching fast and slow flows together, 183–84
- variance, mutant, 18–20
- variation and fixation, 102–3, 116
- vegetation patterns, 247–48
- vegetation stripes, 230–32
- velocity, terminal, 218–20
- Vicsek, Tamás, 236. *See also* standard Vicsek model (SVM)
- viral lysate, 7
- viruses, 4–5, 6–7
- voltage, 152, 156–59, 283; propagation through tissue, 186–87
- Volterra, Vito, xiii, 5, 282, 288
- waiting time distributions, 84–85
- Watson, James, 4
- wild-type (WT) viruses, 266
- wind resistance. *See* drag
- Wright-Fisher (WF) model of population genetics, 100–101; conditional probabilities in, 101–2; heterozygosity in, 114–15; variation and fixation in, 102–3
- yeast, 91, 109