

Contents

	<i>Preface</i>	xi
	<i>Introduction</i>	1
CHAPTER 1.	The Four Problems	7
Tangent:	Cranks	18
CHAPTER 2.	Proving the Impossible	25
Tangent:	Nine Impossibility Theorems	34
CHAPTER 3.	Compass-and-Straightedge Constructions	38
Tangent:	The Tomahawk	55
CHAPTER 4.	The First Mathematical Crisis	56
Tangent:	Toothpick Constructions	67
CHAPTER 5.	Doubling the Cube	69
Tangent:	Eratosthenes's Mesolabe	80
CHAPTER 6.	The Early History of π	81
Tangent:	The Great Pyramid	93
CHAPTER 7.	Quadratures	95
Tangent:	Leonardo da Vinci's Lunes	105

CHAPTER 8. Archimedes's Number	108
Tangent: Computing π at Home	130
CHAPTER 9. The Heptagon, the Nonagon, and the Other Regular Polygons	137
Tangent: It Takes Time to Trisect an Angle	144
CHAPTER 10. Neusis Constructions	146
Tangent: Crockett Johnson's Heptagon	157
CHAPTER 11. Curves	160
Tangent: Carpenter's Squares	174
CHAPTER 12. Getting By with Less	178
Tangent: Origami	192
CHAPTER 13. The Dawn of Algebra	196
Tangent: Nicholas of Cusa	215
CHAPTER 14. Viète's Analytic Art	219
Tangent: Galileo's Compass	228
CHAPTER 15. Descartes's Compass-and-Straightedge Arithmetic	233
Tangent: Legislating π	251
CHAPTER 16. Descartes and the Problems of Antiquity	254
Tangent: Hobbes, Wallis, and the New Algebra	263

CHAPTER 17. Seventeenth-Century Quadratures of the Circle	268
Tangent: Digit Hunters	279
CHAPTER 18. Complex Numbers	288
Tangent: The τ Revolution	300
CHAPTER 19. Gauss's 17-gon	302
Tangent: Mirrors	316
CHAPTER 20. Pierre Wantzel	320
Tangent: What Can We Construct with Other Tools?	342
CHAPTER 21. Irrational and Transcendental Numbers	348
Tangent: Top 10 Transcendental Numbers	366
<i>Epilogue: Sirens or Muses?</i>	367
<i>Notes</i>	369
<i>References</i>	405
<i>Index</i>	429

Introduction

Alice laughed. “There’s no use trying,” she said:

“one *can’t* believe impossible things.”

“I daresay you haven’t had much practice,” said

the Queen. “When I was your age, I always did it

for half-an-hour a day. Why, sometimes I believed as many as

six impossible things before breakfast.”

—Lewis Carroll, *Through the Looking-Glass*¹

“NOTHING IS IMPOSSIBLE.” This platitude is used as inspiration by parents, athletic coaches, motivational speakers, and politicians. The hyperbolic news media is constantly alerting us to individuals who have achieved the impossible. It is one of the tenets of the American dream.

In his valedictory high-school commencement speech of June 24, 1904, Robert Goddard, who would later invent the liquid-fueled rocket, said,²

Just as in the sciences we have learned that we are too ignorant safely to pronounce anything impossible, so for the individual, since we cannot know just what are his limitations, we can hardly say with certainty that anything is necessarily within or beyond his grasp. . . . It has often proved true that the dream of yesterday is the hope of today and the reality of tomorrow.

However, some things *are* impossible, and mathematics can prove that they are. Some tasks cannot be accomplished, regardless of one’s intellect, one’s perseverance, or the time available. This book tells the story of four impossible problems, the so-called “problems of antiquity”: trisecting an angle, doubling the cube, constructing every regular polygon, and squaring the circle. They are arguably the most famous problems in the history of mathematics.

In a geometry course, students are introduced to the Euclidean tools: a compass to draw circles and a straightedge to draw lines




FIGURE I.1. A compass and straightedge.




FIGURE I.2. It is possible to bisect a 120° angle using a compass and straightedge, but not to trisect it. Hence, it is impossible to construct a regular nonagon.

(see figure I.1). They learn a variety of basic constructions, such as how to bisect an angle, construct an equilateral triangle, and draw a perpendicular bisector. The problems of antiquity seem—at a glance—just as elementary as those exercises. But they are not. It takes three quick swipes of a compass and a trace along a straightedge to bisect an angle; figure I.2 shows a 120° angle split into two 60° angles. But it is impossible to use these same tools to draw the two rays that trisect a 120° angle; no matter how clever the geometer, it is impossible to construct a 40° angle. Thus, (1) it is impossible to trisect every angle. Moreover, the angle between the center of a regular 9-sided polygon, called a *nonagon*, and two adjacent vertices is $360^\circ/9 = 40^\circ$, so it is impossible to construct the polygon. Hence, (2) it is impossible to construct every regular polygon.

Likewise, (3) given a line segment AB , it is impossible to construct a line segment CD so that a cube with side length CD is twice the volume

of a cube with side length AB ; that is, it is impossible to double the cube. And finally, (4) it is impossible to square the circle: if we begin with any circle, it is impossible to construct a square with the same area.

It is important to point out that these four problems are not *practical* problems. The world is not waiting for a method of constructing a 40° angle or a regular nonagon. The same geometry students could use the protractors in their backpacks to draw a 40° angle. There are other tools that will allow a draftsman or a mathematician to solve each of these problems exactly, and there are numerous techniques that clever craftsmen have devised to get approximations as accurate as desired.

In fact, not only are these problems not practical problems, they are not physical problems at all. They are theoretical problems. More important than the constructions themselves are the *proofs* that they accomplish what they say they accomplish. How do we know that the angle bisection technique truly bisects the angle? For this we need theoretical mathematics. The primary text on geometry in the Greek era and for many centuries afterward is Euclid's 300 BCE masterwork, *Elements*. Euclid began *Elements* with five postulates, and from these he built up all of geometry. The first three postulates are the compass-and-straightedge postulates. The first postulate states that we can draw a line segment between any two points, and the second says that we can extend this line segment beyond its endpoints. The third says that we can draw a circle with a given center and a point on the circle. Euclid wrote,³

Let the following be postulated:

1. To draw a straight line from any point to any point.
2. To produce a finite straight line continuously in a straight line.
3. To describe a circle with any center and any distance.

Thus his geometry was built from lines and circles, and to carry out the geometric techniques, one would use a compass and straight-edge.

The problems of antiquity were known to be extremely challenging to the ancient Greeks. They were the subject of intense research by the leading mathematicians of the day. The historian of mathematics

Sir Thomas Heath called these problems “rallying points for [Greek] mathematicians during three centuries at least.”⁴

The ancient Greeks knew that it was possible to solve the problems if they were allowed to change the rules. What if we have a compass, a straightedge, and a parabola? Or a hyperbola? Or a new mechanical drawing tool? And so on. For instance, Archimedes (ca. 287–212 BCE) proved that if the straightedge had two marks on it, he could trisect any angle. We will present many ingenious ways to solve these problems with an extended toolkit.

The problems were irresistible to mathematicians. For 2000 years, many of the major mathematical developments were directly or indirectly related to these problems. And the list of mathematicians who made contributions to the understanding of these problems is a who’s who of the field. In 1913 Ernest Hobson wrote the following about the problem of squaring the circle, although the same could be said about all four problems:⁵

When we look back, in the light of the completed history of the problem, we are able to appreciate the difficulties which in each age restricted the progress which could be made within limits which could not be surpassed by the means then available; we see how, when new weapons became available, a new race of thinkers turned to the further consideration of the problem with a new outlook.

Although these problems were actively studied for centuries, they were not proved impossible until the nineteenth century. There are several reasons it took over 2000 years for the proofs. First, mathematicians had to realize that the problems were impossible and not just very difficult. Second, they had to realize that it was possible to prove that a problem is impossible. This task is somewhat surprising—that we can use mathematics to prove that something is mathematically impossible. And lastly, the mathematicians had to invent the mathematical tools required to prove the impossibility. All four problems are geometric. The proofs of impossibility did not come from geometry, but from algebra and a deep understanding of the properties of numbers—not just the integers, but rational, irrational, algebraic, transcendental, and complex numbers. Algebra and a sufficient understanding of the real and complex numbers came long after the Greek period ended.

As algebra developed, mathematicians applied it to these problems. François Viète (1540–1603), René Descartes (1596–1650), and Carl Friedrich Gauss (1777–1855) made some headway toward understanding them. But the proofs of impossibility for three of the four—trisecting an angle, doubling the cube, and constructing regular polygons—were due to one man, a man who died young and, sadly, is not nearly as well known as these others: the French mathematician Pierre Wantzel (1814–1848). In his seven-page 1837 article he proved some preliminary results, applied them to the problems, and, in what may be the greatest single page in mathematics, proved all three problems impossible.

The fourth problem—squaring the circle—is somewhat unique among these problems. It is the most famous one, and it was the last to be proved impossible. While geometry and algebra are sufficient to prove that the other three are impossible, squaring the circle has one other wrinkle—it requires an understanding of the nature of π . If a circle has radius 1 cm, for instance, its area is $\pi \cdot 1^2 = \pi \text{ cm}^2$. Then to square the circle the geometer must construct a square with area π . Thus, much of our tale involves the history of this famous, enigmatic number. The problem of squaring the circle was eventually proved impossible by Ferdinand von Lindemann (1852–1939) in 1882; he used Wantzel’s results and the fact—proved using calculus and complex analysis—that π is a transcendental number.

Because these four problems have been so famous for so long, a full treatment of their history would require multiple volumes. Moreover, even after the problems were proved impossible, their study continued, and they became subsumed into advanced fields such as abstract algebra and Galois theory. We chose to downplay this generalization—both because the mathematics required to understand it is too advanced for our intended audience and to keep the length of the book reasonable.

The book is organized as follows. The chapters follow the history of these fascinating problems—from the introduction of the problems by the Greeks through to the eventual solutions two millennia later. The chapters are roughly chronological. We give the colorful history of the problems, the history of other methods of solving them, and the histories of the fields that were created to finally resolve them.

There are also many interesting and entertaining side stories connected to these problems. So we inserted mini-chapters called Tangents in between each of the proper chapters. For instance, we discuss a bill passed by the Indiana legislature setting an incorrect value for π ; we present a variety of unique methods of solving the problems, such as using origami, a drawing tool called a tomahawk, toothpicks, and a clock; we discuss Leonardo da Vinci's elegant contributions; and we present the two sides of the τ vs. π debate.

Index

- 15-puzzle, 28, 29, 32, 371
- Abe, Hisashi, 193
- Abel's irreducibility theorem, 326
- Abel, Niels, 35, 213, 326, 340
- Abu'l-Wafa al-Buzjani, 179, 180, 386
- Abū Kāmil, 205
- Adler, August, 184, 185
- Al-Khwārizmī, Muhammad Ibn, 207, 204–206, 349; *Al-jabr wa'l muqābala*, 204, 205
- Al-Mamūn, 204
- algebraic number, 356–365, 368, 402, 403
- Alhazen, *see* Ibn al-Haytham, Hasan
- Amyclas of Heraclea, 75
- Anaxagoras, 7, 8
- Antiphon, 109
- Apollonius of Perga, 39, 75, 78, 148, 173, 189, 203, 204, 276
- arbelos*, 125
- Archimedes of Syracuse, 4, 39, 40, 44, 45, 51, 65, 69, 75, 87, 88, 90, 100, 104, 105, 108–112, 114–130, 133, 143, 148–151, 154, 155, 157, 161, 162, 165, 170–172, 203, 204, 213, 218, 224, 227, 261, 262, 269, 271, 273, 276, 280–283, 301, 345, 346, 354, 367, 369, 372, 374, 378–382, 384, 385, 394; *Book of Lemmas*, 125, 149, 154; *Floating Bodies*, 379; *Measurement of a Circle*, 87, 114, 118, 172, 261, 379, 380; *On Spirals*, 170; *On the Method of Mechanical Theorems*, 121, 122, 124; *On the Quadrature of the Parabola*, 124; *On the Sphere and Cylinder*, 69, 116, 122, 123, 369, 374, 379
- Archytas of Tarentum, 52, 64, 65, 74
- arctangent series, *see* Gregory series; for π , 274, 283–285, 295, 395
- Aristophanes, 8
- Aristotle, 40, 50, 66, 72, 109, 113, 204, 260, 262, 374, 378
- Arrow's impossibility theorem, 36
- Arrow, Kenneth, 36
- Atiyah, Michael, 219
- Baez, John, 22, 390
- Bailey, David, 287
- Bainville, Eric, 401
- Baker, Alan, 363, 366, 378, 403
- Baragar, Arthur, 346, 347
- Barbaro, Danielle, 386
- Barrow, Isaac, 65, 275, 276, 350
- Basel problem, 82, 295
- Beeckman, Isaac, 234, 246, 256
- Bell, Eric Temple, 20, 338
- Benedetti, Giambattista, 182, 386
- Benjamin, Elliot, 346, 347
- Berkeley, George, 351
- Bernoulli, Daniel, 103
- Bernoulli, Jacob, 172, 250, 297, 385
- Bernoulli, Johann, 250, 295
- biblical value of π , 90–92
- binomial theorem, 275–277
- Bolyai, Farkas, 398
- Bolyai, János, 398
- Bombelli, Rafael, 290
- Bonaparte, Napoleon, 182, 184
- Borchardt, Carl Wilhelm, 359
- Borel, Émile, 279
- Borwein, Jonathan, 286
- Borwein, Peter, 286, 287
- Brady, Andy, 401
- Brahe, Tycho, 273
- Brahmagupta, 203, 204
- Brent, Richard, 285, 286
- Brent–Salamin algorithm, 285, 286
- bridges of Königsberg problem, 34, 295
- Brouncker, William, 381

- Bryson of Heraclea, 109, 378
Buffon's needle, 382
Buffon, Comte de, *see* Leclerc,
 Georges-Louis (Comte de Buffon)
- Caldwell, Chris, 22
Callahan, Jeremiah J., 19, 20, 370
Cantor, Georg, 36, 351, 363, 364, 403
Capra, Baldassar, 232
Cardano, Gerolamo, 181, 182, 209–213,
 224, 226, 264, 289, 291, 349, 386, 388; *Ars*
 magna, 212, 213, 289, 290, 388
carpenter's square, 46, 77, 78, 174, 176, 177,
 385
Cassiodorus, Roman, 373
Castel, Louis, 22
casus irreducibilis, 214, 224–226, 258, 267,
 289, 290, 322, 338, 344, 389
Cauchy, Augustin-Louis, 82, 183, 290, 300,
 358
Cauer, Detlef, 190
Cavalieri, Bonaventura, 122, 273, 276
Cayley, Arthur, 65
Cesàro, Ernesto, 134
Ceva, Giovanni, 385
Chakalov, Liubomir, 377
Champernowne constant, 366
Chapman, Noyes Palmer, 371
Chasles, Michel, 233, 235
Chebotarëv, Nikolai, 377
Chladni, Ernst, 371
Chudnovsky, David, 286
Chudnovsky, Gregory, 286
Cicero, Marcus Tullius, 127, 128
circle division problem, *see* regular
 polygons, problem of constructing
cissoid, 51, 53, 173, 385
Clausen, Thomas, 103
Colburn, Zerach, 308, 398
collapsing compass, 50, 184, 387
Collins, John, 187
compass-only constructions, 183, 184, 187,
 386, 387
complex number, xi, 4, 5, 25, 198, 214, 224,
 226, 243, 267, 288–296, 298, 299, 303, 309–
 314, 324, 330, 332, 345, 360, 368, 388, 396,
 397
 concave in the same direction, 116
conchoid, 51, 53, 151, 165–169, 173, 246,
 385
conic section, 40, 51–54, 75–77, 124, 146, 154,
 161, 162, 195, 205, 227, 228, 235, 245–247,
 259, 260, 264, 269, 270, 297, 342, 344–347,
 401; ellipse, 42, 51, 75, 161, 228, 269, 271,
 273, 377, 397; hyperbola, 4, 42, 51, 75–77,
 173, 245, 269–271, 296, 297, 345, 375, 394
 ; parabola, 4, 42, 51, 53, 75–77, 124, 125,
 162, 198, 245, 255–257, 262, 269, 316, 318,
 345, 375, 388, 392–394
Conon of Samos, 111
constructible number, 17, 27, 28, 241–245,
 314, 326–328, 330, 346, 348, 368
constructible point, 183, 189, 195, 241–244,
 316, 345
continued fraction, 132, 133, 264, 351, 352,
 354, 355, 357, 380–382
Conway, John, 400
countably infinite, 36, 363–365
cubic equation, 35, 181, 205, 207–214, 220,
 223–226, 235, 249, 256, 258, 264, 275,
 289–291, 322, 325, 336, 338, 344, 388–390,
 392
cycloid, 249, 262, 393
cyclotomic polynomial, 333, 334, 400
cyclotomy, *see* regular polygons, problem
 of constructing
- d'Alembert, Jean, 375
Dase, Zacharias, 284
Dawson, Robert, 172
Dawson, T. R., 67, 68, 374
de Moivre's formula, 294, 298, 299
de Moivre, Abraham, 275, 294, 298, 299
De Morgan, Augustus, 18, 19, 23, 31, 50, 82,
 130, 279, 280, 336, 337; *Budget of Paradoxes*,
 130; *Budget of Paradoxes*, 18
de Sarasa, Alphonse Antonio, 296
Dedekind, Richard, 65, 351
Dehn, Max, 272
del Ferro, Scipione, 207–209, 212
Delian problem, *see* doubling the cube
depressed cubic, 208–214
Descartes's constructible number theorem,
 244, 245

- Descartes, René, 5, 53, 162, 168, 172, 189, 233–241, 243–250, 255–262, 265, 266, 269, 270, 273, 275, 276, 289, 291, 304, 320, 323, 326, 339–341, 367, 391–393; *Geometry*, 234–237, 239, 241, 246, 247, 255, 258, 259, 291, 320, 367, 392, 393
- Dilworth, William, 24
- Dinostratus, 75, 165
- Diophantus of Alexandria, 39, 179, 201–205; *Arithmetica*, 201, 202
- Dodgson, Charles (Lewis Carroll), 395
- Donne, John, 192, 342
- Dorodnov, Anatolii Vasilievich, 378
- double-edged straightedge constructions, 174, 343
- doubling the cube, xi, 1, 3, 5, 7, 11, 13–15, 22, 33, 69, 71–75, 77, 80, 99, 105, 146, 151, 152, 156, 162, 172, 173, 192, 193, 225, 231, 244, 245, 252, 253, 260, 263, 270, 318, 320, 328, 329, 331, 336–340, 344, 378, 385, 401
- Dudley, Underwood, 23, 24, 31, 93
- duplicating the cube, *see* doubling the cube
- Dürer, Albrecht, 169, 181, 386; *Underweysung der Messung*, 169, 181
- e*, 284, 295–297, 299, 351–354, 356, 358, 359, 366, 381, 397
- Egan, Greg, 390
- Einstein, Albert, 19, 20, 127, 276, 280, 328
- Eisenstein's criterion, 399, 400
- Eisenstein, Gotthold, 399, 400
- ellipse, *see* conic section, ellipse
- ENIAC, 284
- Eratosthenes of Cyrene, 12, 13, 39, 74, 80, 111, 146, 151, 248, 369, 370
- Euclid, 3, 9, 14, 15, 19, 20, 22, 32, 37–43, 46, 50, 57, 61, 65, 66, 70, 72, 75, 87, 95, 99, 105, 106, 109, 110, 113, 114, 116, 120, 122, 137–141, 149, 155, 156, 160, 163, 179, 181, 182, 184, 187–189, 198–201, 204, 206, 213, 219, 246, 247, 263, 265, 275, 276, 303, 336, 344, 372–375, 377, 378, 380, 383, 391, 402; *Elements*, 3, 9, 14, 37–43, 46, 50, 65, 66, 70, 87, 95, 99, 106, 109, 110, 113, 114, 117, 120, 137, 138, 140, 160, 163, 181, 187, 188, 199–201, 204, 226, 263, 350, 369, 371–374, 377–380, 383, 386, 402
- Euclidean algorithm, 380, 381
- Eudemus of Rhodes, 45, 46, 374
- Eudoxus of Cnidus, 40, 52, 64–66, 74, 75, 100, 108–110, 113, 115, 120–124, 375, 384
- Euler characteristic, 375
- Euler's identity, 82, 295, 296, 298, 300, 360, 362
- Euler's phi function, 332, 344
- Euler's polyhedron formula, *see* Euler characteristic, 391
- Euler's totient function, *see* Euler's phi function
- Euler, Leonhard, 35, 82, 83, 103, 250, 283, 284, 289, 292, 294–300, 303, 307, 308, 310, 351, 352, 354, 357, 360–362, 375, 377, 391, 396–398, 402; *Elements of Algebra*, 292; *Introductio in analysin infinitorum*, 297, 298, 354, 361; *Mechanica*, 375, 397
- Euler–Clausen conjecture, 103
- Eutocius of Ascalon, 69, 73, 76–78, 151, 354, 369, 374
- extreme and mean ratio, *see* golden ratio
- Ferguson, D. F., 284
- Fermat number, *see* Fermat prime
- Fermat prime, 305–309, 314, 315, 330, 331, 334, 335, 338, 343, 344, 398
- Fermat's last theorem, 34, 202, 362
- Fermat's little theorem, 308, 398
- Fermat, Pierre de, 34, 168, 202, 256, 262, 264, 270, 276, 307–309, 371, 375
- Ferrari, Ludovico, 181, 182, 212, 213, 226
- Fibonacci, *see* Leonardo Pisano
- field, xii, 243, 345, 368, 403
- Fiore, Antonio, 208, 209, 212
- Fisher, Ed, 400
- Fontana, Niccolò, 181, 182, 209, 210, 212, 213, 224, 226, 289, 386
- Fourier, Joseph, 352, 356
- Francesco, Severi, 190
- Fritz, W. Barkley, 396
- Frénicle de Bessy, Bernard, 307
- fundamental theorem of algebra, 323
- Galilei, Galileo, 19, 228, 230, 232, 234, 269, 273, 367, 390
- Galileo's compass, 228, 230, 232, 390

- Galois theory, xii, 5, 337, 368
Gauss's lemma, 324
Gauss's theorem for regular polygons, 306, 309, 311, 315, 334, 400
Gauss, Carl Friedrich, 5, 82, 272, 285, 286, 292, 293, 300, 302–307, 309–311, 313–315, 323, 324, 330, 333–341, 358, 367, 375, 398–401; *Disquisitiones arithmeticae*, 304, 305, 310, 337
Gauss–Bonnet theorem, 82, 300
Gauss–Wantzel theorem, 307, 334, 335
Gaussian curvature, 375
Gelfond, Aleksander, 362, 363, 366, 403
Gelfond–Schneider theorem, 363
Genevès, Bernard, 401
geometric series, 125, 354
Gergonne, Joseph, 183
Gerling, Christian Ludwig, 398
Ghetaldi, Marino, 389
Gillespie, N. J., 316
Girard, Albert, 390
Girstmair, Kurt, 378
Gleason, Andrew, 344, 345
Goddard, Robert, 1
Goldbach conjecture, 37
Goldbach, Christian, 37, 298, 307, 308, 397
golden ratio, 62, 70, 71, 356, 359, 374, 377, 390
Goldenring, Robert, 304
Goodwin, Edwin J., 251, 252, 392
Great Pyramid of Giza, 93, 94
Green, Richard, 375
Gregory of Saint Vincent, 269, 270, 272, 296
Gregory series, 274, 282, 283
Gregory, James, 187, 270–274, 282, 283, 394; *Vera circuli et hyperbolae quadratura*, 271
Gödel's incompleteness theorems, 37
Gödel, Kurt, 37

halting problem, 36, 371
Hamilton, William Rowan, 336, 337
Hammurabi, 84
Harriot, Thomas, 262, 265, 276
Hartl, Michael, 300
Hellinger, E. D., 272
Hermite, Charles, 356, 358, 359, 361, 366

Heron of Alexandria, 375, 380
Hilbert, David, 188, 190, 361–363, 368, 387, 391; seventh problem, 361, 362
Hipparchus of Nicaea, 179
Hippasus of Metapontum, 34, 57, 61–64, 70, 349, 373
Hippias of Elis, 162, 163, 384
Hippocrates of Chios, 13, 72–74, 99–104, 109, 148, 374, 377, 378, 383
Hjelmslev, Johannes, 187
Hobbes, Thomas, 263–266, 273, 367
Hoff, Clyde V., 396
Hood, Thomas, 390
Huygens, Christiaan, 168, 250, 262, 269, 270, 272, 273, 283, 291, 394
Hypatia, 39
hyperbola, *see* conic section, hyperbola

i, *see* complex number
Iamblichus, 173, 373
Ibn al-Haytham, Hasan, 106
imaginary number, *see* complex number
incommensurable magnitudes, 40, 60–62, 64–66, 70, 215, 349, 350, 373, 374
Indiana π bill, 6, 251–253
inversion, 185, 186, 387
irrational number, xi, 4, 21, 34, 40, 57, 62, 64, 65, 132, 198, 205, 244, 267, 279, 291, 292, 324–326, 349–352, 354–358, 360–364, 368, 373, 374, 402, 403
irreducible polynomial, 258, 259, 323–331, 333, 334, 348, 389, 399, 400, 402
Iwao, Emma Haruka, 287

Jacobi, Carl, 189
Jefferson, Thomas, 26, 41
Johnson, Crockett (David Johnson Leisk), 157–159, 384
Jones, William, 82, 83, 282, 283

Kempe, Alfred, 247, 392
Kepler, Johannes, 53, 215, 263, 273, 275, 276, 393
Khayyám, Omar, 205
Klein, Felix, 288, 336, 337, 358
Koch snowflake, 114
Kronecker, Leopold, 320, 334, 399

- Kuhn, Thomas, 235
Kuzmin, Rodion, 362, 366
- l'Hôpital, Guillaume de, 250, 392
Lagrange, Joseph-Louis, 184
Lambert, Johann Heinrich, 188, 355, 357, 402
Landau, Edmund, 377
Laplace, Pierre-Simon, 184, 202
Lawson, Dan, 384
Lazzarini, Mario, 133, 382
Leclerc, Georges-Louis (Comte de Buffon), 133, 382
Legendre, Adrien-Marie, 355, 358
Leibniz, Gottfried, 100, 113, 187, 210, 249, 250, 268, 270, 274, 283, 290, 291, 295, 351, 392, 395–398; Leibniz series, *see* Mādhava–Leibniz series
Leonardo da Vinci, 6, 95, 105, 106, 181, 207, 367, 378
Leonardo Pisano (Fibonacci), 206; *Liber abaci*, 206
limaçon of Pascal, 169, 170, 385
Lincoln, Abraham, 9, 38, 42
Lindemann's theorem, 359, 360
Lindemann, Ferdinand von, 5, 358–361, 366, 368, 401, 403
Lindemann–Weierstrass theorem, 360, 403
Liouville number, 356–358, 402
Liouville, Joseph, 357, 358, 366, 387, 402
Liu Hui, 88–90, 281, 376
Liu Xin, 88
locking compass, 50, 184, 185, 387
Longomontanus (Christian Longborg), 273
Loyd, Sam, 28, 29, 31, 32, 371
lune, 99–104, 106, 107, 148, 295, 377, 378
lunes of Alhazen, 106
- Machin's formula, 283–285
Machin, John, 83, 283–285
Mādhava of Sangamagrama, 274, 281–283
Mādhava–Gregory series, *see* Gregory series
Mādhava–Leibniz series, 274, 283
Mansion, Paul, 358
Marcellus, Marcus Claudius, 112, 126, 127, 372
marked straightedge, *see* neusis
- Mascheroni, Lorenzo, 183–185, 187, 387; *Geometria del compasso*, 184, 187
McAllister, Homé S., 396
mean; arithmetic, 285; arithmetic–geometric, 285, 286; geometric, 70, 271, 285; harmonic, 271
mean proportionals, 70–73, 238, 248, 259, 266, 374, *see also* two mean proportionals
Menaechmus, 74–77, 345, 375
Menelaus of Alexandria, 39, 152
Menelaus's theorem, 152
Mercator, Nicolaus, 296
Mersenne prime, 398
Mersenne, Marin, 234, 260, 393, 398
mesolabe; Descartes's, 392; Eratosthenes's, 80, 146, 151, 248
Messer, Peter, 193
method of exhaustion, 40, 66, 100, 108, 109, 117, 120, 124
Milici, Pietro, 172
minimal polynomial, 323, 326–328, 330, 334
Mira, 316, 318, 345, 399
Mohr, Georg, 187, 188, 387; *Euclides Danicus*, 187, 188; *Compendium Euclidis curiosi*, 182, 187, 386
monic polynomial, 326
Montucla, Jean-Étienne, 393
Moscow Mathematical Papyrus, 86
- Napier, John, 276, 296
Nash, John, 19
natural logarithm, 296, 297, 299
Neil, William, 262
neusis, 147–149, 151–157, 159, 165–167, 169, 170, 192, 219–222, 224–226, 275, 345–347, 383–385
Newcomb, Simon, 33
Newton, Isaac, 41, 53, 100, 127, 152, 168, 265–269, 274–278, 295, 328, 340, 350, 351, 367, 383, 394, 395, 397; *Universal Arithmetick*, 266, 267, 350
Nicholas of Cusa, 215, 218
Nicomedes, 151, 155, 165–167, 246, 261, 345, 383, 384; *On Conchoid Lines*, 165
The Nine Chapters on the Mathematical Art, 87, 88

- Niven, Ivan, 355, 356, 358
normal number, 279, 280, 395
- Oldenburg, Henry, 187, 395
origami constructions, 6, 192, 193, 195, 345, 387
- Ostrowski, Alexander, 399
Oughtred, William, 264, 265, 276, 373
- Pacioli, Luca, 207, 210, 211, 349
Painlevé, Paul, 288, 291
Palais, Robert, 300, 375
Pappus of Alexandria, 39, 52, 53, 65, 77, 111, 114, 147–149, 154, 167, 168, 173, 179, 221, 227, 235, 246, 247, 339, 341, 342, 344–346, 373, 374, 385; *Collection*, 149, 168, 173, 179, 221
Pappus's classification of problems, 52, 53, 75, 77, 227, 247, 248, 258, 339, 342, 345, 346
parabola, *see* conic section, parabola
parallel postulate, 37
Pascal, Blaise, 169, 262, 264, 276, 350, 395
Pascal, Étienne, 169
Peirce, Benjamin, 299
Pell, John, 273
Petersen, Julius, 336, 337
Philon of Byzantium, 375
pi (π), 5, 6, 10, 11, 14, 17, 21, 23, 26, 82–85, 87–94, 100, 108, 109, 112, 115, 118–120, 123, 124, 129, 130, 132–136, 165, 170, 188, 218, 227, 245, 251, 252, 261, 264, 272–274, 276–287, 295–297, 299–301, 348, 354–360, 366–368, 375–377, 381, 382, 390, 395–398, 403
Pierpont prime, 344, 347
Pierpont, James, 337, 344, 345, 347
Plato, 13, 39, 40, 48, 52, 58, 62, 64–66, 74, 75, 77, 160, 162, 163, 184, 369, 374, 378; *Meno*, 369; *Republic*, 48, 58; *Sophist*, 162, 374; *Theaetetus*, 64, 374
Platonic solid, 40, 62, 65
Plouffe, Simon, 287
Plutarch, 8, 52, 62, 77, 111, 112, 123, 126
Plücker, Julius, 183
Poincaré, Henri, 48
Poinsot, Louis, 352
Poncelet, Jean Victor, 182, 183, 188–191, 343
Poncelet–Steiner theorem, 183, 189–191
Popper, Karl, 378
Proclus Lycaeus, 39, 41, 45, 72, 75, 98, 116, 163, 164, 373, 384
Ptolemy I Soter, 39, 375
Ptolemy III Euergetes, 12
Ptolemy, Claudius, 39, 204, 206, 281
Pythagoras of Samos, 34, 57, 60–62, 373
Pythagorean theorem, 11, 40, 42, 63, 79, 89, 96, 97, 101, 107, 119, 120, 241, 263, 293, 295, 376
Pythagorean triple, 84, 202
Pythagoreans, 57, 61–63, 349, 373, 374
quadratic equation, 70, 197, 199, 203, 205, 207, 208, 213, 222, 289, 291, 312–314, 327, 330, 336, 349, 391
quadratic formula, 35, 197, 207, 312, 396
quadratrix, 51, 53, 162–165, 167, 171, 245–247, 250, 260, 261, 384, 390
quadrature of the circle, *see* squaring the circle
quartic equation, 35, 212, 213, 220, 256, 388
quintic equation, 35, 213, 356
- Rabinowitz, Stanley, 286
Ramanujan, Srinivasa, 286, 396
Raphson, Joseph, 394
Recorde, Robert, 239, 391
rectifying the circle, 8, 10, 45, 115, 129, 170, 171, 215–218, 247, 260–262, 269, 384
Regiomontanus (Johannes Müller), 218
regular polygons, problem of constructing, xi, 1, 2, 5, 14–17, 43, 49, 67, 137–143, 145, 147, 150, 155, 163, 164, 170–172, 180, 181, 192, 195, 227, 230, 245, 266, 288, 303, 305–307, 309–311, 314, 315, 320, 330–332, 334–340, 343–345, 347, 367, 385, 386; 7-gon (heptagon), 15, 45, 53, 138, 142, 143, 154–159, 170, 195, 306, 335, 382, 384, 386, 388, 401; 9-gon (nonagon), 2, 3, 15, 138, 143, 150, 151, 195, 230, 306, 339, 340, 344, 382,

- 388, 401; 15-gon (pentadecagon), 140–142, 315; 17-gon, 142, 303–305, 311, 313, 398
- Reitwiesner, George, 396
- Reynaud, Antoine, 321
- Rhind Papyrus, 85, 86, 94, 198, 377
- Richmond, Herbert, 139, 304, 382, 398
- Riemann hypothesis, 37, 362
- Roberval, Gilles de, 168, 262, 273
- root of unity, 309–311, 331–334; primitive, 332–334
- Roriczer, Mathes, 180; *Geometria Deutsch*, 180, 181, 386
- Ruffini, Paolo, 213
- Russell, Bertrand, 41
- rusty compass, 178–184, 187, 190, 191, 213, 343, 386
- Saint-Venant, Jean Claude, 322
- Salamin, Eugene, 285, 286
- salinon*, 125
- Schneider, Theodor, 362, 363, 366, 403
- Schooten, Francis van, 236, 276
- Schultz, Andrew, 400
- Schönemann, Theodor, 399
- Scroggie, George, 316
- Scudder, Henry, 174
- Shanks, Daniel, 285, 382
- Shanks, William, 280, 284
- Siegel, Carl Ludwig, 362, 366
- Simplicius of Cilicia, 46, 109, 129, 374, 383
- Sluse, René de, 262
- Smith, Levi, 284
- Smyth, Charles Piazzi, 93
- Snellius, Willebrord (Snell), 283
- Snyder, Chip, 346, 347
- Socrates, 48, 58, 369
- Somayaji, Nilakantha, 395
- spiral; Archimedean, 51, 53, 125, 170–172, 245, 247, 250, 260–262, 385; logarithmic, 172, 249, 262, 385
- squaring the circle, xi, 1, 3–5, 7–11, 14, 15, 18, 21, 33, 47, 72, 82, 86, 87, 95, 99, 105, 109, 114, 125, 126, 129, 146, 157, 163–165, 167, 171, 172, 192, 195, 207, 215, 227, 228, 251, 255, 260, 261, 268–274, 288, 296, 300, 336, 337, 348, 357, 359, 360, 367, 378, 386
- Stainville, Janot de, 352
- Steiner, Jakob, 47, 183, 185, 189–191, 387
- Stevin, Simon, 276, 290, 349, 350
- Stifel, Michael, 300, 349
- straightedge-only constructions, 188, 189
- Sulvasutras*, 86
- Tartaglia, Niccolò, *see* Fontana, Niccolò
- Tartaglia–Cardano formula, 224, 226, 289
- tau (τ), 6, 300, 301, 375
- The tau manifesto, 300
- Taylor, John, 93, 94
- Thales of Miletus, 8
- Theaetetus of Athens, 40, 64, 65, 373
- Theodorus of Cyrene, 64, 374
- Theon of Smyrna, 13, 370
- Titchmarsh, Charles, 354
- tomahawk, 6, 55, 225, 344, 373
- toothpick constructions, 6, 67, 68, 343, 374
- Torricelli, Evangelista, 262, 276
- tractrix, 250
- trammel; of Archimedes, 161; of Nicomedes, 166, 167, 246
- transcendental number, 4, 5, 348, 349, 356–366, 368, 378, 402, 403
- trisection a line segment, 20, 21, 144, 370
- trisecting the angle, xi, 1, 2, 4, 5, 16–23, 31, 33, 45, 55, 138, 144, 146, 148–151, 154–156, 163–165, 167, 169–171, 173, 174, 176, 177, 192, 193, 224–227, 245, 248, 252, 253, 255, 257, 258, 260, 263, 267, 270, 318–320, 329–331, 334–340, 342, 344–346, 373, 382, 383, 385, 386, 400, 401
- Turing, Alan, 36, 371
- two mean proportionals, 72–80, 99, 151, 152, 155, 165, 167, 174, 226, 227, 238, 248, 249, 255, 257, 258, 270, 275, 329, 343–346, 375, 385, 390, 394
- Tzetzes, Johann, 110, 379
- uncountably infinite, 36, 364, 365, 402
- Underwood, Paul, 401
- van Ceulen, Ludolph, 83, 282, 283, 394
- van Heuraet, Hendrik, 262, 394

- Vandermonde, Alexandre-Théophile, 310
- Vasari, Giorgio, 81
- Videla, Carlos, 345
- Viète, François, 5, 148, 154, 155, 219–227, 235, 236, 248, 256, 264, 265, 269, 276, 344, 345, 384, 389, 390; *Introduction to the Analytic Art*, 221, 222; *A Supplement to Geometry*, 154, 384
- von Neumann, John, 284, 350
- von Strassnitzky, Schulz, 284
- Wagon, Stan, 286
- Wallenius, Martin, 103
- Wallis, John, 199, 263–266, 276, 381, 391; *Arithmetica infinitorum*, 265, 381, 391
- Wang Fan, 88
- Wantzel’s theorem, 326–328, 331, 334, 336–338, 348, 356
- Wantzel, Pierre, 5, 290, 306, 307, 320–323, 326–328, 330, 331, 334–341, 348, 356, 399–401
- Weierstrass, Karl, 360, 361, 366, 403
- Weil, André, 308
- Wessel, Casper, 396
- Whiston, William, 394
- Wijnquist, Daniel, 103
- Wing, Vincent, 373
- Wren, Christopher, 262
- Wrench, Jr., John, 284, 285
- Zeuthen, Hieronymus, 199
- Zhang Heng, 88
- Zu Chongzhi, 90, 133, 281