

## CONTENTS

<b>FOREWORD</b>	5
<b>ACKNOWLEDGMENTS</b>	7
<b>INTRODUCTION</b>	8
<b>PANTHERA LINEAGE</b>	
Tigers, Lions, Jaguars, and Leopards	30
<b>PUMA LINEAGE</b>	
Puma, Jaguarundi, and Cheetah	80
<b>OCELOT LINEAGE</b>	
Ocelot, Margay, Guiña, Colocolo, and Related Species	96
<b>LEOPARD CAT LINEAGE</b>	
Leopard Cat, Pallas's Cat, and Related Species	134
<b>CARACAL LINEAGE</b>	
Caracal, Serval, and African Golden Cat	156
<b>WILDCAT LINEAGE</b>	
Domestic Cat, Wildcats, and Related Species	174
<b>LYNX LINEAGE</b>	
Lynx and Bobcat	202
<b>BAY CAT LINEAGE</b>	
Asiatic Golden Cat, Marbled Cat, and Borneo Bay Cat	226
<b>HYENAS</b>	
Hyenas and Aardwolf	238
<b>SKULLS</b>	
	258
<b>GLOSSARY</b>	
	263
<b>REFERENCES</b>	
	267
<b>INDEX</b>	
	277


## Bengal Tiger

PANTHERA TIGRIS TIGRIS

BL: 173-221 cm (♂), 157-175 cm (♀). TL: 85-110 cm. SH: 90-110 cm. W: 175-260 kg (♂), 100-160 kg (♀). SL: 31.1 cm (♂), 26.8 cm (♀). SW: 25.1 cm (♂), 19.6 cm (♀). DF: 30. CN: 38. The largest cat, with a deep chest, muscular forequarters, and heavily built limbs. A large subspecies. Coat is short and glossy, rich orange to rufous-fawn in color, patterned with black stripes, often doubled, from shoulder to root of tail. White underparts. Pseudomelanism (very wide and merged stripes, giving an almost entirely black appearance) and erythrism (strawberry tigers) may occur; complete melanism is unknown. White forms with blue eyes and chocolate-colored stripes on a white background are very rare. Males with a cheek ruff. White patches around eyes and on cheeks. Ears small and rounded, black on the back, with a large, conspicuous white spot. Nose pad flesh colored. Long whiskers. Powerful forelimbs with large paws, shorter than hind limbs. Tail is long, slim, and banded with black rings almost to the tip. Females are smaller and lighter than males.



For general queries contact [webmaster@press.princeton.edu](mailto:webmaster@press.princeton.edu).



*Panthera tigris tigris*  
(Bengal population)

**OTHER NAMES** French: Tigre du Bengale. German: Königstiger, Indischer Tiger, Bengaltiger. Spanish: Tigre de Bengala, tigre indio. Russian: Бенгальский тигр. Hindi: Bagh, sher. Kannada: Hoole. Malayalam: Kaduwa, naree. Marathi: Patery, dhanya wagh.

**TAXONOMY** The IUCN Cat Specialist Group recognizes only two subspecies: *P. t. tigris* (comprising Bengal, Malayan, Indochinese, South Chinese, Siberian, and extinct Caspian Tiger populations), and *P. t. sondaica* (Sumatran and extinct Javan and Balinese populations). A recent genetic study supports six monophyletic tiger clades: *tigris* (Bengal), *altaica* (Amur), *amoyensis* (South China), *corbettii* (Indochinese), *jacksoni* (Malayan), and *sumatrae* (Sumatran), with *virgata* (Caspian), *sondaica* (Javan), and *balica* (Balinese) having become extinct within the 20th century.

**REPRODUCTION** Gestation: 93-106 days. Young per Birth: 1-4. Weaning: 6 months. Sexual Maturity: 3-4 years (♀), 4-5 years (♂). Life Span: 15 years, over 20 years in captivity. Breeding Season: Throughout the year, with most births occurring in December and April. Cubs are born in a shelter situated in tall grass, thick bush, or in caves, with eyes and ears closed. At 5-6 months of age they begin to take part in hunting, and at 2-3 years, they slowly start to separate from the family group and become transient.

**BEHAVIOR** Social Behavior: Solitary. Diet: Mainly sambar, but also wild pig, spotted deer, or even fish from mangroves; large animals such as rhinos, elephant calves, and gaur are taken opportunistically; they may attack humans if prey is unavailable, or if the tiger is old or injured. They hunt nocturnally, but in certain protected areas are diurnal due to tourist presence. They stalk their prey through high grass cover or undergrowth and, with one sudden onrush, take it down with a bite to the throat, and hold on until prey is lifeless; suffocation is also practiced. Tigers tend to eat the prey from the rump forward as opposed to Leopards, which eat from the belly up.

**DISTRIBUTION** Native: Bangladesh, Bhutan, India, Nepal. Regionally Extinct: China, Pakistan. In India, it is distributed along the Terai foothills of the Himalayas, in NE India, in central India, the Eastern Ghats and the Western Ghats including the Nilgiri plateau. The states of Madhya Pradesh, Maharashtra, Odisha, Bihar, West Bengal, Arunachal Pradesh, and Andhra Pradesh have large Tiger habitats left while those in Assam, Karnataka, Uttarakhand and Rajasthan support large numbers in protected areas.

**HABITAT** Tropical moist evergreen forests, tropical dry forests, tropical and subtropical moist deciduous forests, mangroves, subtropical and temperate upland forests, and alluvial grasslands. In the Sundarbans, it is adapted to a mangrove habitat, in the Terai it frequents a moist deciduous-grassland-riverine habitat complex, and in higher altitudes such as Sikkim and Arunachal Pradesh, it inhabits coniferous, oak, and rhododendron forests.

**CONSERVATION STATUS** Endangered. CITES: Appendix I. Estimated population of this subspecies was 2,400 animals in 2010 (1,700 in India, 440 in Bangladesh, 200 in Nepal, 75 in Bhutan), with no subpopulation larger than 250. India is home to the largest number of Bengal Tigers and the largest number of Tigers among all Tiger range states.

**PHOTO CREDITS** TL: Oakdalecat, Kanha (India); TR: Kirill Kurashov; CL: Amit Rane, Tadoba Andhari (India); CR, Young: Vladimir Cech, Ranthambore NP (India) B: EPhotocorp, Ranthambore NP (India).

For general queries contact webmaster@press.princeton.edu.

## INDEX

The index includes the common English and scientific names. Scientific names are in italics.

### A

- Aardwolf  
    East African 256  
    South African 254  
*Acinonyx jubatus*  
    hecki 92  
    jubatus 88  
    soemmeringii 90  
    venaticus 94  
Andean Mountain Cat 132

### B

- Bay Cat 230  
Black-Footed Cat 200  
Bobcat  
    Eastern 220  
    Mexican 224  
    Western 222

### C

- Caracal  
    Arabian 169  
    Asiatic 168  
    North African 166  
    South African 164  
*Caracal aurata*  
    aurata 170  
    celiodogaster 172  
*Caracal caracal*  
    caracal 164  
    nubicus 166  
    schmitzi 168  
*Catopuma badia* 232  
*Catopuma temminckii*  
    moormensis 230  
    temminckii 228  
Cheetah  
    Asiatic 94  
    Central African 93  
    East African 88  
    Iranian 95  
    Northeast African 91  
    Northern 93  
    Persian 95  
    Saharan 92  
    South African 88  
    Sudan 90

- Chinese Mountain Cat 188

- Clouded Leopard  
    Bornean 78  
    Indochinese 74  
    Sumatran 76

- Colocolo 122

- Cougar 83

- Crocuta crocuta* 240

### D

- Desert Cat  
    Chinese 189  
    Indian 187  
Domestic Cat 180

### E

- Erya Cat* 87  
*Felis bieti* 188  
*Felis catus* 180  
*Felis chaus*  
    affinis 192  
    chaus 190  
    fulvidina 194

- Felis lybica*  
    cafra 184  
    gordonii 183  
    lybica 182  
    ornata 186

- Felis margarita*  
    margarita 196  
    thinobia 198

- Felis nigripes* 200

- Felis silvestris*

- caucasica 178

- grampia 177

- silvestris 176

- Feral Cat 180

- Flat-Headed Cat 140

### G

- Geoffroy's Cat 108  
Golden Cat

- Central African 170  
    Mainland 230  
    Sunda 228  
    Temminck's 229  
    West African 172

- Guīña  
    Northern 112  
    Southern 110

### H

- Herpailurus yagouroundi* 86  
House Cat 180  
*Hyena hyaena*  
    barbara 248  
    dubbah 252  
    hyaena 244  
    sultana 248  
    syriaca 246

- Hyena

- Arabian Striped 250  
    Asiatic Striped 245  
    Barbary Striped 248  
    Brown 242  
    East African Striped 252  
    Indian Striped 244  
    Spotted 240  
    Syrian Striped 246

### I

- Iriomote Cat 152

### J

- Jaguar 70

- Jaguarundi 86

- Jungle Cat  
    Indian 192  
    Indochinese 194  
    Western 190

### K

- Kod-kod 111

### L

- Leopard  
    African 52  
    Amur 66  
    Arabian 54  
    Caucasian 57  
    Chinese 69  
    Indian 58  
    Indochinese 62  
    Javan 64  
    Kashmir 59  
    Malayan 63  
    North Chinese 68  
    Persian 56  
    Sri Lankan 60

- Leopard Cat

- Amur 150  
    Palawan 155  
    Siberian 151  
    South Asian 148  
    Sunda 154  
    Tsushima 151  
    Visayan 155

- Leopardus colocola*

- braccatus 124  
    budini 130  
    colocola 122

- garleppi 130

- munoai 126

- pajeros 128

- wolfschmi 122

- Leopardus geoffroyi* 108

- Leopardus guigna*  
    guigna 110

- tigrillo 112

- Leopardus guttulus* 114

- Leopardus jacobita* 132

- Leopardus pardalis*

- mitis 100  
    pardalis 98

- Leopardus tigrinus*

- oncilla 120

- pardinooides 118

- Leopardus wiedii*

- glauculus 106

- vigens 104

- wiedii 102

- Leptailurus serval*

- constantina 162

- lipostictus 160

- serval 158

- Lion**
- Asiatic 48
  - Central African 46
  - East African 50
  - South African 50
  - West African 46
- Lynx**
- Altai 211
  - Anatolian 219
  - Baikal 211
  - Balkan 216
  - Bay 221
  - Canada 204
  - Carpathian 214
  - Caucasian 218
  - Central Asian 212
  - Desert 165
  - Eurasian 209
  - European 215
  - Himalayan 213
  - Iberian 206
  - Northern 208
  - Pardel 207
  - Persian 169
  - Red 221
  - Siberian 210
  - Spanish 207
- Lynx canadensis* 204
- Lynx lynx*
- balcanicus* 216
  - carpathicus* 214
  - dinniki* 218
  - isabellinus* 212
  - lynx* 208
  - wrangeli* 210
- Lynx pardinus* 206
- Lynx rufus*
- escuinapae* 224
  - fasciatus* 222
  - oaxacensis* 224
  - rufus* 265
- M**
- Manul* 136
- Marbled Cat**
- Himalayan 237
  - Mainland 236
  - Sunda 234
- Margay**
- Central American 106
  - Northern 104
  - Southern 102
- Mountain Lion** 83
- N**
- Neofelis diardi*
- borneensis* 78
  - diardi* 76
- Neofelis nebulosa* 74
- O**
- Ocelot**
- Northern 98
  - Southern 100
- Oncilla** 117
- Atlantic Forest 11
- For general queries contact [webmaster@press.princeton.edu](mailto:webmaster@press.princeton.edu).
- Otocolobus manul**
- manul* 136
- Otter Cat** 87
- Ounce** 73
- P**
- Pallas's Cat**
- Asian 136
  - Tibetan 138
- Pampas Cat**
- Argentinian 128
  - Bolivian 130
  - Peruvian 130
- Pantanal Cat**
- Brazilian 124
  - Uruguayan 126
- Panther** 83
- Panthera leo*
- leo* 46
  - melanochaita* 50
  - persica* 49
- Panthera onca* 70
- Panthera pardus*
- delacouri* 62
  - fusca* 58
  - japonensis* 68
  - kotiya* 60
  - melas* 64
  - nimr* 54
  - orientalis* 66
  - pardus* 52
  - tulliana* 56
- Panthera tigris*
- altaica* 36
  - amoyensis* 38
  - corbetti* 40
  - jacksoni* 42
  - sumatrae* 44
  - tigris* 34
- Panthera uncia* 72
- Parahyaena brunnea* 242
- Pardofelis marmorata*
- longicaudata* 236
  - marmorata* 234
- Prionailurus bengalensis*
- bengalensis* 148
  - euptilurus* 150
- Prionailurus javanensis*
- javanensis* 154
  - sumatranaus* 154
- Prionailurus planiceps* 140
- Prionailurus rubiginosus*
- koladivius* 146
  - phillipsi* 146
  - rubiginosus* 144
- Prionailurus viverrinus*
- rhizophoreus* 142
  - viverrinus* 142
- Proteles cristatus*
- cristatus* 254
  - septentrionalis* 256
- Puma**
- North American 84
  - South American 82
- Puma concolor**
- concolor* 82
  - cougar* 84
- R**
- Rusty-Spotted Cat**
- Forest 146
  - Indian 144
  - Lowland 146
  - Mainland 144
  - Sri-Lankan 146
- S**
- Sand Cat**
- African 194
  - Arabian 197
  - Asian 196
- Serval**
- Central African 162
  - East African 160
  - South African 158
  - West African 162
- Small-Spotted Cat** 201
- Snow Leopard** 72
- Steppe Cat** 136
- Chinese 189
- Strandwolf** 243
- Swamp Cat** 191
- T**
- Tiger**
- Amoy 39
  - Amur 36
  - Bengal 34
  - Indochinese 40
  - Korean 37
  - Malayan 42
  - Manchurian 37
  - Northern Indochinese 41
  - Siberian 37
  - South China 38
  - Southern Indochinese 43
  - Sumatran 44
- Tiger Cat**
- Southern 115
- Tigrillo** 119
- Tigrina**
- Central American 118
  - Eastern 116
  - Northern 118
  - Southern 114
- W**
- Wildcat**
- Arabian 183
  - Asian 185
  - Asian Steppe 187
  - Caucasian 178
  - European 176
  - Gordon's 183
  - North African 182
  - South African 184
  - Tristram's 183