

CONTENTS

Acknowledgments xi

PART I: OCEANS NEAR AND FAR

Prologue: The Bottom

3

CHAPTER 1

Ocean Worlds on Earth and Beyond

12

CHAPTER 2

The New Goldilocks

25

PART II: DISCOVERING AN OCEAN IN THREE EASY PIECES

CHAPTER 3

The Rainbow Connection

49

CHAPTER 4

Babysitting a Spacecraft

69

CHAPTER 5

How I Learned to Love Airport Security

79

CHAPTER 6

Lady with a Veil

96

CHAPTER 7

The Queen of Carbon

108

CHAPTER 8

Oceans Everywhere

120

PART III: THE JOURNEY FROM HABITABLE TO INHABITED

CHAPTER 9

Becoming Inhabited

137

CHAPTER 10

Origins in an Alien Ocean

151

CHAPTER 11

Building an Ocean World Biosphere

160

CHAPTER 12

The Octopus and the Hammer

184

CHAPTER 13

A Periodic Table for Life

207

PART IV: THE NEXT STEPS

CHAPTER 14

Seeking Signs of Life

229

© Copyright, Princeton University Press. No part of this book may be distributed, posted, or reproduced in any form by digital or mechanical means without prior written permission of the publisher.

CONTENTS ix

CHAPTER 15

A New Age of Ocean Exploration

245

Endnotes 261

Index 271

All of this was going through my head as we sat stranded on the sea-floor in our dying submersible. I was starting to think more and more about that wrench. Was I certain it was under the seat? I should have double-checked before we left.

Up until that point, everything had gone quite well. After reaching our location near the middle of the Atlantic Ocean, we had dived from the ship in two subs—Cameron and two team members in one, me and two team members in the other. Our goal was to explore hydrothermal vents on the side of a seamount called Menez Gwen (basically a volcano on the bottom of the ocean).

Being in a submersible at the bottom of the ocean feels like a hot air balloon ride, scuba dive, and space mission rolled into one. (Mind you, of the three, I've only ever scuba dived.) Motions are, for the most part, slow and smooth. The Russian *Mir* submersibles offer a small (approximately eight-inch) porthole from which to peer out into the depths: one porthole for each occupant, three in total. In the center is the pilot and to the left and right are two passengers. You can't stand up, but there's enough room for a cramped, hunched-over shuffle if one person needs to trade places with another. Instruments, buttons, and switches along the interior are reminiscent of the 1970s and 1980s, when these subs were built and first deployed. Seats with blue vinyl cushions form a tiny, communal U-shape, but there's not enough space for all three people to have their legs on the floor at the same time. Usually, the pilot sits upright in the middle, hands on the control sticks, while the two passengers lie on their sides, which they have to do to peer out the windows.

On the way down to the bottom, when the machine is dropping like a stone, you pass rapidly through the photic zone—the uppermost layer of water, approximately 300 meters deep, through which sunlight shines and in which life thrives off of photosynthetic organisms like phytoplankton.

As you descend through this region, light begins to fade. Blue goes to black. The sub starts to cool. You can't feel that you're falling, but the sounds from the acoustic communication system serve as a metronome reminding you of the distance between you and the rest of the world. Loud pings bounce between the sub and the *Keldysh* every few

seconds—exactly the clichéd pinging you would expect to hear while sitting in a submersible but a little higher in pitch and shorter in duration. Every so often, words trickle through the speaker: a sentence or two of Russian, significantly broken up by its journey through the water. For me, with my limited Russian vocabulary, the foreign patter and pings made the environment feel even more alien.

As we sank, I pressed my face up against the porthole and wrapped my head in a towel, trying to prevent light from inside the sub from contaminating my view outside. This part was familiar to me—astronomers gazing at the night sky are always protective of their night vision. The better adapted you are to the dark, the more stars you can see in the night sky.

Here, however, I was scouring the depths for a glimpse of bioluminescence from the host of bizarre creatures that populate our ocean's depths and that give off pulses of light as they, or things around them, move. The plummeting submersible created a shock wave of bioluminescence radiating away from us. Creatures large and small, from jellyfish to microbes, flashed. It was a sight I'll never forget, and it's one that I treasured on each of my nine dives. I got into the habit of donning earphones, pairing the biological fireworks with the music of Radiohead and Pink Floyd. I half-expected to find those bands playing on the ocean floor.

So far, this dive, my first, had been very successful. After some initial exploration of the seafloor, we managed to track down a site rich with hydrothermal vents. For hours we cruised over the flanks of Menez Gwen and collected samples with the robotic arm from the gushing superheated vents. Microbes, mussels, and fish feasted on the bounty of these chemical oases.

Finding this spot on the bottom of the ocean may not seem like a big achievement, but it really was. All of those mapping luxuries that we employ on the surface of the Earth are useless in the ocean. The wavelengths we use for GPS navigation barely penetrate beyond a few millimeters into the ocean's surface. In fact, the ocean is a bad place for transmitting just about any wavelength in the electromagnetic spectrum. Water—the key ingredient to life as we know it—turns out to be very good at hiding much of our own planet from us. Liquid water readily absorbs light, from short to long wavelengths, and thus we can't "see" or

communicate from the bottom of the ocean. This simple fact has confounded engineers for decades: no electronic mode of navigation or communication works underwater—no cell phones, no Wi-Fi, no GPS, no AM, no FM, no ham (amateur) radio, nothing.

Nothing makes it through the ocean over very long distances, except sound. This is partly why whales and dolphins use sound to communicate. And it's why those acoustic pings kept coming through into our sub from the team on the *Keldysh*, checking to see whether we were still there and whether everything was okay.

But it wasn't okay. We had overextended our stay. It had been a long dive and we had explored quite a large area of the seamount. Both *Mir 1* and *Mir 2* were at the bottom, and we had worked in tandem to sample and film much of the region. But now our sub (*Mir 2*) had lost track of *Mir 1*, and we were starting to run low on battery power. Viktor, the pilot, decided it was not a good idea to move or "swim" around anymore since the thrusters used precious battery power.

In addition, our communications link was failing, and our low batteries meant that we could not send strong signals back to the *Keldysh* or to *Mir 1*. On top of everything else, the carbon dioxide scrubber in our submersible was starting to fail, turning our little sphere into a ball of toxic gas.

So there we sat, on the bottom of the ocean, troubleshooting our situation. Although it was a bit scary, I took solace in the wrench. If nothing else, we would pop up out of the ocean and eventually the *Keldysh* crew would find us. Trouble was, depending on the time of day and state of the ocean waves, it might take many hours for the *Keldysh* to find us.

Viktor tried every trick in the book before resigning himself to relaxing in the sub. From his demeanor, either he had accepted the fate of a watery death for us all or he knew that some sort of search protocol would kick in and our job was to sit and wait. My mind continued to wander, as I looked out the porthole, staring at the red shrimp-like creature. My imagination drifted from our ocean to the possibility of oceans beyond Earth.

The scene through that porthole could be what "home" looks like to most of life in our Universe. Deep, dark, seemingly desolate ocean floors may be some of the best real estate for biology. Recent explorations of

our solar system have taught us that—while planets like Earth may be comparatively rare (one per solar system, if you're lucky)—worlds with deep oceans, covered with ice and cut off from any sky or atmosphere above, could be ubiquitous.

In our solar system, these worlds are actually moons of the giant planets, with names like Europa, Ganymede, Callisto, Titan, Enceladus, and Triton. These are worlds that likely harbor oceans of liquid water today, right now, and their oceans have likely been in existence for much of the history of the solar system. A few of these worlds—Europa, Enceladus, and Titan—could even be hospitable to life as we know it.

These ice-covered oceans have no beaches or sandy shores, but they are potentially wonderful, and plentiful, places to call home. The dark depths of those distant oceans may look similar to the deepest regions of our own ocean. Microbes and sea creatures that inhabit our ocean depths might do fine under the physical and chemical conditions thought to exist within the oceans of Europa, Enceladus, and Titan. Throughout this book, we explore this link between the extremes of life on Earth and the physics and chemistry that may make for habitable ocean worlds elsewhere. We examine in detail how we think we know that oceans exist beyond Earth, beneath the icy shells of moons in the outer solar system. And finally, we consider what that means for discovering a separate, independent origin of life beyond Earth.

But before that journey begins, I need to get off the bottom of the ocean.

Although it seemed as though we were stranded on the ocean floor for a long time, it could not have been more than 45 minutes. It had grown humid inside the sub from the condensed water of our own biology. Each breath we took converted precious oxygen into water vapor and carbon dioxide. The curved orange walls of the sub were dripping. It was cold, damp, dark, and quiet. Meanwhile, that little red creature continued to live its life just outside our porthole—blithely unaware of the peril we faced and perfectly happy to scramble across the rocks.

Then, through the porthole a faint light appeared. The light grew, slowly meandering on a path that brought it closer and closer to us.

Finally, the light revealed its source—our sister sub, the *Mir 1*. They had found us.

Knowing that Cameron and the *Mir 1* team were running cameras that would be able to see us, we wrote a note on a piece of paper and pressed it against a porthole. The note said simply: “Must surface.” We watched the camera pan and tilt, inspecting us, assessing the situation. It seemed like they had gotten the message. After a few more attempts at communication with paper and with the acoustic system, Viktor felt confident that the *Keldysh* would be ready for us, and we could now lift off from the bottom and ascend.

The trip back to the surface has a bizarre elegance. Unlike spaceflight, where the return to Earth involves an intense and fiery trip through the atmosphere, followed by aggressive thrusters to fight gravity’s attempt to turn you into ash, the journey back from the bottom of the ocean feels like a slow elevator ride. The laws of physics are a gentle friend, not a foe, as the sub’s buoyancy guides you back home. Gravity does all the work—no thrusters needed, no engines fired, no fear of a parachute not deploying.

If you happen to ascend during daytime, the dark abyss eventually gives way to subtle hints of a star above. Black fades to blue as the most intrepid of the Sun’s rays pierce through the water. With each moment, blue pushes black farther down, and an ocean fed by sunlight emerges. In the final moment, the sub rises and then falls as it bobs up onto the surface of the ocean, once more touching the atmosphere. Sunlight blasts through the portholes, reminding your brain of where it really belongs.

Now safely returned to the surface, we sat bobbing in a tiny speck of orange and white on the vast blue of the ocean. A tiny but considerable speck, returned from an otherworldly experience in the depths, waiting to be picked up by the *Keldysh* and brought on deck by its massive crane. One journey, to one spot, was complete—but with so much more to explore and discover.

CHAPTER 1

OCEAN WORLDS ON EARTH AND BEYOND

If we have learned anything from life on Earth, it is that where you find liquid water, you generally find life. Water is essential to all life as we know it. It is the solvent, the watery broth that makes possible all the chemistry in our cells. Water dissolves many of the compounds that life, large and small, needs to grow and metabolize. Every living cell is a tiny bag of water in which the complex operations of life take place. Thus, as we search for life elsewhere in the solar system, we are primarily searching for places where liquid water can be found today or where it might have existed in the past.

The story of the search for life beyond Earth is, in part, the story of our planet, the pale blue dot,¹ reaching out into space, seeking signs of life on other worlds. Like a plant stretching vines out into its environment, our little planet has been sending its robotic emissaries out in spiral tendrils that circle other planets, probing for answers and sending back information.

We humans have been exploring our solar system with robotic vehicles for over 55 years. The first robotic mission to another planet was the flyby of Venus by the *Mariner 2* spacecraft on December 14, 1962. Since then, we have sent an armada of spacecraft to study the Sun and a variety of planets, moons, asteroids, and comets, most of which are in the inner reaches of our solar system. Over that same period, we have sent only

eight spacecraft beyond the asteroid belt to study the many worlds in the outer reaches of the solar system.

Spacecraft that have gone beyond the asteroid belt—*Pioneer*, *Voyager*, *Galileo*, *Cassini*, *New Horizons*, and *Juno*—have revealed something profound about what it means for a world to be habitable. The data returned from those missions have served to revolutionize our understanding of where liquid water exists in our solar system, and by extension, where life might find a home.

We now have good reason to predict that at least six moons of the outer solar system likely harbor liquid water oceans beneath their icy crusts. These are oceans that exist today, and in several cases we have good reason to predict that they have been in existence for much of the history of the solar system. Three of these ocean worlds—Europa, Ganymede, and Callisto—orbit Jupiter. They are three of the four large moons first discovered in 1610 by Galileo. The fourth moon, Io, is the most volcanically active body in the solar system and does not have water. At least two more ocean worlds, Titan and Enceladus, orbit Saturn. Neptune's curious moon Triton, with an orbit opposite to the direction it rotates, also shows hints of an ocean below.

These are only the worlds for which we've been able to collect considerable data and evidence. Many more worlds could well harbor oceans. Pluto may hide a liquid mixture of water, ammonia, and methane, creating a bizarrely cold ocean of truly alien chemistry. The odd assembly of moons around Uranus—such as Ariel and Miranda—might also have subsurface oceans.

Finally, throughout the history of the solar system, ocean worlds may have come and gone; for example, the large asteroid Ceres likely had a liquid water ocean for much of its early history. Mars and Venus may also have had oceans previously. Early in our solar system's history, oceans might have been commonplace, be they on the surface of worlds like Venus, Earth, and Mars, or deep beneath icy crusts of worlds in the asteroid belt and beyond. Today, however, it is the outer solar system that harbors the most liquid water.

This distinction—between liquid water *in the past* and liquid water *in the present*—is important. If we really want to understand what makes

any alien organism tick, then we need to find life that is alive today and that requires the presence and persistence of liquid water.

The molecules of life (e.g., DNA and RNA) don't last long in the rock record; they break down within thousands to millions of years, which, geologically speaking, is a short amount of time. Bones and other mineral structures of life can stick around much longer and form fossils. Fossils are great, but they only tell you so much about the organisms from which they formed.

As an example, Mars may have been very habitable roughly 3.5 billion years ago. Robotic vehicles, including the rovers *Spirit*, *Opportunity*, and *Curiosity*, have revealed that chemically rich lakes, and possibly vast oceans, populated the Martian surface. If life did arise within those liquid water environments, then some chemical or structural "fossils" might remain preserved within rocks from those ancient times. We would not, however, be able to extract any large molecules like DNA from those fossils. Our search for life on Mars is largely focused on scouring the rocks for any signs of ancient life that went extinct long ago.

Make no mistake, if we were to find rocks on Mars that showed signs of ancient life, it would be an extraordinary discovery. However, I would be left wanting more. I want to find life that is alive today, life that is *extant* as opposed to *extinct*.

This is important because I really want to understand *how life works*. What is the biochemistry that drives life on another world? On Earth, everything runs on DNA, RNA, ATP, and proteins. Darwinian evolution through natural selection has led to our amazing biosphere. The same fundamental biochemistry connects all of life's wild diversity. From the most extreme microbe to the craziest rock-and-roll star, we all have the DNA, RNA, ATP, and protein paradigm at our root. I want to know if there could be another way.

Can life work with some other fundamental biochemistry? Is it easy or hard for life to begin? Does the biochemistry of the origin of life converge toward DNA and RNA? Or were there contingencies that made these the best molecules for life on Earth but perhaps not on other worlds? If we were to find extant life in an ocean world, we could begin to truly answer these questions.

At an even higher level, consider the big picture of human knowledge.

When Galileo first turned his telescope toward the night sky and began charting the faint points of light he saw around Jupiter, he set in motion a revolution in physics. Night after night he drew Jupiter and the arrangement of these points of light. At first, he concluded that they must be stars that he could not see with the naked eye. He even named them the “stars of Medici” in honor of the Medici family since they were funding his research (Galileo was no idiot).

But through his diligent charting of these points of light, Galileo soon realized that they were not stars; they were moons orbiting Jupiter. His discovery got him into deep trouble with the Spanish Inquisition, and he ended up under house arrest. The idea that a celestial body would orbit anything other than the Earth was heretical. The world view at the time was framed around Aristotelian cosmology—the Earth is at the center of the universe and everything revolves around the Earth. Galileo’s discovery put him at odds with this world view and provided strong evidence for the growing Copernican Revolution, the idea that the planets orbit the Sun and that the stars we see could well be suns with planets of their own.

In the decades that followed Galileo, advances in math and physics would lead to an appreciation that the laws of physics *work* beyond Earth. Gravity, energy, and momentum govern objects here on Earth as well as on worlds and wonders beyond.

In the century that followed these developments, the field of chemistry would grow and expand, eventually yielding instruments that could tell us the composition of the Sun, stars, and planets. The elements of the periodic table made up everything on Earth and beyond. Chemistry, too, works beyond Earth.

In the twentieth century, with the advent of the space age, our human and robotic explorers to the Moon, Venus, Mars, Mercury, and a host of asteroids would reveal that the principles of geology work beyond Earth. Rocks, minerals, mountains, and volcanoes populate our solar system and beyond.

But when it comes to biology, we have yet to make that leap. *Does biology work beyond Earth?* Does the phenomenon we know and love and

call life *work* beyond Earth? It is the phenomenon that defines us, and yet we do not know whether it is a universal phenomenon. It is a simple but central question that lies at the heart of who we are, where we come from, and what kind of universe we live in.

Is biology an incredibly rare phenomenon, or does life arise wherever the conditions are right? Do we live in a biological universe?

We don't yet know. But for the first time in the history of humanity, we can do this great experiment. We have the tools and technology to explore and see whether life has taken hold within the distant oceans of our solar system.

SEARCHING FOR A SECOND ORIGIN

To answer these questions, we need to explore places where life could be alive today, and where the ingredients for life have had enough time to catalyze a second, independent origin of life.

This aspect of a second, independent origin is key. Take Mars again. Even if we were to find signs of life on Mars, there are limits to what we'd be able to conclude about that life form, and about life more generally. Mars and Earth are simply too close and too friendly, trading rocks since early childhood. When the solar system and planets were relatively young, large asteroids and comets bombarded Earth and Mars with regularity, scooping out craters and spraying ejecta into space. Some of this debris would have escaped Earth's gravity and may have ended up on a trajectory that eventually impacted Mars (or vice versa).

We know that life was abundant on Earth during many of these impact events, and thus it is not unreasonable to expect that some of the ejecta were vehicles for microbial hitchhikers—some few of which could (with a small probability) have survived the trip through space and the impact on Mars. Even if just a few microbes per rock survived, there were enough impacts and enough ejecta that the total number of Earth microbes delivered to Mars has been calculated to be in the range of tens of billions of cells over the history of the solar system. If one of those Earth rocks came careening through the Martian atmosphere about 3 billion years ago, it could have dropped into an ocean or lake on Mars, and any

surviving microbes on board might have found themselves a nice new home on the red planet.

This possibility, however remote, would make it difficult to be completely confident that any life we discovered on Mars arose separately and independently—in other words, that it was really Martian. Life on Mars could be from Earth, and vice versa.

If we found fossils of microbes in ancient rocks on Mars, we would not be able to determine if that life used DNA or some other biochemistry. Lacking strong evidence for the more extraordinary claim of a second, independent origin of life on Mars, we would potentially have to conclude that Martian life came from Earth.

Indeed, even if we found extant life in the Martian surface or subsurface, there would still be significant potential for confusion as to where that life came from. Imagine that we found living microbes in the Martian permafrost or in some deep aquifer, and imagine even further that we discovered that those organisms also used DNA-based biochemistry. Even if we were unable to connect it to our tree of life, this shared biochemistry would force us to consider that Earth life and Martian life may have shared a common origin, whether life was transported from Earth to Mars or the other way around.

Although it's possible that such DNA-based life on Mars arose through convergent biochemical evolution, it would be hard to differentiate that scenario, and ultimately we would still not have conclusive evidence for a second origin. The only truly robust support for a second origin of life on Mars would be the discovery of extant life with a non-DNA-based biochemistry. Even then, there would still be a few scenarios to consider, and discard, that could implicate the Earth as the place of origin.

The ocean worlds of the outer solar system do not suffer these pitfalls. First, by focusing on worlds with liquid water oceans, we are focusing on worlds that could harbor extant life; and thus we could study their biochemistry in detail. Second, the “seeding problem” is almost negligible. Very few rocks ejected from the Earth could make it all the way to Jupiter and Saturn. In a computer simulation done by the planetary scientist Brett Gladman at the University of British Columbia, six million “rocks”

were ejected from the Earth and sent on random, gravitationally determined trajectories around the Sun. Of those six million, only about a half dozen crashed into the surface of Europa. Slightly more make it onto the surface of Titan.

The rocks that do impact Europa do so at a speed that would cause them to vaporize on impact; none would be big enough to break a hole through Europa's ice shell. Therefore, any material that managed to survive the impact would be left on Europa's surface, exposed to harsh radiation. The energetic electrons and ions that pummel Europa's surface like rain from Jupiter's magnetic field would cook and kill any last surviving microbes.

In summary, it would be darn hard to seed Europa, or any of the ocean worlds of the outer solar system, with Earth life. Thus, even if we discovered DNA-based life there, we could reasonably conclude that those organisms represented a second, independent origin of life.

I should clarify that when it comes to looking for a separate, second origin of life and biochemistries that could be different from ours, I am not referring to what I call "weird life"—that is, life that does not use water as its primary solvent and carbon as its primary building block. We examine this topic in more detail when we explore Titan's surface, but for now, when I refer to "alternative biochemistries," I am still referring to water- and carbon-based life. What is "alternative" here is the prospect of finding different molecules that run the show, that is, an alternative to DNA.

In our efforts to see if biology works beyond Earth, we start with what we know works. Water- and carbon-based life *works* on Earth, and thus we look for similar environments beyond Earth.

But that is not to say that understanding the nature of water- and carbon-based life on Earth came easy. Earth's ocean has always been central to the story of life on Earth and how our planet balances ecosystems on a global scale. As Jacques-Yves Cousteau said at the beginning of his Ocean World book series, "The ocean is life." For millennia, the creatures of our ocean have populated our imaginations and guided our scientific pursuit of piecing together the tree of life on Earth.

OUR OWN ALIEN OCEAN

The story of the search for life beyond Earth is also the story of our growing understanding of our own oceans' depths, and our discovery of the secrets they hold. You may have seen old maps, maps where sea monsters, giant squid, and dragons dot the vast expanse of the seas yet to be explored. One globe from 1510 bears the phrase that has become synonymous with unknown dangers and risks: *Hic sunt dracones*; "Here be dragons."²

The ocean has long been the source of myths and legends. It was—and continues to be—home to aliens of a closer kind. How did we come to explore our own ocean and its many secrets?

The *Challenger* expedition, departing England December 1872 and returning home four years later, was the first to survey the biology of the deep ocean. The expedition's Royal Navy ship, the HMS *Challenger*, carried its crew around the world's oceans, covering a distance equivalent to a third of the way to our Moon. It was, and remains to this day, one of the most important and pioneering scientific expeditions to set sail.

Chief scientist of the expedition, Charles Wyville Thomson, was given permission from the Royal Navy to overhaul the ship, removing much of the weaponry on board and replacing it with instruments and labs. One instrument was little more than a fancy spool of line with a weight on the end. Simple as it was, this instrument would prove key to a great discovery.

In March 1875, the HMS *Challenger* was located southwest of Guam and dropped this line to a depth of 5.1 miles (8.2 km)—deeper than any line had been dropped into an ocean. Subsequent expeditions would reveal that the *Challenger* expedition had found the Earth's deepest ocean trench, the Mariana Trench, nearly 7 miles (11 km) at its deepest point.

The team on board the *Challenger* used nets and dredges to haul up whatever serendipity provided. Many of the creatures came up as gelatinous blobs, invertebrates whose form and function could be truly appreciated only in their native environment. The ethereal, alien beauty of a jellyfish, when hauled onto the deck of a ship, is reduced to colorless goo.

Long frustrated with their inability to directly observe creatures of the deep, explorers have worked throughout the ages to get firsthand access to the deep ocean. Diving bells were the original solution. If you have ever tipped over a canoe and swum underneath to breathe the air trapped by the canoe, you have experienced the basic operation of a diving bell. Imagine that a canoe has been weighted to sink to the bottom of a lake or river. The trapped pocket of air is the breathing space for anyone brave enough to take the trip down to the bottom.

According to paintings and reports, diving bell contraptions date as far back as Alexander the Great, a few centuries before the common era (BCE).³ In a fun twist of the stars and seas, none other than Edmund Halley, discoverer of Halley's comet, innovated on the diving bell, creating a version in which the air could be cycled out and replaced with fresh air from the surface, carried by weighted canisters on a line.

In 1691, less than a decade after his observations of the comet that would come to bear his name, Halley and five colleagues descended in his diving bell to 60 feet (nearly 20 meters) in the River Thames. It was a small but significant step in getting humans deeper and opening our eyes to life in the depths.

The real leap in deep ocean exploration came in the late 1920s and early 1930s, when the engineering and science team of Otis Barton and William Beebe created and deployed their bathysphere—a hollow, steel sphere only 4 feet, 9 inches (1.5 meters) in diameter, with 3-inch-thick quartz windows. This sphere was connected to a cable on a ship's winch that could lower it down and haul it up. Electrical cables also enabled communication to the surface and provided power for lights.

In 1934 the pair of explorers—along with the support of their team from the New York Zoological Society, including naturalists Gloria Hollister and Jocelyn Crane, and engineer John Tee-Van—achieved their long-sought goal of reaching a depth of more than a half mile (nearly 1 km).

The team made many dives off the coast of Nonsuch Island in north Bermuda, and the creatures they saw filled catalogs of new and never-before-captured species. Beebe and the team were the first to study life in the deep ocean in its natural environment.

Beebe's description of a dive to 2,500 feet in early August 1934 captures his surreal experience: "There are certain nodes of emotion in a descent such as this, the first of which is the initial flash. This came at 670 feet, and it seemed to close a door upon the upper world. Green, the world-wide color of plants, had long since disappeared from our new cosmos, just as the last plants of the sea themselves had been left behind far overhead."⁴

On numerous occasions Beebe's writings and radio broadcasts linked the dark sea, peppered with bioluminescent creatures, to the twinkling stars of the night sky. After his successful dive with Barton to 3028 feet, Beebe wrote: "The only other place comparable to these marvelous nether regions, must surely be naked space itself, out far beyond atmosphere, between the stars, where sunlight has no grip upon the dust and rubbish of planetary air, where the blackness of space, the shining planets, comets, suns, and stars must really be closely akin to the world of life as it appears to the eyes of an awed human being, in the open ocean, one half mile down."⁵

The connection between sea and space appears time and again in exploration. Indeed, when NASA launched the first planetary spacecraft toward Venus in 1962, it was not given a name of astronomical significance but one that was connected to our ocean: *Mariner*.

And just two years before *Mariner* flew by Venus, humans themselves would make the plunge to the deepest part of the ocean for the first time, seven miles down in the Challenger Deep region of the Mariana Trench. In 1960 the *Trieste*, a 100-ton vehicle consisting of a sphere that fit two people (Jacques Piccard and Don Walsh) and a giant, buoyant carafe of gasoline, dropped to the deepest point in our ocean.

The dive of the *Trieste* bathyscaphe⁶ marked what some hoped would be the beginning of an ambitious program to explore the deepest regions of our ocean. Designed by a Swiss inventor (Auguste Piccard, father of Jacques), built in its namesake region in Italy, and purchased by the United States Navy, it was the culmination of centuries of ocean exploration that sought to answer the question of what lies below not what lies above and beyond.

On that historic dive little was actually seen, as sediment that stirred up from the seafloor clouded much of the view, and Piccard and Walsh

could not stay on the bottom for long. The deep ocean remained largely unseen.

But seventeen years after the *Trieste* landed in the Mariana Trench, in the spring of 1977, the abyss would give way to new insights into how life works in some of the most extreme environments on planet Earth. The veritable aliens within our own ocean would finally be revealed.

At that time, it was hard to imagine that there were still entire ecosystems on our planet yet to be discovered: the continents had been mapped; the poles had been reached; humans had touched down in the deepest point within Earth's ocean; the footprints of 12 humans even dotted the landscape of the Moon. What game-changing discoveries were left to be made?

Plenty, it turns out.

In that spring of 1977, a team of scientists set off to explore the Galápagos Rift, a region of the seafloor near the Galápagos Islands. They wanted to find out what was causing temperature anomalies in the region. Previous expeditions had measured these anomalies with instruments dropped down on cables and dragged around the ocean. The thinking at the time was that the plate tectonics of the spreading Galápagos Rift was creating a lot of localized heat; hot rocks were creating hot water, simple enough.

As part of the expedition, the team used *Alvin*, a US submersible, expecting to make important observations and discoveries about how geology works. But what they saw instead called into question how biology works.

At a depth of over 6,500 feet (2,000 meters), the lights on *Alvin* revealed structures that resembled tall and tortuous chimneys, billowing out “smoke” like active smelting plants from the Industrial Revolution. This was not smoke but clouds of fluids jetting out into the ocean at temperatures well beyond boiling—nearly 750 °F (400 °C). These fluids do not boil because they can't: the pressure is too high at those depths. These “superheated” fluids contain gases like hydrogen, methane, and hydrogen sulfide, as well as minerals that dissolve in the high-temperature and high-pressure fluids. The *Alvin* team had come across what we now call a hydrothermal vent—essentially a powerful, gushing hot spring at the bottom of the ocean.

The surprise was not so much the vents, but rather the bizarre and beautiful ecosystem surrounding the vent chimneys. Like a deep ocean version of animals congregating at a watering hole in the African savanna, the chimneys were host to never-before-seen creatures—red tube worms, stark white eel-like fish, and golden mounds of mussels—that were thriving in this extreme environment where conventional wisdom had said no animals should exist. And yet there they were.

How were these creatures surviving? What was sustaining this astonishing ecosystem?

On the surface of the Earth, the base of the food chain is driven by photosynthesis. Algae and plants harness the Sun's energy, breathing in carbon dioxide, extracting the carbon to build the structures of life, and then exhaling oxygen. Small organisms and animals eat the photosynthetic organisms, and then larger organisms eat those, and so on.

At the bottom of the ocean, however, the Sun is nowhere to be seen, and the food chain as we know it breaks down. Light from the Sun penetrates about 1,000 feet (300 meters) down, but beyond that, photosynthesis is not an option.

What was the base of the food chain at these hydrothermal vents? This is where the chemistry of the vents come in to play, offering essential nutrients and forming oases for life on the seafloor. The vents erupt hydrogen, methane, hydrogen sulfide, and a host of metals, many of which turn out to be tasty treats for microbes. The microbes utilize chemosynthesis instead of photosynthesis. Here the prefix “chemo” denotes that the microbes are synthesizing what they need for life with chemicals from the chimneys instead of photons from the Sun.

Chemosynthesis forms the base of the food chain at the vents. Microbes survive off the fluids and gases from the hydrothermal vents, and then larger organisms eat them, followed by larger creatures that eat those organisms, and so on. In some cases, the larger organisms were found to have also developed symbiotic relationships with the microbes—hosting the microbes within their bodies in exchange for the microbes detoxifying the water. All in all, a new and very surprising type of ecosystem had been discovered on that historic dive to the Galápagos Rift in 1977.

Life—large and small—was found to thrive in a region where most would have said it was not possible.

Only two years later, in March and July 1979, twin *Voyager* spacecraft would fly past Jupiter, capturing the first close-up images of Europa and Jupiter's other large moons. Those images would lay the foundation for thinking there might exist oceans of liquid water in a region where most would have said it was not possible.

In those brief years of the late 1970s, two seemingly disparate but phenomenal discoveries helped pave the way for a new approach to the search for life beyond Earth. The prospect of a liquid water ocean within Europa was all the more exciting once it became clear, through the discovery of the hydrothermal vents, that life could thrive in the dark regions of our ocean, cut off from the Sun, in a manner perhaps similar to that of an ice-covered ocean.

Our own alien ocean, hidden in the abyss, provided a glimmer of hope that distant oceans beyond Earth might also harbor life. In the chapters ahead, we dive deep into how we think we know these oceans beyond Earth exist and why we think they could be habitable. But first, we need to understand the sweet spot for habitability and why some of these ice-covered moons might reside in that sweet spot. To develop that understanding, we begin with the classic story of Goldilocks.

INDEX

Note: page numbers followed by “f” and “n” indicate figures and endnotes, respectively.

- accretionary heat, 122
acetylene, 210
Adams, Douglas, 184
adenosine diphosphate (ADP), 222
adenosine triphosphate (ATP), 14, 222–23
airport security analogy, 79–80, 90, 91.
 See also magnetic fields and magnetometer data
alternative biochemistries, 18
Alvin, 22–24
ammonia: snow line for, 41f, 44; as solvent, 209–10, 211
Anderson, John, 74–75
anoxygenic photosynthesis, 264n1(ch11)
“architectural blueprint,” 142
argon, 111–12, 119
Ariel, 42f
Arnold, Frances, 216
Asimov, Isaac, 226
Atlantic Ocean. *See* oceans of Earth
Atlantis Space Shuttle, 71
atmospheres: Callisto, 127; Earth, 162–63, 243–44; Pluto, 131; Titan, 109–12, 119; Triton, 128
atomic mass units (amu), 99–100
autonomous underwater vehicles (AUVs), 255

bacteria: cyanobacteria, 161–62; infrared photon photosynthesis and, 187; magnetotactic bacteria, 266n14; mitochondria and, 163
Barton, Otis, 20–21
bathyscaphes, 21, 261n6
bathyspheres, 20

battery analogy, 144–46, 222–24
Beebe, William, 20–21
Béghin, Christian, 118
Benner, Steven, 211–12, 218–19, 221
Bierhaus, Beau, 170
big ship, big science approach, 247–48
binary nucleotide system, 217–18
biochemistries, alternative, 18
biodomex scenario, 204–5
biology, revolutionizing of, 207–9
bioluminescence, 8, 187–88
biomimicry, 201
biosignatures and detection of life: about, 229–30; compositional, morphological, and context evidence, 230, 237–42; dual-use measurements, 236; future landers on Enceladus and Europa, 238, 242–43; *Galileo* collection of Earth evidence, 243–44; instruments, selection of, 230–31; Mars *Viking* landers experiments, 231–37; robust, redundant, and complementary measurements, 236–37, 242
biosphere-building and Europa: Gaia hypothesis and, 181–82; geologic cycling of ice, 178–81; grain size of ice and, 182; ice shell thickness question, 168–78, 180; irradiated ice, chemistry of, 165–68; oxidant availability issue, 160–65
bonds, covalent, 29, 30f, 212–13
bottom-up approach to origin of life, 143, 146, 147–48
Bronze Age, 199
Brown, Mike, 67
Bunsen, Robert, 56–58
Bunsen burner, 56

- Cairns-Smith, Graham, 158
- Callisto: evidence for ocean, 125–28; gravity data, 127; gravity well of, 71f, 72; ice-covered oceans on, 10, 13; ice III on seafloor, 127; ice surface, discovery of, 60; induced magnetic field, 125, 127; Laplace resonance and, 38; nitrogen, 44; size and density, 42f, 44–45, 125; surface age, composition, and craters, 125–27, 126f; tidal heating, 37; *Voyager* images of, 60–61
- Calvin, Wendy, 167–68
- Cambrian explosion, 163–64
- Cameron, James, 4, 7, 11, 152–53
- carbon: as basic building block, 212–13; carbon-13 (¹³C), 241–42; carbon-14 (¹⁴C), 233, 241; carbon-carbon bonds, 215; carbon-silicon bonds, 216; conversion into different phases, 214; isotope fractionation and measurement, 241–42; polarity and, 210; solvents and, 212
- carbon dioxide: Callisto, 127; Enceladus, 100; as ice on Europa, 43–44; Mars *Viking* landers experiments, 233–34; methanogenic microbes and, 156–57; as oxidant, 146; photosynthesis and, 161–62; snow line for, 40, 41f
- Carlson, Bob, 62, 64–65, 67, 167, 243
- Carr, Mike, 171
- Casani, John, 87
- Cassen, Patrick, 36, 61, 262n4(ch4)
- Cassini*: death of, 251, 268n6; Enceladus plume sampling, 98–104; Ganymede flyby, 121; *Huygens* probe (Titan), 110–12, 116, 118; mission of, 97; Titan flybys, 113–15; water likelihood and, 13
- catalysis, 140, 158
- Caterson, Tym, 152–53
- Ceres, 13
- Challenger* expedition to Mariana Trench, 19, 247
- Charon, 42f, 132
- chemical disequilibrium, 144, 146–47, 157, 243–44
- chemistry–spectroscopy link, 56–59
- chemosynthesis, 23, 154
- chirality, 240–41
- CHNOPS elements (carbon, hydrogen, nitrogen, oxygen, phosphorus, and sulfur), 39–44, 222. *See also specific elements*
- Chyba, Chris, 39–40, 140, 143
- citric acid, 223
- Clarke, Arthur C., 225–26, 262n3(ch4)
- clathrates, 133
- Clipper*, 245–46, 252–53, 268n10
- clocks, synchronized, 74
- cnidarian, 153
- coin sorter analogy, 98–99. *See also* mass spectrometers
- comets, 100–101
- compartmentalization, 141
- complementary biosignatures, 236–37, 242
- compositional biosignatures, 230, 238–42
- computation, 202, 205
- context biosignatures, 230, 237–38
- contingent vs. convergent adaptations, 185
- convection, 173–74
- cooking, 198
- Copernican Revolution, 15, 257, 259
- Cosmic Dust Analyzer (CDA), 98, 101–2
- Cousteau, Jacques-Yves, 18
- covalent bonding, 29, 30f, 212–13
- Crane, Jocelyn, 20
- craters: Callisto, 126, 126f; Enceladus, 96–97, 170; Europa, 61, 170; Pluto, 131–32
- crown glass, 52
- cryovolcanism, 110
- Culberson, John, 268n10
- Curiosity* rover, 14, 235, 249–50
- cyanobacteria, 161–62
- Dalton, Brad, 67
- Dalton, John, 56
- “Dare Mighty Things” motto, 253–54

- Deamer, David, 141
- Deep Rover* subsmersibles, 152–53
- Deep Space Network (DSN), 73–74, 76, 96
- dehydration, 147
- density: change in water across the
liquid–solid boundary, 28; gravity wells
and, 73; of planets and moons, 41–44,
42f. *See also specific worlds*
- detection of life. *See biosignatures and
detection of life*
- diapirs, 174, 176, 178
- diatoms, 215, 266n14
- Dione, 42f
- dipole monomers, 221
- diving bells, 20
- DNA (deoxyribonucleic acid): alternative
biochemistries, 14, 18, 216–19; as
blueprint molecule, 142, 216–17;
breakdown of, 14; discovery of structure
of, 232; quaternary, binary, and octal
systems, 217–19
- Doppler shift data, 74, 116
- Dragonfly mission, 256–57
- dual-use measurements, 236
- Earth: atmosphere of, 162–63, 243–44;
CHNOPS elements and, 40; distance
from sun, 25; *Galileo* data on, 243–44; life
potentially spreading from, 16–18;
photosynthesis transition, 161–63; tides
and tidal bulge, 33–35, 35f; time for origin
of life on, 139–40. *See also oceans of Earth*
- echolocation, 190–91
- Einstein, Albert, 70
- Elachi, Charles, 253
- electricity, 200
- electroreception, 191–92
- elliptical orbits and tidal heating, 35, 37–38
- Enceladus: age of, 106–7; *Cassini* mission
and photos of plumes, 97–98; chemistry
to support microbes, 103–4; craters,
96–97, 170; elliptical orbit, 35; future
landing missions, 238, 250, 255; geologic
activity on, 96; “glorified comet”
hypothesis, 100–101; hydrothermal
plumes, 189; hydrothermal vents scenario
and, 150; ice-covered oceans on, 10, 13;
irradiation of ice, 167; mass spectrom-
eters and plume analysis, 98–104, 159; in
new Goldilocks zone, 45; nitrogen and
carbon, 44; return of sample to Earth
(potential), 236; serpentinization on, 159;
size and density, 42f, 43, 45, 96; tidal
heating, 35; water–rock interaction, 43;
wobbles and size of ocean on, 104–6
- Epsom salts, 66–67
- erasable-programmable read-only memory
(EPROM), 202
- ethane, liquid, 109, 113, 115
- ethylene, 210, 220–21
- Europa: in *2001: A Space Odyssey*,
262n3 (ch4); CHNOPS elements, 43–44;
future landing missions, 242–43, 245, 250,
254, 258; geologic cycling of ice, 178–81;
gravity signature, 69–78; gravity well of,
71f, 72–73; heat conduction and flow,
172–77; hydrothermal vents scenario and,
150; ice grain size, 182; ice shell, 60, 61,
63f; ice shell thickness, 168–78, 180,
188–89; induced magnetic field and salty
ocean hypothesis, 89f, 91–94; Laplace
resonance and, 37–38; liquid water ocean,
summary of evidence for, 94–95;
moment of inertia, 75–77, 78f; NASA
mission studies, 245; in new Goldilocks
zone, 37, 45; non-ice material (salts or
sulfuric acid), 65–68, 179; oblateness of,
72; oceans, ice-covered, 10, 13; orbit, 35,
37–38, 175; oxygen, dissolved,
264n1 (ch10); plumes, 176, 189; rocks
from Earth, simulation of, 18; size,
density, and mass, 42f, 43, 45, 72–73;
snow, 177; spectroscopy, 60–68, 60f;
sulfonamide and, 221; surface age,
169–70; surface craters, 61, 170; surface
fractures, chaos regions, and freckles

- Europa (cont.)
 (lenticulae), 170–72, 171f, 172f, 174–78, 175f; temperature of surface and ocean, 173; three-layer model of, 77–78, 78f; tidal heating, 35, 36, 174–76, 264n4 (ch11)
- Europa *Clipper*, 245–46, 252–53, 268n10
- evidence for life. *See* biosignatures and detection of life
- evolution: Cambrian explosion, 163–64; civilization, 195–200; contingent vs. convergent adaptations, 185; photosynthesis transition, 161–63; sensory systems, 186–92; technomimicry, 201–5; tools and technology, 192–95. *See also* biosphere-building and Europa
- exothermic reactions, 154–55, 197
- extracellular polymeric substances (EPS), 182
- eyes, evolution of, 186–89
- Farley, Tom, 81
- farming, 194, 195–98
- fire as tool, 194–95, 198
- flash memory, 202–4
- flint glass, 52
- floating-gate transistors, 203–4
- food chains, photosynthesis- vs. chemosynthesis based, 23, 154
- foraminifera, 229
- Fox, George, 232
- Fraunhofer, Joseph Ritter von, 51–58
- “freckles” (lenticulae), 174–76, 175f
- frost lines. *See* snow lines
- Gaia hypothesis, 164, 181–82, 205
- Galápagos Rift, 22–24
- Galileo*: carbon dioxide ice found on Europa, 43–44; death of, 251, 268n6; Earth data gathered by, 243–44; Europa images, 65–66, 171; Ganymede flybys, 121; gravity measurements of Europa, 69–78; high-gain antenna failure and data issues, 83–86; launch and slingshots, 70–71; magnetometer and Jupiter system magnetic fields, 79, 82–83, 86–94; NIMS spectrometry, 62–67; photopolarimeter, 173; radiation chemistry data, 167; tracking with DNS, 73–75; water likelihood and, 13
- Galileo Galilei, 15, 257, 259
- Ganymede: evidence for ocean, 121–25; furrow systems, 122; future missions, 252; gravity well of, 71f, 72; ice-covered oceans on, 10, 13; ice III on seafloor, 124; ice surface, discovery of, 60; Laplace resonance and, 37–38; magnetic field, 90–91, 121–22; in new Goldilocks zone, 37; orbit, 35, 37–38, 175; oxygen and ozone in ice of, 168; size and density, 42f, 44–45, 124; surface composition, 122–23, 123f; tidal heating, 35, 90, 122; *Voyager* images of, 61
- Gas Chromatograph–Mass Spectrometer (GCMS), 233–35
- Gas Exchange experiment (*Viking* landers), 232
- geometric librations, 104–5
- German, Chris, 189
- germanium, 215
- Gladman, Brett, 17–18
- glass, refractive properties of, 52–54
- Goldilocks model, new: edge of, 125; geochemical factors and size/density of worlds, 39–45; ice, floating and crystal structure of, 25–32; old Goldilocks model, 25–26; tidal heating in moons, 32–38
- gravity and gravity signatures: Callisto, 71f, 72, 127; Europa, 69–78, 71f, 78f; Ganymede, 71f, 72; gravity wells, 70–74, 71f; Io, 71f, 72; measured by tracking a spacecraft, 73; moment of inertia, 75–78, 78f; in ocean exploration, 6; shape of space and, 69–70, 71f; tidal heating and gravitational force, 32–33; Titan k_2 Love number and gravity signature, 116–17

- “Great Tree of Life,” 224–26, 225f
Greely, Ron, 245
Greenberg, Rick, 171–72
greenhouse effect, solid-state, 129
- habitability: Gaia hypothesis and, 164;
habitable zone, 26; “inhabited” vs., 137;
keystones for, 139. *See also* Goldilocks
model, new
- habitability, evidence for. *See* gravity and
gravity signatures; oceans of the outer
solar system; spectroscopy
- hachimoji DNA, 219
Halley, Edmund, 20
handedness, 240–41
Hanner, Margaret, 83
hearing, sense of, 190–91
heat conduction on Europa, 172–77
heat sources. *See* hydrothermal vents;
radiogenic heating; tidal heating
- Herschel, John Frederick William, 58–59
hexagonal crystal lattice of ice, 30f, 31, 32f
Hitchhiker’s Guide to the Galaxy (Adams),
184
Hollister, Gloria, 20
Hoppa, Greg, 171–72
Hubble Space Telescope, 67–68, 168, 176
Hussman, Hauke, 175
Huygens probe, 110–12, 116, 118
hydrogen: Enceladus, 102–3; hydrogen
atoms in water, 29; hydrogen bonds, 29;
liquid, 211–12; methanogenic microbes
and, 156–57; as reductant, 146; serpen-
tinzining vents and, 156
hydrogen peroxide, 167–68
hydrogen sulfide, 146
hydrothermal vents: biodomes scenario,
204–5; “blow torch” vs. “hand warmer,”
154–56; as chemical oases, 4; discovery
of, 22–23; on Enceladus, 102–3; farming,
possibility of, 195–98; locating with
senses, 189–90; Lost City, 151–59, 197;
Menez Gwen, 7–9; methanogenic
microbes and, 156–57, 160, 264n2(ch10);
origin-of-life scenario, 138, 149–50;
serpentinizing, 154–59, 197; shrimp
swarms and sculpting of, 196–97; Snake
Pit, 196, 197; stability of, 197
hydroxyl radicals, 167
- Iapetus, 42f, 262n3(ch4)
ice (water ice): atomic structure and
covalent bonding of water molecules,
30f; crystal structure and floating of,
25–32; dense ice under high pressure,
44–45; freezing point suppressed by
salts, 173; geological cycling of, 178–81;
grain size of, 182, 205; ice III, V, and VI,
124, 127; infrared spectroscopy of, 59–60;
as insulating layer, 27–28, 31; radiation
chemistry, 166–68; snow as insulator, 177.
See also under Europa; Ganymede; Titan
- Iess, Luciano, 117
inertia, moment of, 75–77, 78f
information coding and molecules, 141–43,
216–19
infrared photons, 187
infrared spectroscopy, 58–60
intelligence and technology, evolution of:
computation, 202, 205; contingent vs.
convergent adaptations, 185; cooking,
198; Earth’s oceans, tool use in, 192–94;
electricity, 200; farming, 194, 195–98; fire,
194–95, 198; Gaia hypothesis and, 205;
memory, non-volatile, 202–4; metal-
working, 199–200; mobility, 193–94, 195;
night sky and sense of wonder, 184,
205–6; senses, 186–92; technomimicry,
201–5
Io: gravity well of, 71f, 72; Laplace
resonance and, 37–38; magnetic field,
88–90, 262n2(ch5); orbit, 37–38, 175; tidal
heating, 36–37; volcanic activity, 36–37,
61, 88–90; *Voyager* images of, 61
Ion and Neutral Mass Spectrometer
(INMS), 98–104

- Iron Age, 199
iron as oxidant, 146
- Jet Propulsion Laboratory (JPL), 62, 67, 74,
98, 124, 157, 176, 181, 245, 253–54
- Joyce, Gerald, 142
- Juno*, 13, 38
- Jupiter and the Jovian system: *Cassini*
mission, 97; gravity wells, 71f, 72–73;
Laplace resonance and, 37–38; magnetic
field, 87–91, 89f, 165–66; moons orbiting,
13, 15, 257, 258f; orbital dance, 175;
ten-hour axial spin, 88; tidal heating,
35–38. *See also* Callisto; Europa;
Ganymede
- Jupiter Icy Moons Explorer* (JUICE)
mission, 125, 252–53
- k_2 Love number and gravity signature,
116–17
- Kattenhorn, Simon, 179
- Keck Observatory telescopes, 67
- Keldysh* (Russian research vessel), 5–11
- Kelley, Deborah (Deb), 154
- Kempf, Sascha, 102
- Kepler, Johannes, 33, 104
- Khurana, Krishan, 92–93
- Kirchhoff, Gustav, 56–58
- Kivelson, Margaret, 80–83, 86–87, 92–94,
262n2(ch5)
- Kubrick, Stanley, 262n3(ch4)
- Kuiper, Gerhard, 60
- Kuiper belt, 60, 106, 129
- Labeled Release experiment (*Viking*
landers), 233
- Laplace, Pierre-Simon, 38
- Laplace resonance, 37–38, 122, 175
- lead, 215
- lenticulae (“freckles”), 174–76, 175f
- Libby, Willard, 81
- librations, physical and optical,
104–6
- life: alternative biochemistries, 18; biology
revolutionized by discovery of, 207–9;
CHNOPS elements and, 39–44; extant
vs. extinct, 14; Gaia hypothesis, 164,
181–82, 205; as “hypothesis of last resort,”
244; “impact frustration of,” 140; second
origin, search for, 16–18; time needed to
originate, 106–7; “weird,” 18, 113–15, 119,
210. *See also* biosignatures and detection
of life; Goldilocks model, new; origin
of life
- life, key parameters of: battery of biology
(ATP and alternatives), 222–24; bricks
and mortar (monomers and polymers),
219–22; building-block elements (carbon
and alternatives), 212–16; Great Tree of
Life or Periodic Table of Life, 224–26,
225f, 226f; information coding (DNA-
RNA and alternatives), 216–19; solvents
(water and alternatives), 209–12
- light spectrum. *See* spectroscopy
- limestone, 229
- Lorenz, Ralph, 256
- Lost City hydrothermal vents, 151–59, 197
- Lovelock, James, 164, 181, 239
- lux veritatis* (the light of truth), 51
- magnesium sulfate, 66–67
- magnetic fields and magnetometer data:
airport security analogy, 79–80, 90, 91;
Earth, 165; Europa’s induced field and
salty ocean hypothesis, 91–94; Gany-
mede, 90–91, 121–22, 124; induced
magnetic field, defined, 80; Jupiter
system, 87–91, 89f, 165–66; Kivelson and
the *Galileo* magnetometer, 79, 82–87;
polarity changes with induced fields,
93–94; Saturn, Enceladus, and, 97; Sun,
165; Titan, 117–18
- magnetite, 266n14
- magneto-hydrodynamic dynamos
(MHDs), 121–22
- magnetotactic bacteria, 266n14

- manganese oxide, 146
- Margulis, Lynn, 209
- Mariana Trench, 19, 21–22
- Mariner 2*, 12, 21
- Mars: Callisto compared to, 37; *Curiosity* rover, 14, 235, 249–50; dry and rocky, 40; Ganymede compared to, 90; Goldilocks model and, 25–26; habitability, past possibility of, 14; origin of life conditions and, 149–50; potential life coming from Earth, 16–17; returning samples to Earth, 268n5; robotic exploration of, 208; *Viking* landers mission, 231–37
- mass spectrometers, 98–104
- McAffrey, Paul, 152–53
- Means, Joe, 86
- memory, non-volatile, 202–4
- Mendeleev, Dmitri, 57, 208
- Menez Gwen seamount, 7–9
- Mercury: atmosphere, lack of, 109; Ganymede compared to, 45, 90, 121; robotic exploration of, 208
- metabolism, 144–47, 157
- metalworking, 199–200
- methane: Enceladus, 100, 103; methanogenic microbes and, 156–57; with oxygen in Earth's atmosphere, 244; as reductant, 146; snow line for, 40, 41f, 44; Titan, methane meteorological cycle on, 108–9, 113; in Titan atmosphere, 109–10; Triton, 130–31
- methanogenic microbes, 156–57, 160, 264n2(ch10)
- microbes: cyanobacteria, 161–62; Earth microbes on spacecraft, 250–51; Enceladus chemistry and, 103–4; Europa and possibility of, 180; flash memory and, 204; hydrogen from hydrothermal vents and, 103; metabolism and, 146; organelles, 163
- Miller, Stanley, 143
- Mimas, 42f, 43
- minerals: catalytic properties of, 139, 140, 147; definitions and classifications of, 213–14, 266n4; in early Earth ocean, 162; floating-gate transistors and, 204; fossils, 14; hydrothermal vent theory and, 157–58; as oxidants and reductants, 146; serpentinization and, 154–55; silicate mineralogy, 213, 214; Snake Pit hydrothermal vents and, 196
- Miranda, 13, 42f, 120
- Mir* submersibles, 3–11, 152
- mitochondria, 163
- mobility, tool use and, 193–94, 195
- moment of inertia, 75–77, 78f
- monomers, 219–22, 239–41
- Moon (of Earth): elliptical orbit and wobble, 104–5; robotic exploration of, 208; size and density, 42f; tides and tidal bulge, 33–35, 35f
- moons with ice-covered oceans. *See* oceans of the outer solar system; *specific moons by name*
- Moore, Jeff, 170
- Morabito, Linda, 61
- Mormyridae, 191
- Moroz, Vassili, 60
- morphological biosignatures, 230
- morphological evidence for life, 238
- Morris, Simon Conway, 191
- multicelled organisms, evolution of, 163
- mythology, 205–6
- NASA: funding and budgets, 62, 235, 251–52, 267n2(ch15), 268n10; mission studies and proposals to, 82–83, 245, 256; search for life on Mars (1976), 231–36; skilled labor bottleneck, 253. *See also specific missions and locations, such as Cassini or Europa*
- National Academies of Sciences, 253
- National Oceanographic and Atmospheric Administration (NOAA), 247, 267n2(ch15)
- National Science Foundation (NSF), 247, 267n2(ch15)

- Nealson, Ken, 5
- Near-Infrared Mapping Spectrometer (NIMS), 62–67
- Neptune, 257. *See also* Triton
- New Horizons*, 13
- Newton, Isaac, 52–53
- night sky, 184, 205–6
- Nimmo, Francis, 132
- nitrate, 146
- nitrogen: Europa, 44; liquid, 215; Titan, 109–10; Triton, 128, 130–31
- Nixon, Richard, 235
- noble gases, 111–12
- non-specific organics, 239
- Nonsuch Island, 20
- non-volatile memory, 202–4
- Northern/Southern lights, 165
- Oberon, 42f
- oceans of Earth: Atlantic *Mir* submersible expedition, 3–11; big ship, big science approach, 247–48; commercial sector, 267n2(ch15); *Deep Rover* submersibles, 152–53; history of exploration of, 19–24; Lost City hydrothermal vents, 151–59, 197; Mariana Trench, 19, 21–22; Snake Pit hydrothermal vents, 196, 197; testing technology in, 246; unmapped, 246–47
- oceans of the outer solar system: Callisto, 125–28; dense ice on seafloors, 44–45; Enceladus, 10, 13, 104–6; Europa, 10, 13, 91–95; Ganymede, 121–25; moons with, 10; Pluto, 131–33; rogue planets, 133–34; Titan, 10, 13; total volume of liquid water, 120; Triton, 128–31
- octal DNA system, 218–19
- octopi, 183, 187, 192, 197–98, 200, 204
- Opportunity*, 14
- Optical Institute, Bavaria, 51–52
- optical librations, 104–5
- orbits, elliptical. *See* elliptical orbits and tidal heating
- organelles, 163
- organics (carbon compounds): as biosignatures, 239, 241; Callisto, 127; carbon dioxide and, 44, 234; combined with oxygen, 163; of comets, 101; defined, 267n2(ch14); Enceladus, 100, 103; Mars non-detection of, 234; as reductants, 146; redundant measurements, 237; small, 100; Triton, 129; *Viking* landers experiments, Mars, 232–33
- Orgel, Leslie, 142
- origin of life: catalytic surfaces, 140; compartmentalization, 141; discovery of life as contingent on, 229; “habitable” vs. “inhabited” and, 137; information storage and replication, 141–43; metabolism, 144–47; primordial soup theory, 143; serpentinizing hydrothermal vents theory, 157–59; time parameter, 139–40; top-down vs. bottom-up approach, 143, 146, 147–48; warm pond/tidepool scenario vs. hydrothermal vent scenario, 138, 148–50
- outgassing, 65
- oxidants: availability of, 160–65; in Earth atmosphere, 244; ice cycling on Europa and, 179–80; in metabolism, 145–46; serpentinizing vents and, 155
- oxygen: biodomies scenario and, 205; Cambrian explosion, 163–64; as critical to life, 264n1(ch10); excess, problem of, 188; on Ganymede, 123, 168; with methane in Earth’s atmosphere, 244; as oxidant, 146; photosynthesis and, 162; radiation chemistry and, 167–68; in water, 28
- ozone, 123, 167–68
- Pappalardo, Bob, 174, 245
- Peale, Stanton, 35–36, 61, 262n4(ch4)
- peridotite, 155
- periodic table: carbon group, 213–14; development of, 56, 57, 208; life and elements of, 39f, 208
- “Periodic Table of Life,” 224–26, 225f, 226f

- peroxide, 146
Pettit, Don, 268n3
pH, 158–59, 211, 264n4(ch10)
Phillips, Cynthia, 176
phosphate, 223–24
phosphoramidate, 221
phosphorous, 222–23
photoc zone, 7
photopolarimeter, 173
photosynthesis: anoxygenic, 264n1(ch11);
 food chain and, 23; infrared photons and,
 187; oxidant availability and, 161–64; red
 edge on Earth, 243
physical librations, 104–6
Piccard, Auguste, 21, 261n6
Piccard, Jacques, 21–22
Pioneer, 13, 81–82
plastics, 220–21
Pluto: atmosphere, 131; evidence for ocean,
 131–33; oceans, possibility of, 13;
 radiogenic heating and clathrates, 133;
 size and density, 42f; Sputnik Planitia,
 131–32; surface of, 131–32
PNA (polynucleic acid), 142
polarity, solvents and, 115, 210–12
polymerase chain reaction (PCR), 232
polymers, 219–22, 240, 266n9
polysilanes, 215
Porco, Carolyn, 98
Postberg, Frank, 102
potassium-40, 112
primordial soup theory, 143
private funding, 268n7
Prockter, Louise, 179, 245
proteins, 142, 147, 210, 217, 220–21
protons, pH and, 158, 264n4(ch10)
Pyrolytic Release experiment (*Viking*
 landers), 233

quaternary nucleotide system, 217–18

racemization, 241
radiation chemistry, 165–68

radiogenic heating: Europa, 264n4(ch11);
 Pluto, 133; Triton, 130
rainbow connection. *See* spectroscopy
red edge, 243
reductants, 145–46, 244
redundant biosignatures, 236–37, 242
refraction index, 52, 54
reproduction, 141–42
Reynolds, Ray, 36, 61, 262n4(ch4)
Rhea, 42f
RNA (ribonucleic acid): alternative
 biochemistries, 14, 216–19; breakdown of,
 14; as information molecule, 142, 216–17;
 pre-RNA and development of, 142–43,
 147; RNA-world scenario, 142–43, 148,
 217, 218
robotic spacecraft, 12–13, 254, 258–59
robust biosignatures, 236–37, 242
rocket equation, tyranny of, 249–50
rogue planets, 133–34
Roosevelt, Teddy, 253
Roth, Lorenz, 176
rotorcraft, 256
Russell, Mike, 157, 159

Sagan, Carl, 226, 243, 244
salts: Enceladus, 101–2; Europa, 65–68, 173,
 179; freezing point suppressed by, 173;
 Titan, 119
Saturn: *Cassini* mission, 97; magnetic field,
 97, 118; moons orbiting, 13; rings of, 101,
 106; seasons, 114f
Saturn moons. *See* Enceladus; Mimas;
 Titan
S-band, 74
Schumann resonance, 118–19, 263n4(ch7)
Schwinger, Julian, 81
seasons, on Titan, 113–15, 114f
semiconductors, 203–4
sensory systems, 186–92
serpentinization, 154–59, 197
Shirley, Jim, 67
Shock, Everett, 146

- shrimp swarms at hydrothermal vents, 196–97, 265n10
- sight, evolution of, 186–89
- silica, 52, 102, 215, 266n14
- silicates: Callisto, 127; as class of minerals, 214; on Earth ocean floor, 91; Ganymede, 123, 127; geology vs. biology and, 213
- silicon: building block possibility, 213–15; carbon–silicon bonds, 216; shells of diatoms, 215, 266n14
- silicon dioxide, 214–15
- small organics, 100
- Snake Pit hydrothermal vents, 196, 197
- snow, 177
- snowflakes, 31, 32f
- snow lines, 40–41, 41f, 44
- sodium chloride, 68
- solid-state greenhouse effect, 129
- solvents, 115, 209–12
- Sotin, Christophe, 124
- sound waves, 58
- Southwest Research Institute, 98, 100
- Sparks, Bill, 176
- specificity of organics, 239
- spectroscopy: about, 50–51, 57–58; chemistry connected to (Bunsen, Kirchhoff, and Herschel), 56–59; of Earth (*Galileo*), 243–44; Europa *Clipper*, 252; Fraunhofer's 6-lamp spectroscope, 51–56; Gas Chromatograph–Mass Spectrometer (GCMS), 233–35; infrared spectrum of Europa, 59–65; Ion and Neutral Mass Spectrometer (INMS), 98–104; non-ice material (salts or sulfuric acid) on Europa, 65–68
- Spencer, John, 167–68
- Spirit*, 14
- Sputnik Planitia, Pluto, 131–32
- squibs, 65
- Squyres, Steve, 262n4(ch4)
- Stevenson, David, 133, 172
- Stofan, Ellen, 256
- Stone Age, 199
- Strange, Nathan, 98
- sublimation curves, 41f
- subsumption, 179
- sulfate: biodomex scenario and, 205; in early Earth atmosphere, 161; Epsom salts, 66; on Europa surface, 66, 67; ice cycling on Europa and, 180; as oxidant, 146, 167; photosynthesis and, 164
- sulfide: in early solar system, 40; hydrothermal vents and, 148; as oxidant, 146; snow line for, 40, 41f
- sulfonamide, 221
- sulfur: Callisto, 127; Europa, 43; Ganymede, 123
- sulfuric acid, 66–67, 209–10
- Sun: elements in, 57; magnetic field of, 165; photosynthesis and, 162; spectrum of, 54–56, 55f
- technology. *See* intelligence and technology, evolution of
- technomimicry, 201–5
- Tee-Van, John, 20
- Tethys, 42f
- tetrahedral pyramid, 29–30, 30f
- theodolites, 53
- Thomas, Peter, 104, 105
- Thompson, Reid, 243
- Thomson, Charles Wyville, 19
- tidal bulge, 34–35, 35f, 105
- tidal heating: Europa, 35, 36, 174–76, 264n4(ch11); Ganymede, 90; in new Goldilocks model, 32–38; Triton, 130
- tidepool/warm pond scenario, 138, 148–50
- time: Enceladus and question of, 106–7; as origin-of-life parameter, 139–40
- tin, 215
- Titan: atmosphere, 109–12, 119; future landing missions, 255–57; hydrothermal vents scenario and, 150; ice-covered oceans on, 10, 13; ice shell thickness, 117, 263n4(ch7); k_2 Love number and gravity signature, 116–17; landscape of, 108; life,

- likelihood of, 108, 119; lightning hypothesis, 118; methane meteorological cycle, 108–9, 113; in new Goldilocks zone, 45; nitrogen and carbon, 44; ocean beneath surface, evidence of, 115–19; ocean depth, 117; Schumann resonance, 118–19, 263n4 (ch7); seasonality, 113–15, 114f; simulation of rocks from Earth, 18; size and density, 42f, 44–45; surface images, 111f; temperature and pressure, 108; “weird life” in hydrocarbon lakes, possibility of, 113–15, 119, 210
- Titan Mare Explorer (TiME) (proposed), 256
- Titania, 13, 42f, 120
- Tombaugh, Clyde, 131
- top-down approach to origin of life, 143, 146, 147–48
- tow-yo-ing, 189–90
- transistors, 202–3
- Trieste*, 21–22, 247, 261n6
- Triton: cantaloupe terrain, 128; density and radiogenic decay, 130; evidence for ocean, 128–31; ice-covered oceans on, 10, 13; plume material eruptions from, 128–30; retrograde orbit and tilt, 129; size and density, 42f; surface age and composition, 130–31; tidal heating, 130
- Trumbo, Samantha, 67–68
- Trump, Donald, 268n10
- Tsiolkovsky, Konstantin, 268n3
- Turtle, Elizabeth (Zibby), 256
- 2001: *A Space Odyssey* (book and film), 262n3(ch4)
- 2010: *Odyssey Two* (book and film), 262n3(ch4)
- ultra-stable oscillator (USO), 74
- Umbriel, 42f
- University of Stuttgart, 98, 100
- Uranus system, 13, 42f, 120, 257
- Urey, Harold, 143
- Vance, Steve, 124
- Venus: dry and rocky, 40; *Galileo* slingshot around, 72; Goldilocks model and, 25–26; loss of water, 37; *Mariner 2* flyby, 12, 21; origin of life conditions and, 150; robotic exploration of, 208; sulfuric acid on, 210
- Viking* landers (Mars), 231–37
- volatile compounds, 40–41
- volcanic activity: cryovolcanism, 110, 130, 131; Ganymede, 122–23; Io, 36, 61
- Voyager 1* and 2: Enceladus images, 96–97; Europa images, 23, 65–66; Io images, 36; Triton images, 128; water likelihood and, 13
- Walsh, Don, 21–22
- warm pond/tidepool scenario, 138, 148–50
- water: atomic structure and covalent bonding of water molecules, 30f; change in density across the liquid–solid boundary, 28; electromagnetic spectrum and, 59; as essential to life, 12; ice, floating and crystal structure of, 25–32; likelihood of, on moons, 13; loss of, on Venus and Io, 37; in past vs. present, 13–14; polarization of, 115; as solvent, 209; water–rock interactions, 43, 124, 130. *See also* ice; oceans of the outer solar system
- “weird life,” 18, 113–15, 119, 210
- Westheimer, Frank, 223
- Whitesides, George, 4–5
- wobbles, 104–6
- Woese, Carl, 232