CONTENTS

List of Examples xiii Preface xvii

1	Intr	roduction	1
2	Line	ear Spaces and Transformations	3
	2.1	Properties of Linear Spaces	3
	2.2	Vector Spaces	4
	2.3	Linear Transformations	4
3	Diff	ferentiable Manifolds	7
	3.1	Charts and Coordinates	7
	3.2	Definition	10
	3.3	Local Coordinate Changes	11
	3.4	Functions on Manifolds	13
	3.5	Orientable Manifolds	13
4	Vec	ctors and One-Forms	15
	4.1	Vectors	15
		4.1.1 Vectors as Tangents to Curves	16
		4.1.2 Bases and Coordinates	17

viii Contents

		4.1.3 Vector Field	19
		4.1.4 Transformations	20
	4.2	One-Forms	23
		4.2.1 Duality	23
		4.2.2 Bases	24
		4.2.3 Transformations	26
	4.3	Alternative Perspective	28
	4.4	Lie Bracket	29
5	Ten	sors	33
	5.1	Definition	
	5.2	Operations on Tensors	
		5.2.1 Addition	
		5.2.2 Tensor Product	
		5.2.3 Contraction	
		5.2.4 Transpose of (2,0) and (0,2) Tensors	
		5.2.5 Transpose of a (1,1) Tensor	
	5.3	Transformations	
		5.3.1 Tetrad Formalism	
		5.3.2 Pseudotensors	
	5.4	Kronecker or Identity Tensor	
	5.5	Logarithms and Exponentials of (1,1) Tensors	
	5.6	Tensor Densities and Capacities	
		5.6.1 Pseudotensor Densities and Capacities	
	5.7	Levi-Civita Density and Capacity	
	5.8	Determinant of Rank-2 Tensors	
	5.9	Inverse of Rank-2 Tensors	
	5.10	Metric Tensor	
		5.10.1 Formulation	
		5.10.2 Geometrical Meaning	
		5.10.3 Norm of Vectors and One-Forms	
		5.10.4 Metric in Tetrads	
	5.11	Adjoint of a (1,1) Tensor	57

Contents ix

	5.12	Tenso	or Densities and Capacities Revisited	58
	5.13	Levi-0	Civita Pseudotensor	58
	5.14	Krone	ecker Determinants	60
	5.15	Rotat	ions	63
		5.15.1	Euler Angles	64
		5.15.2	Rodrigues's Formula	66
6	Мар	s betv	veen Manifolds	71
	6.1	Maps		71
	6.2	Maps	between Manifolds of Different Dimensions	72
		6.2.1	Pullback	72
		6.2.2	Pushforward	74
	6.3	Maps	between Manifolds of the Same Dimensions	76
7	Diffe	erentia	ation on Manifolds	85
	7.1	Covar	iant Derivative	85
		7.1.1	Formulation	85
		7.1.2	Transformation of Connection Coefficients	89
		7.1.3	Divergence	91
		7.1.4	Parallel Transport	91
		7.1.5	Torsion and Curvature Tensors	94
		7.1.6	Bianchi Identities	97
		7.1.7	Torsion-Free Connection	97
		7.1.8	Covariant Derivative of the Metric Tensor	98
		7.1.9	Mixed Covariant Derivative in Tetrad Basis	101
		7.1.10	Spin Connection	102
		7.1.11	Contracted Bianchi Identities	102
		7.1.12	Covariant Derivative of Tensor Densities and Capacities	107
		7.1.13	Nonmetricity	107
	7.2	Euler	Derivative	112
	7.3	Lie De	erivative	114
		7.3.1	Lie Derivative of Vectors	114
		7.3.2	Geometrical Interpretation	117

x Contents

		7.3.3	Autonomous Lie Derivative	118
		7.3.4	Lie Derivative of One-Forms	118
		7.3.5	Lie Derivative of (p, q) Tensors	119
		7.3.6	Lie Derivative of Functions	120
		7.3.7	Lie Derivative of Metric Tensors	120
		7.3.8	Lie Derivative of Levi-Civita Tensor	123
8	Diff	erenti	al Forms	127
	8.1	Defin	iition	127
	8.2	Opera	ations on Forms	130
		8.2.1	Addition	130
		8.2.2	Exterior Product	130
		8.2.3	Interior Product	133
	8.3	<i>k</i> -Ve	ctors	133
	8.4	Hodg	e Dual	134
	8.5	Volur	mes	135
		8.5.1	Properties	136
	8.6	Surfa	ices	137
	8.7	Exter	ior Derivative	139
		8.7.1	Coordinate-Free Definition	140
		8.7.2	Exact Forms	142
		8.7.3	Commutativity with Pullback and Pushforward	144
	8.8	Lie D	erivative of a Form	148
	8.9	Vecto	or- and Tensor-Valued Forms	150
		8.9.1	Transformations of Tensor-Valued Forms	151
		8.9.2	Operations on Tensor-Valued Forms	159
		8.9.3	Connection One-Forms	161
		8.9.4	Torsion Two-Forms	162
		8.9.5	Exterior Covariant Derivative	164
		8.9.6	Covariant Lie Derivative	167
		8.9.7	Curvature Two-Forms	169
		8.9.8	Commutator of Covariant Lie and Exterior	171

Contents xi

	8.9.9	Bianchi Identities Revisited	. 172
	8.9.10	Nonmetricity Revisited	. 173
8.10	Integi	ration of Forms	. 174
	8.10.1	Line Integrals	. 174
	8.10.2	Surface Integrals	. 175
	8.10.3	Volume Integrals	. 177
8.11	Stoke	s's Theorem	. 178
	8.11.1	Fundamental Theorem of Calculus	. 178
	8.11.2	Green's Theorem	. 179
	8.11.3	Gauss's Theorem	. 180
	8.11.4	Stokes's Theorem	. 180
	8.11.5	Variational Principles	. 180
	8.11.6	Noether's Theorem	. 181
	8.11.7	Applications	. 183

Glossary 211 Bibliography 219

Author Index 223

Chapter 1

INTRODUCTION

You have to spend some energy and effort to see the beauty of math.

—MARYAM MIRZAKHANI



Unfortunately for Calvin, every job requires *some* math. Monday, September 17, 1990, Calvin and Hobbes. © Watterson. Reprinted with permission of ANDREWS MCMEEL SYNDICATION. All rights reserved.

In the late nineteenth century, Woldemar Voigt introduced the word "tensor" in the context of elasticity theory, a name that reflects its mechanical origins (Maugin, 2013). At that time, the mathematical world was striving toward generalizations, and physical interest in the theory of elasticity was driven by the now outdated notion of ether. The appearance of tensors in the mathematical language came from these developments.

Tensors have become a fundamental tool for science and engineering. They are widely used to describe physical quantities and their relationships in multidimensional spaces. Tensors are essential for studying fluid dynamics, continuum mechanics, electromagnetism, and general relativity. They enable precise descriptions of physical properties that have multiple dimensions and magnitudes.

In recent years, tensors have become increasingly important for data analytics and machine learning due to their ability to represent and analyze complex data and relationships in multidimensional spaces. Tensors serve as data structures in deep learning and machine learning algorithms, allowing for the representation and processing of data

2 Chapter 1. Introduction

in neural networks and enabling the modeling of complex relationships and patterns in data.

The geometrical description of tensors used in this book provides an elegant and powerful tool for comprehending their behavior, relationships, and applications in various fields. It aids in linking abstract mathematical concepts to physical phenomena, enabling researchers, scientists, and engineers to understand and utilize tensors in their respective domains.

This book provides the mathematical background for geometrical descriptions of tensors and their calculus. Its approach is inspired by various sources, including Schutz (1980), Carroll (2004), and Misner et al. (2017). For precise mathematical definitions of the concepts, the reader is directed toward more mathematical textbooks, such as Bishop & Goldberg (1980), Dubrovin et al. (1985), Lovelock & Rund (1989), Marsden & Hughes (1983), Martin (2002), and Stone & Goldbart (2009).

The main objective is to expand \mathbb{R}^n , *Euclidean space*, into a *manifold*, a curved space that behaves like \mathbb{R}^n locally. The sphere and torus are examples of manifolds. Manifolds are invoked for several reasons. Deformed bodies can adopt forms that cannot be described within \mathbb{R}^n . Certain mathematical spaces—such as *Hamiltonian mechanics' phase space*, which is spanned by the components of coordinates and momenta, or *spacetime* in the theory of *general relativity*—are not \mathbb{R}^n .

The book is organized as follows. Chapter 2 discusses linear spaces and coordinate transformations, while subsequent chapters explore tensors, which can be viewed as linear operators acting on vectors and their duals. Chapter 3 is devoted to manifolds and their coordinate descriptions. Chapter 4 extends the concept of vectors in \mathbb{R}^n to manifolds with curvilinear coordinates, introducing the dual entities of vectors: one-forms. The focus is on coordinate systems, including their bases and components in terms of these bases. Locally, any differentiable manifold of n dimensions behaves like \mathbb{R}^n , so attention is paid to the neighborhoods of points of the manifold. In chapter 5, tensors are introduced and viewed as *multilinear maps* from vectors and one-forms to numbers, \mathbb{R} . Chapter 6 introduces maps of tensors between manifolds, and differentiation on manifolds is discussed in chapter 7. Chapter 8 introduces exterior differential forms and the exterior derivative, which acts on k-forms to produce (k+1)-forms. The gradient is an example of the exterior derivative, and other familiar operations, such as the divergence and curl in \mathbb{R}^3 , can be viewed as particular cases of exterior differentiation. The fundamental theorem of exterior calculus generalizes vector-calculus integral theorems, such as Gauss's and Stokes's theorems. The book contains over eighty examples from continuum mechanics, sourced from the book by Tromp (2025), and general relativity, which are used to illustrate the theory.

AUTHOR INDEX

Goldbart, P. 2

Acharya, A. 206	Goldberg, S. I. 2	Mielke, E. W. 107, 173, 174, 206, 209
Adkins, C. J. 195	Gonzalez, D. 206	Misner, C. 2, 23, 28, 29, 34, 184
Amari, S. 145	Gupta, A. 108, 174	Montesinos, M. 206
Appel, W. 134		Munkres, J. R. 7, 16
	Hehl, F. W. 104, 105, 107, 147, 151, 173,	Mura, T. 145
Bilby, B. A. 145	174, 206, 207, 209	
Bishop, R. L. 2	Hencky, H. 82	Nabarro, F. R. N. 145
Borgnakke, C. 195	Hilbert, D. 206	Ne'eman, Y. 107, 173, 174, 206, 209
Bullough, B. R. 145	Holländer, E. F. 145	Nester, J. M. 104, 174, 206, 207
	Hopkins, D. 9	Noether, E. 181
Callen, H. B. 195	Hughes, J. R. 2, 79, 123, 148	Noll, W. 145
Carroll, S. M. 2, 17, 101, 102, 134, 167, 206		Novikov, S. P. 2
Cartan, E. 104	Ito, H. 204	Nowacki, W. 188
Cosserat, E. 188		Nye, J. F. 145
Cosserat, F. 188	Jackson, J.D. 108	
	Jaumann, G. 113	Obukhov, Y. N. 147
Dahlen, F. A. 65, 81		Oshima, N. 145
deWit, R. 205	Kerlick, G. D. 104, 174, 206, 207	
do Carmo, M. P. 7, 11, 127	Kibble, T. W. B. 104	Penrose, R. 96
Dubrovin, B. A. 2	Kleinert, H. 146	Powers, B. 9
Dudek, M. 206	Kondo, K. 145, 204	
	Kosevich, A. M. 145	Randono, A. 206
Edelen, D. G. B. 146, 205		Rodrigues, O. 67
Edmonds, A. R. 64	Lagoudas, D. C. 146, 205	Romero, R. 206
Einstein, A. 104	Liberati, S. 107, 174	Roychowdhury, A. 108, 174
	Lovelock, D. 2, 42, 71, 97	Ruggiero, M. L. 147
Flanders, H. 127		Rund, H. 2, 42, 71, 97
Fomenko, A. T. 2	Malvern, L. 38, 53, 188, 194	
Frankel, T. 59, 133, 135, 137, 148, 178	Marsden, J. E. 2, 79, 123, 148	Sakata, S. 145
	Martin, D. 2, 7	Schey, H. M. 142
Garecki, J. 206	Maugin, G. A. 1, 188	Schutz, B. 2, 16, 19, 27, 42, 114, 178
Gazonas, G. 9	McCrea, J. D. 107, 151, 173, 174, 206, 209	Sciama, D. W. 104

223

Sedov, L. I. 9

Metrikine, A. V. 188

224 Author Index

Shimbo, M. 145	Tartaglia, A. 147	Vitagliano, V. 107, 174
Smith, E. 145	Thorne, K. 2, 23, 28, 29, 34, 184	von der Heyde, P. 104, 174, 206, 207
Sonntag, R. E. 195	Torres del Castillo, G. F. 7	
Sotiriou, T. 107, 174	Toupin, R. A. 82, 188	Wald, R. M. 85, 95, 103
Spivak, M. 7, 114, 178	Trautman, A. 104, 105, 136, 137, 174, 206	Weile, D. 9
Stone, M. 2	Tromp, J. 2, 65, 81, 147, 174, 188, 205	Weinberg, S. 104, 105
	Truesdell, C. A. 82, 188	Wheeler, J. 2, 23, 28, 29, 34, 184
Takeo, M. 204		
Tarantola, A. 58	Uehara, T. 145	Zaremba, S. 113

GENERAL INDEX

absolute temperature, 194 accidentals, 123 action, 180, 201, 202, 206; Hilbert, 206; metric-affine, 206; Palatini, 206 adiabatic process, 195, 198 adjoint, 57 adjoint operator, 75 affine connection one-forms, 206 Almansi strain, 82 alternating symbol, 48 Ampère's law, 109 angular momentum three-form, 188 angular velocity; material, 192 anholonomic, 31 anholonomicity, 30 antisymmetric, 39 antisymmetric tensor, 39 associative, 3 atlas, 7 autonomous Lie derivative, 118

basis, 17; anholonomic, 31; holonomic, 30, 94, 95; linearly independent, 17 basis vector, 17 beach ball, 40 beach ball representation, 39 Bianchi identities, 97, 147, 172–174; contracted, 102–105; post-Riemannian, 174 bijective, 11, 73 bulk modulus, 69

Burgers vector, 147, 204, 205

canonical energy-momentum current, 208 capacity; Levi-Civita, 48; tensor, 47, 58 Cartan homotopy formula, 149, 167 Cartan magic formula, 149, 167 Cartan tensor, 104, 105 Cauchy stress; weighted, 83 Cauchy stress tensor, 38 Cauchy stress two-forms, 152, 159 Cauchy-Green tensor, 81 chart, 7, 77, 78 Christoffel symbol; first kind, 100; Lagrangian, 101; second kind, 100 circulation tube, 132, 158 classical vector calculus, 142 Clausius-Duhem inequality, 195 closed form, 139, 182 co-Einstein tensor, 207 co-Ricci tensor, 207 co-Weyl vector, 208 coframe, 43, 44, 130; orthogonal, 57 commutative, 3 commutator, 29 comoving coordinates, 9, 78 comoving volume, 183

compact, 179

compatibility, 32

compatibility conditions, 32

compliance tensor, 69

congruence, 19, 114

conjugate pair, 156

caloric equation of state, 196

conjugate variables, 196 connection; spin, 102, 167; torsion-free, 97 connection coefficients, 88; frames, 101; Lagrangian, 100; nonmetricity, 107; torsion-free, 100; transformation, 89 connection one-forms, 161; coordinate, 166; Eulerian, 166; Lagrangian, 145, 166; tetrad, 166 conservation law, 182 conservation of angular momentum, 188 conservation of energy, 190; with spin, 192 conservation of linear momentum, 186 conservation of mass, 186 continuity equation, 186; Maxwell's equations, 110 continuous symmetry, 181 continuum mechanics, 18, 21, 22, 27, 38, 42, 43, 45, 53, 59, 68, 77, 81-83, 90, 95, 100, 108, 112, 119, 121, 124, 145, 151, 156, 159, 166, 168, 183, 186, 188, 190, 192, 194, 195, 201, 202, 204 contortion tensor, 99, 108 contracted Bianchi identities, 102, 103 contraction, 36, 159; tensor-valued form, 159 contravariant, 34, 36 convected coordinates, 78, 115 coordinate connection one-forms, 166 coordinate system, 7; convected, 115 coordinates, 7; comoving, 9, 78; convected, 78; Eulerian, 9; Lagrangian, 9; referential, 77; spatial, 9

conjugate thermodynamic parameters, 196

corotation, 112	determinant, 46, 47, 50	electric charge density, 109
corotational material derivative, 112;	deviatoric strain, 69	electric displacement, 111
Zaremba-Jaumann, 113	diffeomorphism, 8, 72, 182	electric field, 109
cosmological constant, 105	differentiable manifold, 7, 8, 15	endomorphism, 58
Cosserat micropolar medium, 188	differential, 24	entropy, 194
cotangent bundle, 23	differential forms, 127	equation of state, 195; caloric, 196
cotangent space, 23	differential geometry, 15	Euclidean space, 7
couple stress, 189; three-forms, 203	dilation current, 209	Euler angles, 64
couple-stress two-forms, 189	directional derivative, 92	Euler derivative, 112, 113, 149
covariant, 34, 36	disclination, 32, 96, 145-147, 205; twist,	Euler-Lagrange equations, 181
covariant derivative, 85; mixed, 102;	147; wedge, 147	Eulerian coordinates, 9, 77
modified, 105; tensor capacity, 107;	disclination two-forms, 147, 204, 205	Eulerian strain, 82
tensor density, 107; tetrad, 101;	disformation tensor, 108	event, 10, 29
torsion-free, 97	dislocation, 32, 96, 145-147, 204; edge,	exact form, 139, 142, 205
covariant Lie derivative, 167; Eulerian, 168;	147; screw, 147	explosion, 40
Lagrangian, 168	dislocation line, 147	exterior covariant derivative, 164;
covariant vector, 27	dislocation two-forms, 147, 204, 205	Eulerian, 166; Lagrangian, 166; mixed,
covector, 27	distance, 51	166
Cramer's rule, 62	distributive, 4	exterior derivative, 24, 139; covariant, 164
cross product, 49, 60, 134	divergence, 91, 141	exterior differential forms, 127
cubic symmetry, 68	dot product, 37, 55	exterior product, 130, 159; Grassmann
curl, 141	double-dot product, 38, 55, 66, 159	product, 131; wedge product, 131
current; dilation, 209; shear, 209; spin, 208;	Dreibein, 43	
strain, 209	dual, 23, 29	Faraday tensor, 143
curvature, 34, 36, 108; Gaussian curvature,	dual space, 23	Faraday's law, 109
96; intrinsic, 205; Ricci, 103	dual vector, 27	field equations, 104, 206; Einstein general
curvature tensor, 34, 36, 37, 41, 94–96	duality, 23, 29	relativity, 104, 210; Einstein-Cartan
curvature two-forms, 169, 170	duality condition, 24	general relativity, 105, 209;
curve, 16	duality product, 24, 41	metric-affine gravity, 208
	dummy index, 35	first law of thermodynamics, 190; with
dark energy and cosmological constant,	dynamic equations, 105; Einstein general	spin, 192
105	relativity, 106; Einstein-Cartan general	first Piola-Kirchhoff stress, 83; two-forms,
defects, 32, 107, 145, 205; interstitial, 109;	relativity, 106	154
point, 109; substitutional, 109; vacancy,		first postulate, 55
109	earthquake, 39	flat b, 123
deformation; elastic, 196, 198; plastic, 196,	edge dislocation, 147	flow of matter, 21
198	Einstein general relativity, 104, 174;	fluid, 69
deformation gradient, 22	dynamic equations, 106; field	flux, 133, 150
deformation rate, 90	equations, 104, 210	focal hemisphere, 39
deformation tensor; Green, 53; right	Einstein summation convention, 17	form; closed, 139, 182; connection, 161;
Cauchy-Green, 53	Einstein tensor, 103, 207	exact, 139, 142, 205; integration, 174;
deformation-rate tensor, 91, 121, 123	Einstein-Cartan general relativity, 104,	Lie derivative, 148; operations, 130;
density; Levi-Civita, 48; tensor, 47, 58	147, 174; dynamic equations, 106; field	stress, 151; tensor-valued, 147, 150;
derivative; corotational material, 112;	equations, 105, 209	vector-valued, 147, 150
covariant, 85; Euler, 112; exterior, 24,	Einstein-Hilbert action, 206	form-versions of Maxwell's equations, 143
139; exterior covariant, 164; Lie, 114;	elastic deformation, 196, 198	four-velocity, 29, 45, 54
material, 112; substantial, 112	elastic tensor, 67; isotropic, 68	frame, 43; inertial, 106; nonspinning, 106

Kronecker delta symbol, 20; generalized, frames; inertial; nonspinning, 106; holonomic basis, 94, 95 orthogonal, 57 holonomicity, 30 Frank vector, 147, 204, 205 holonomy, 96 Kronecker determinants, 60 Frobenius inner product, 38 homeomorphism, 72 Kronecker tensor, 46 Frobenius norm, 38, 47 Hooke's law, 38, 67, 159; form version, fundamental theorem of calculus, 178 Lagrangian connection coefficients, 100 fundamental theorem of exterior calculus, hypermomentum current, 208 Lagrangian coordinates, 9, 77 179 Lagrangian density, 180, 206; four-form, hypocenter, 39 202; matter, 208; three-form, 201 Galilean reference frame, 9 identity tensor, 46 Lagrangian strain, 82 Galilean spacetime, 95 implosion, 40 Legendre transformation, 196 gas, 69 incompatibility, 32 Leibniz's rule, 87, 183 Gauss's theorem, 180 incompatibility tensor, 32 Levi-Civita capacity, 48, 58 Gauss's law; electric field, 109; magnetic incompatible motion, 145 Levi-Civita density, 48, 58 field, 109 incompressibility, 69 Levi-Civita pseudotensor, 48, 58, 59 general relativity, 7, 10, 36, 37, 41, 43, 44, induction equation, 110, 111 Levi-Civita symbol, 48 52, 54, 63, 94, 104, 105, 108, 137, 173, inertia density tensor, 193 Lie bracket, 29 206; Einstein, 174; Einstein field inertial frame, 106 Lie derivative, 112, 114, 115, 149; equations, 104; Einstein-Cartan, 174; inertial frames; nonspinning, 106 autonomous, 118; covariant, 167; Einstein-Cartan field equations, 105; inertial reference frame, 9 covariant, 167; Euler derivative, 113; instein-Cartan, 147; metric-affine, 174; infinitesimal strain tensor, 38, 68, 82 form, 148; function, 120; general tensor, metric-affine field equations, 208 injective, 8, 73 119; geometrical interpretation, 117; generalized Kronecker delta symbol, 60 inner product, 37, 52 Levi-Civita tensor, 123; metric tensor, generalized Stokes's theorem, 178 integral; line, 174, 175; surface, 175, 176; 120; one-form, 118; vectors, 114 geodesic, 93 Lie dragging, 117 volume, 177 geodesic equation, 93 integral curve, 19 line integral, 175 geometry; metric-affine, 206; interior product, 133 line of nodes, 64 Riemann-Cartan, 206; Riemannian, 206 internal energy density, 190 linear momentum three-form, 186 Gibbs relation, 196 internal heating, 191 linear momentum two-form, 186 gradient, 141; deformation, 22 internal state variables, 196 linear space, 3; external operation, 4; gravitation; Einstein, 174; Einstein-Cartan, interstitial defect, 109 distributivity, 4; internal operation, 3; 107, 174; metric-affine, 107, 174 intrinsic curvature, 205 associativity, 3; commutativity, 3; linear Green deformation tensor, 53 intrinsic spin, 188, 192 transformation, 3; null element, 4; Green's Theorem, 179 intrinsic torsion, 204, 205 opposite element, 4; properties, 3; inverse of rank-2 tensors, 50, 63 tensor, 3; vector, 7; vector space, 4; zero Hamilton's principle, 201 inverse problems, 58 element, 4 Hausdorff manifold, 11 irreversible process, 195, 196 linear transformation, 3–5; linear space, 3 heat, 190 isotropic symmetry, 68 linear vector dipole; compensated, 40 heat flux, 191 linearity, 86 heat flux two-form, 194 Jacobian, 13 logarithmic strain, 82 Jacobian of the motion, 79, 124 helicity, 96 Lorentz factor, 55 Helmholtz free energy, 195 Lorentz force, 111 Hencky strain, 47, 82 k-form, 127, 129, 130, 133 Hilbert action, 206 k-vector, 133 Maclaurin series, 47 Hodge dual, 134 kinetic energy; rotational, 192 macroscopic Maxwell's equations, 111 Hodge star, 134 kinetic energy density, 190 magnetic diffusivity, 111 holonomic, 31 Kirchhoff stress, 83 magnetic field, 109

magnetization field, 111	Nanson's relation, 81	Piola transformation, 82
magnetizing field, 111	natural \natural , 123	Piola-Kirchhoff stress; first, 83; second, 83;
manifold, 7; chart, 7; coordinates, 7;	no-more continuum, 145	two-forms, 154
differentiable, 7, 15; Hausdorff, 11;	nodal-plane ambiguity, 40	plastic deformation, 196, 198
orientable, 13; atlas, 13; chart, 13; circle,	Noether current, 182, 183	plasticity, 198
13; Jacobian, 13; Klein bottle, 13;	nondegenerate, 52	Poincaré's lemma, 139, 182
Möbius strip, 13; tangent space, 13;	nonholonomic, 31	point defects, 107–109
referential, 77; spacetime, 104; spatial,	nonmetricity, 107, 108, 173, 174	polarization field, 111
77, 78; surface; orientable, 13	nonmetricity one-forms, 173	post-Riemannian Bianchi identities,
map, 8, 71; between manifolds, 72;	nonmetricity tensor, 107	174
bijection, 71; bijective, 11; injective, 8,	nonspinning frame, 106	product; cross, 134; dot, 37; double-
71; one-to-one, 8; surjective, 71	norm, 56; Frobenius, 47	dot, 38, 159; duality, 24; exterior, 130,
maps between manifolds, 76	normal, 137	131, 159; inner, 37; interior, 133; outer,
mass flux two-form, 186	normal strain two-vector, 158	35; wedge, 128, 130, 131
mass three-form, 186	normal traction two-forms, 153	· ·
<i>'</i>		product space, 16
material angular velocity, 192	normal vector, 137	proper time, 29
material defects, 32	notation, 15, 37, 47	pseudoform, 133, 135
material derivative, 112, 120	1: .:	pseudoscalar, 60
material point, 77	objective rate, 114	pseudotensor, 46; Levi-Civita, 59
material velocity, 18, 21, 90, 95, 112, 121,	Ohm's law, 110	pseudotensor capacity, 48
124	one-form, 23; basis, 24; connection, 145,	pseudotensor density, 48
matter Lagrangian density, 208	161; Eulerian, 166; Lagrangian, 166;	pull down operator, 133
Maxwell's equations, 108; form version,	field, 23; nonmetricity, 173; norm, 56;	pullback, 72, 144, 159, 178
144; in matter, 111; in vacuum, 110;	spin connection, 167; strain, 158	pushforward, 74, 75, 144
macroscopic, 111	one-forms; affine connection, 206; spin	Pythagorean theorem, 56
Mercator series, 47	connection, 167	
metric signature, 54	one-to-one, 8, 73	radiation pattern, 39
metric tensor, 51, 63; covariant derivative,	open set, 8	reference frame; Galilean, 9; inertial, 9
98; inverse, 53, 63; Riemannian, 52	orientability, 13	referential coordinates, 77
metric-affine action, 206	orientable manifold, 13	referential manifold, 77, 154
metric-affine geometry, 206	oriented, 179	referential state, 77
metric-affine gravitation theory, 107, 108,	oriented surface, 59	relative tensors, 47
174; field equations, 208	orthogonal group, 64; special, 64	relativity, 54
metrical energy-momentum current, 208	orthogonal transformations, 64	reversible process, 195, 196
micropolar medium, 188	orthogonality, 56	Reynolds transport theorem, 183
Minkowski metric, 54	orthotropic symmetry, 68	Ricci curvature, 103
Minkowski spacetime, 54, 167	outer product, 35; tensor product, 35	Ricci identity, 95
mixed covariant derivative, 102		Ricci scalar, 103, 206
mixed exterior covariant derivative, 166	Palatini action, 206	Ricci tensor, 37, 103; symmetry, 106
modified covariant derivative, 105	Palatini tensor, 207	Riemann tensor, 35, 95, 103
modified torsion tensor, 104, 105	Palatini torsion tensor, 104	Riemann-Cartan geometry, 206
modulus; bulk, 69; shear, 69	parallel transport, 91, 92, 114; analytic	Riemannian geometry, 206
moment tensor, 39, 40	formulation, 92; geometrical	Riemannian manifold; differentiation, 99;
monifold; referential, 154	interpretation, 92	Levi-Civita pseudotensor, 60; metric
monoclinic symmetry, 68	particle rotation, 199	tensor, 51, 55, 60
motion, 12; incompatible, 145; Jacobian,	permeability, 110	Riemannian metric; definition, 52
79	permittivity, 109	right Cauchy-Green tensor, 53

rigid translation, 114 rigidity, 69 Rodrigues formula, 66, 67 rotation, 46, 63, 202; angle, 65; axis, 65; particle, 199 rotation tensor, 63 rotational kinetic energy, 192 scalar, 34, 35, 38; field, 35 screw dislocation, 147 second law of thermodynamics, 194, 195 second Piola-Kirchhoff stress, 82, 83; two-forms, 155 second Piola-Kirchhoff stress two-forms, 156 second postulate, 54 seismology, 38-40, 68 semicolon notation, 86 sharp #, 123 shear current, 209 shear modulus, 69 smooth, 11 source; dip-slip, 40; explosion, 40; eyeball, 40; fried-egg, 40; implosion, 40; strike-slip, 40; thrust, 40 source mechanism, 39; double-couple, 39; non-double-couple, 39 spacetime, 7; Galilean, 95; general relativity, 10; Minkowski, 167 spacetime manifold, 10, 29, 104 spatial coordinates, 9 spatial manifold, 77, 78 spatial point, 77 special orthogonal group, 64 special relativity, 54; first postulate, 55; second postulate, 54 specific entropy density, 194 speed of light, 110 spin, 192 spin angular momentum, 188 spin angular momentum three-forms, 192 spin connection, 102, 167 spin connection one-forms, 167 spin current, 208

spin tensor, 105

Stokes's theorem, 178, 180; classical, 180

rigid rotation, 114

strain, 156, 158; Almansi, 82; deviator, 69; deviatoric, 69; Eulerian, 82; form version, 156; Hencky, 47, 82; Lagrangian, 82; logarithmic, 82; two-vectors, 158 strain current, 209 strain deviator, 69 strain energy density, 68 strain one-forms, 158 strain tensor, 158; infinitesimal, 38, 68 strain two-vector, 157, 159; normal, 158 stress, 38; couple, 189; first Piola-Kirchhoff, 83; Kirchhoff, 83; second Piola-Kirchhoff, 82; three-form, 203; vector-valued two-form, 151 stress tensor; Cauchy, 38; weighted Cauchy, 83 stress-energy tensor, 104 structure coefficients, 30, 31, 43 substitutional defect, 109 summation convention, 17 surface, 137 surface integral, 175, 176 surface one-form, 59 surface torque, 188 surface two-form, 137 surjective, 71, 73 symmetric tensor, 39 symmetry; cubic, 68; isotropic, 68; monoclinic, 68; orthotropic, 68; transversely isotropic, 68; triclinic, 68 symmetry classes, 68 tangent bundle, 16

tangent bundle, 16
tangent space, 15, 77
Taylor series, 47
tensor, 33; addition, 35; adjoint, 57;
alternating, 58; antisymmetric, 39;
capacity, 47, 58; Cartan, 104;
co-Einstein, 207; contortion, 99, 108;
contraction, 36; curvature, 94–96;
deformation-rate, 91; density, 47, 58;
determinant, 50; disformation, 108;
Einstein, 103, 207; elastic, 67;
exponential, 46; field, 35; identity, 46;
incompatibility, 32; inertia density, 193;
inverse, 50, 63; Kronecker, 46;

Levi-Civita, 58; logarithm, 46; metric, 51; modified torsion, 104; moment, 39; nonmetricity, 107; operations, 35; Palatini, 207; Palatini torsion, 104; Ricci, 103; Riemann, 95, 103; rotation, 63; skewsymmetric, 133; strain, 158; symmetric, 38; torsion, 94, 96; trace, 37; traction, 153; transformation, 41; transpose, 38, 40; two-point, 83; valence, 34; vorticity, 91 tensor capacity, 47, 58; covariant derivative, 107; weight, 47 tensor density, 47, 58; covariant derivative, 107; weight, 47 tensor field, 35; divergence of, 91 tensor product, 35; outer product, 35 tensor-valued form, 96, 147, 150 tensors; relative, 47 tetrad, 43, 101, 102, 106, 130; covariant derivative, 101 tetrad connection one-forms, 166 thermodynamic mechanical parameter, 196 thermodynamics, 190 three-form, 129, 132; angular momentum, 188; canonical energy-momentum current, 208; disclination, 205; hypermomentum current, 208; internal energy, 190; internal heating, 191; kinetic energy density, 190; kinetic energy density energy, 192; linear momentum, 186; mass, 186; spin angular momentum, 192; spin current, 208; strain current, 209; volume, 135; volume force, 186; volume torque, 188 time derivative; Euler, 112 time dilation, 55 torque; surface, 188; volume, 188 torque two-forms, 192 torsion, 108; intrinsic, 204, 205 torsion form, 104 torsion tensor, 94, 96; modified, 105 torsion two-forms, 162, 163 torsion-free connection, 97 total angular velocity, 192 total rotation, 202

trace, 37

230 General Index

traction, 153; two-forms, 153 traction tensor, 153 traction two-form, 159; normal, 153, 154; shear, 153, 154 transpose, 38, 40; (1,1) tensor, 40 transversely isotropic symmetry, 68 triclinic symmetry, 68 true strain, 82 twist disclination, 147 two-form, 128; Cauchy stress, 151, 152, 154, 157, 159, 187; couple-stress, 189; curvature, 169, 170; disclination, 147, 204, 205; dislocation, 147, 204, 205; first Piola-Kirchhoff stress, 154; heat flux, 191, 194; linear momentum, 186; mass flux, 186; Piola-Kirchhoff stress, 154; second Piola-Kirchhoff stress, 155, 156; surface, 137; tensor-valued, 96; torque, 188, 192; torsion, 162, 163; traction, 153, 154, 159; vector-valued, 96, 150

two-point tensor, 83, 154 two-vector; strain, 157, 159

unit vector, 56 universal electric constant, 109 universal magnetic constant, 110

vacancy defect, 109
valence, 34
variational principle, 180
vector, 15, 16; basis, 17; field, 19; length, 56; norm, 56; normal, 137; unit, 56
vector calculus, 142
vector field, 19; constancy, 92
vector space, 4, 17; dimension, 5; basis, 5; linear space, 4
vector-valued form, 96, 147, 150
vector-valued two-form, 150
velocity, 183

Vielbein, 43

Vierbein, 43, 45
Volterra cut-and-weld protocols, 147
volume, 135
volume element, 135
volume force three-forms, 186
volume form, 59, 124, 135; properties, 137
volume integral, 177
volume torque, 188
volume transport, 60
vorticity, 90, 192
vorticity tensor, 91

wedge disclination, 147
wedge product, 128, 130; exterior product,
131; Grassmann product, 131
weighted Cauchy stress tensor, 83
Weyl vector, 208
worldline, 29

Zaremba-Jaumann rate, 113