

Contents



<i>Preface</i>	vii
Summary of Goals for This Text	ix
UNIT 1 Descriptive Statistics	1
CHAPTER 1 Basic Descriptive Statistics	3
1.1 Types of Biological Data	3
1.2 Summary Descriptive Statistics of DataSets	4
1.3 Matlab Skills	9
1.4 Exercises	11
CHAPTER 2 Visual Display of Data	14
2.1 Introduction	14
2.2 Frequency Distributions	15
2.3 Bar Charts and Histograms	16
2.4 Scatter Plots	23
2.5 Matlab Skills	24
2.6 Exercises	27
CHAPTER 3 Bivariate Data and Linear Regression	30
3.1 Introduction to Linear Regression	30
3.2 Bivariate Data	31
3.3 Linear Analysis of Data	31
3.4 Correlation	37
3.5 Matlab Skills	40
3.6 Exercises	43
CHAPTER 4 Exponential and Logarithmic Functions	46
4.1 Exponential and Logarithmic Functions in Biology	46
4.2 Review of Exponential and Logarithm Properties	47

4.3	Allometry	54
4.4	Rescaling Data: Log-Log and Semilog Graphs	55
4.5	Matlab Skills	62
4.6	Exercises	67
UNIT 1	Student Projects	71
UNIT 2	Discrete Time Modeling	79
CHAPTER 5	Sequences and Discrete Difference Equations	84
5.1	Sequences	85
5.2	Limit of a Sequence	87
5.3	Discrete Difference Equations	90
5.4	Geometric and Arithmetic Sequences	92
5.5	Linear Difference Equation with Constant Coefficients	93
5.6	Introduction to Pharmacokinetics	97
5.7	Matlab Skills	100
5.8	Exercises	102
CHAPTER 6	Vectors and Matrices	107
6.1	Vector Structure: Order Matters!	108
6.2	Vector Algebra	110
6.3	Dynamics: Vectors Changing over Time	112
6.4	Matlab Skills	120
6.5	Exercises	120
CHAPTER 7	Matrix Algebra	123
7.1	Matrix Arithmetic	123
7.2	Applications	129
7.3	Matlab Skills	133
7.4	Exercises	138
CHAPTER 8	Long-Term Dynamics or Equilibrium	141
8.1	Notion of an Equilibrium	142
8.2	Eigenvectors	142
8.3	Stability	147
8.4	Matlab Skills	149
8.5	Exercises	149
CHAPTER 9	Leslie Matrix Models and Eigenvalues	152
9.1	Leslie Matrix Models	153
9.2	Long-Term Growth Rate (Eigenvalues)	156
9.3	Long-Term Population Structure (Corresponding Eigenvectors)	163
9.4	Matlab Skills	165
9.5	Exercises	168
UNIT 2	Student Projects	171
UNIT 3	Probability	175
CHAPTER 10	Probability of Events	177
10.1	Sample Spaces and Events	178
10.2	Probability of an Event	181

10.3	Combinations and Permutations	186
10.4	Binomial Experiments	188
10.5	Matlab Skills	189
10.6	Exercises	198
CHAPTER 11	Probability of Compound Events	201
11.1	Compound Events	201
11.2	Finding the Probability of a Compound Event	204
11.3	Probability Viewed as Darts Tossed at a Dart Board	209
11.4	Matlab Skills	210
11.5	Exercises	213
CHAPTER 12	Conditional Probability	216
12.1	Conditional Probability	217
12.2	Independence	220
12.3	Matlab Skills	225
12.4	Exercises	230
CHAPTER 13	Sequential Events	233
13.1	Partition Theorem	233
13.2	Bayes' Theorem	238
13.3	Exercises	242
CHAPTER 14	Population Genetics Models	246
14.1	Hardy-Weinberg Equilibrium	247
14.2	Hardy-Weinberg Selection Model	250
14.3	Exercises	253
UNIT 3	Student Projects	255
UNIT 4	Limits and Continuity	259
CHAPTER 15	Limits of Functions	261
15.1	Limit of a Function	262
15.2	Limit Properties	266
15.3	Matlab Skills	274
15.4	Exercises	277
CHAPTER 16	Limits of Continuous Functions	282
16.1	Right and Left Limits	283
16.2	Continuity	284
16.3	Intermediate Value Theorem	289
16.4	Matlab Skills	292
16.5	Exercises	294
UNIT 4	Student Projects	299
UNIT 5	Derivatives	303
CHAPTER 17	Rates of Change	305
17.1	Average Rate of Change	306
17.2	Estimating Rates of Change for Data	308
17.3	Velocity	309

17.4	Photosynthesis	311
17.5	Other Examples of Rates of Change	315
17.6	Definition of a Derivative at a Point	316
17.7	Matlab Skills	316
17.8	Exercises	320
CHAPTER 18	Derivatives of Functions	324
18.1	Concept of a Derivative	324
18.2	Limit Definition of a Derivative of a Function	326
18.3	Derivatives of Exponential Functions	330
18.4	Derivatives of Trigonometric Functions	334
18.5	Derivatives and Continuity	336
18.6	Derivatives of Logarithmic Functions	341
18.7	Matlab Skills	345
18.8	Exercises	350
CHAPTER 19	Computing Derivatives	352
19.1	Derivatives of Frequently Used Functions	353
19.2	The Chain Rule for the Composition of Functions	354
19.3	Quotient and Reciprocal Rules	359
19.4	Exponential Models	362
19.5	Higher Derivatives	369
19.6	Exercises	372
CHAPTER 20	Using Derivatives to Find Maxima and Minima	376
20.1	Maxima and Minima	377
20.2	First Derivative Test	377
20.3	Mean Value Theorem	382
20.4	Concavity	385
20.5	Optimization Problems	394
20.6	Matlab Skills	402
20.7	Exercises	404
UNIT 5	Student Projects	410
UNIT 6	Integration	413
CHAPTER 21	Estimating the Area under a Curve	414
21.1	The Area under a Curve	415
21.2	Increasing the Accuracy of the Area Estimation	426
21.3	Area below the Horizontal Axis	430
21.4	Matlab Skills	433
21.5	Exercises	436
CHAPTER 22	Antiderivatives and the Fundamental Theorem of Calculus	440
22.1	Definition of an Integral	441
22.2	Antiderivatives	442
22.3	Fundamental Theorem of Calculus	444
22.4	Antiderivatives and Integrals	446

22.5	Average Values	450
22.6	Matlab Skills	453
22.7	Exercises	456
CHAPTER 23	Methods of Integration	459
23.1	Substitution Method	459
23.2	Integration by Parts	465
23.3	Exercises	469
CHAPTER 24	Applications of Integrals to Area and Volume	471
24.1	The Area between Two Curves	472
24.2	The Volume of a Solid of Revolution	477
24.3	Density Functions	482
24.4	Exercises	485
CHAPTER 25	Probability in a Continuous Context	489
25.1	Expected Value and Median Value	493
25.2	Normal Distribution	495
25.3	Waiting Times	498
25.4	Matlab Skills	500
25.5	Exercises	507
UNIT 6	Student Projects	510
UNIT 7	Introduction to Differential Equations	513
CHAPTER 26	Separation of Variables	515
26.1	Separation of Variables Method	518
26.2	Matlab Skills	522
26.3	Exercises	527
CHAPTER 27	Equilibria and Limited Population Growth	529
27.1	Models of Limited Population Growth	531
27.2	Equilibria and Stability	535
27.3	Homeostasis	539
27.4	Exercises	541
CHAPTER 28	Implicit Differentiation and Related Rates	543
28.1	Explicitly and Implicitly Defined Functions	544
28.2	Implicit Differentiation	544
28.3	Related Rates	549
28.4	Exercises	551
UNIT 7	Student Projects	555
References		557
Appendix A		561
Appendix B		571
Answers to Selected Problems		000
Index		000

Basic Descriptive Statistics

1.1 Types of Biological Data

Any observation or experiment in biology involves the collection of information, and this may be of several general types:

Data on a Ratio Scale

Consider measuring heights of plants. The difference in height between a 20-cm-tall plant and a 24-cm-tall plant is the same as that between a 26-cm-tall plant and a 30-cm-tall plant. These data have a “constant interval size.” They also have a true zero point on the measurement scale, so that ratios of measurements make sense (e.g., it makes sense to state that one plant is three times as tall as another). A measurement scale that has constant interval size and a true zero point is called a “ratio scale.” For example, this applies to measurements of weights (mg, kg), lengths (cm, m), volumes (cc, cu m), and lengths of time (s, min).

Data on an Interval Scale

Measurements with an interval scale but having no true zero point are of this type. Examples are temperatures measured in Celsius or Fahrenheit: it makes no sense to say that 40 degrees is twice as hot as 20 degrees. Absolute temperatures, however, are measured on a ratio scale.

Data on an Ordinal Scale

Data that can be ordered according to some measurements are on an ordinal scale. Examples would be rankings based on size of objects, the speed of an individual relative to another individual, the depth of the orange hue of a shirt, and so on. In some cases (e.g., size), there may be an underlying ratio scale, but if all that is provided is a ranking of individuals (e.g., you are told only that tomato genotype A is larger than tomato genotype B, not how much larger), there is a

loss of information if we are given only the ranking on an ordinal scale. Quantitative comparisons are not possible on an ordinal scale (how can one say that one shirt is half as orange as another?).

Data on a Nominal Scale

When a measurement is classified by an attribute rather than by a quantitative, numerical measurement, then it is on a nominal scale (male or female; genotype AA, Aa or aa; in the taxa *Pinus* or in the taxa *Abies*; etc.). Often, these are called categorical data because you classify the data elements according to their category.

Continuous vs. Discrete Data

When a measurement can take on any conceivable value along a continuum, it is called continuous. Weight and height are continuous variables. When a measurement can take on only one of a discrete list of values, it is discrete. The number of arms on a starfish, the number of leaves on a plant, and the number of eggs in a nest are all discrete measurements.

1.2 Summary of Descriptive Statistics of DataSets

Any time a data set is summarized by its statistical information, there is a loss of information. That is, given the summary statistics, there is no way to recover the original data. Basic summary statistics may be grouped as

- (i) measures of central tendency (giving in some sense the central value of a data set) and
- (ii) measures of dispersion (giving a measure of how spread out that data set is).

Measures of Central Tendency

Arithmetic Mean (the average)

If the data collected as a sample from some set of observations have values x_1, x_2, \dots, x_n , then the mean of this sample (denoted by \bar{x}) is

$$\bar{x} = \frac{1}{n} \sum_{i=1}^n x_i = \frac{x_1 + x_2 + \dots + x_n}{n}.$$

Note the use of the \sum notation in the above expression, that is,

$$\sum_{i=1}^n x_i = x_1 + x_2 + \dots + x_n.$$

Median

The median is the middle value: half the data fall above this and half below. In some sense, this supplies less information than the mean since it considers only the ranking of the data, not how much larger or smaller the data values are. But the median is less affected than the mean by “outlier” points (e.g., a really large measurement or data value that skews the sample). The LD 50 is an example of a median: the median lethal dose of a substance (half the individuals die after being given this dose, and half survive). For a list of data x_1, x_2, \dots, x_n , to find the median,

list these in order from smallest to largest. This is known as “ranking” the data. If n is odd, the median is the number in the $1 + \frac{n-1}{2}$ place on this list. If n is even, the median is the average of the numbers in the $\frac{n}{2}$ and $1 + \frac{n}{2}$ positions on this list.

Quartiles arise when the sample is broken into four equal parts (the right end point of the 2nd quartile is the median), quintiles when five equal parts are used, and so on.

Mode

The mode is the most frequently occurring value (or values; there may be more than one) in a data set.

Midrange

The midrange is the value halfway between the largest and smallest values in the data set. So, if x_{\min} and x_{\max} are the smallest and largest values in the data set, then the midrange is

$$\bar{x}_{\text{mid}} = \frac{x_{\min} + x_{\max}}{2}.$$

Geometric Mean

The geometric mean of a set of n data is the n th root of the product of the n data values,

$$\bar{x}_{\text{geom}} = \left(\prod_{i=1}^n x_i \right)^{1/n} = \sqrt[n]{x_1 \cdot x_2 \cdots x_n}.$$

The geometric mean arises as an appropriate estimate of growth rates of a population when the growth rates vary through time or space. It is always less than the arithmetic mean. (The arithmetic mean and the geometric mean are equal if all the data have the same value.)

Harmonic Mean

The harmonic mean is the reciprocal of the arithmetic mean of the reciprocals of the data,

$$\bar{x}_{\text{harm}} = \frac{n}{\sum_{i=1}^n \frac{1}{x_i}} = \frac{n}{\frac{1}{x_1} + \frac{1}{x_2} + \cdots + \frac{1}{x_n}}.$$

It also arises in some circumstances as the appropriate overall growth rate when rates vary.

Example 1.1 (Describing a Data Set Using Measures of Central Tendency)

After developing some heart troubles, John was told to monitor his heart rate. He was advised to measure his heart rate six times a day for 3 days. His heart rate was measured in beats per minute (bpm).

65 70 90 95 82 84
61 83 120 83 72 70
72 71 92 85 102 69

(Continued)

- (a) What was John's mean heart rate over the 3 days? Calculate the three different means (arithmetic, geometric, and harmonic).
- (b) What was John's median heart rate?
- (c) What were the modes of John's heart rate?
- (d) What was the midrange of John's heart rate?

Solution:

- (a) Arithmetic mean:

$$\bar{x} = \frac{65 + 70 + 90 + \cdots + 85 + 102 + 69}{18} = 81.4$$

Geometric mean:

$$\bar{x}_{\text{geom}} = (65 \times 70 \times 90 \times \cdots \times 85 \times 102 \times 69)^{1/18} = 80.3$$

Harmonic mean:

$$\bar{x}_{\text{harm}} = \frac{18}{\frac{1}{65} + \frac{1}{70} + \frac{1}{90} + \cdots + \frac{1}{85} + \frac{1}{102} + \frac{1}{69}} = 79.2$$

Notice that the three means do not yield equal values.

- (b) Arranging the numbers from smallest to largest, we get

61 65 69 70 70 71 72 72 82
83 83 84 85 90 92 95 102 120

Since there are 18 data points, we take the average of the middle two numbers: 82 and 83. Thus, the median is 82.5.

- (c) There are three modes in this data set: 70, 72, and 83.

- (d) Midrange: $\bar{x}_{\text{mid}} = \frac{61 + 120}{2} = 90.5$. Notice that this is different from the median.

Measures of Dispersion

Range

The range is the largest minus the smallest value in the data set: $x_{\text{max}} - x_{\text{min}}$. This does not account in any way for the manner in which data are distributed across the range.

Variance

The variance is the mean sum of the squares of the deviations of the data from the arithmetic mean of the data. The *best* estimate of this (take a good statistics class to find out how *best* is defined) is the sample variance, obtained by taking the sum of the squares of the differences of

the data values from the sample mean and dividing this by the number of data points minus one,

$$s^2 = \frac{1}{n-1} \sum_{i=1}^n (x_i - \bar{x})^2,$$

where n is the number of data points in the data set, x_i is the i th data point in the data set x , and \bar{x} is the arithmetic mean of the data set x .

Standard Deviation

The variance has square units, so it is usual to take its square root to obtain the standard deviation,

$$s = \sqrt{\text{variance}} = \sqrt{\frac{1}{n-1} \sum_{i=1}^n (x_i - \bar{x})^2},$$

which has the same units as the original measurements. The higher the standard deviation s , the more dispersed the data are around the mean.

Both the variance and the standard deviation have values that depend on the measurement scale used. So measuring body weights of newborns in grams will produce much higher variances than if the same newborns were measured in kilograms. To account for the measurement scale, it is typical to use the coefficient of variability (sometimes called the coefficient of variance): the standard deviation divided by the arithmetic mean, which is dimensionless and has no units. This coefficient of variability is thus independent of the measurement scale used.

Example 1.2 (Describing a Data Set Using Measure of Dispersion)

In a summer ecology research program, Jane is asked to count the number of trees per hectare in five different sampling locations in King's Canyon National Park in California. Each sampling location is referred to as a plot, and each plot is a different size. Here are the data she collected:

Plot Size (hectares)	No. of Trees in Plot
1.50	20
2.30	31
1.75	43
3.10	58
2.65	29

Given the data Jane collected, (a) construct the data set that represents the number of trees per hectare for each of the five plots and then calculate the (b) range, (c) variance, and (d) standard deviation of the data set you constructed.

(Continued)

Solution:

- (a) For each plot, the number of trees per hectare is

$$\frac{\# \text{ trees in plot}}{\text{plot size}}.$$

For example, the first plot has $20/1.5 = 13.3$ trees/hectare. Thus, the data set that represents the number of trees per hectare for each of the five plots is

$$x = \{13.3, 13.5, 24.6, 18.7, 10.9\}.$$

- (b) To calculate the range, we need to know x_{\max} and x_{\min} (the maximum and minimum values of the data set x). Looking at the data set constructed in (a), $x_{\min} = 10.9$ and $x_{\max} = 24.6$. Thus,

$$\text{range} = 24.6 - 10.9 = 13.7.$$

- (c) Recall that to calculate the variance of a data set, you must first know the arithmetic mean of that data set. For the data set constructed in (a),

$$\bar{x} = \frac{13.3 + 13.5 + 24.6 + 18.7 + 10.9}{5} = 16.2.$$

Then, the variance is

$$\begin{aligned} s^2 &= \frac{1}{5-1} \left[(13.3 - 16.2)^2 + (13.5 - 16.2)^2 + (24.6 - 16.2)^2 \right. \\ &\quad \left. + (18.7 - 16.2)^2 + (10.9 - 16.2)^2 \right] \\ &= \frac{1}{4} \left[(-2.9)^2 + (-2.7)^2 + (8.4)^2 + (2.5)^2 + (-5.3)^2 \right] \\ &= \frac{1}{4} [8.41 + 7.29 + 70.56 + 6.25 + 28.09] \\ &= \frac{1}{4} [120.6] \\ &= 30.15. \end{aligned}$$

- (d) Recall that the standard deviation of a data set is the square root of the variance of that data set. Thus, the standard deviation is

$$s = \sqrt{30.15} = 5.491.$$

Dispersion over Nominal Scale Data and the Simpson Index

All the above measures of dispersion apply to ratio scale data. For nominal scale data, there is no mean or variance that makes sense, but there certainly can be a measure of how spread out the data are among the various categories, a concept called diversity. In ecology, the two main factors taken into account when measuring diversity are richness and evenness. Species richness is the number of different species present, while evenness is a measure of the relative abundance of the different species making up the richness of an area. The area has uneven diversity if virtually all the individuals found are of one species with only rare individuals of the other species. The area has even diversity if all species have the same abundances. Simpson's index of diversity (SID) is one of several diversity indices. The SID represents the probability that two individuals randomly selected from a sample will belong to different species. In a certain area or sample, let

$$D = \sum_{i=1}^S \frac{n_i(n_i - 1)}{N(N - 1)},$$

where n_i is the number of individuals in species i , N is the total number of individuals, and S is the number of species. Then, the SID is

$$\text{SID} = 1 - D.$$

When SID is close to 1, the sample is considered to be highly diverse.

1.3 Matlab Skills

If you are not familiar with the software Matlab, review "Getting Started with Matlab" in Appendix A.

Entering Data Sets in Matlab

In Matlab, data sets are entered as arrays, and arrays are denoted with square brackets: `[]`. If we wanted to enter the trees per hectare data from Example 1.2, we would type

```
[13.3 13.5 24.6 18.7 10.9]
```

into Matlab. Notice that the data points in the set are separated by spaces. If we want to refer back to this data set using Matlab, we need to name the data set. In Example 1.2, we called the data set x . To call the data set x in Matlab, we type

```
x = [13.3 13.5 24.6 18.7 10.9]
```

into Matlab. Now, whenever we want to refer back to our data set, we can just use x instead of typing the entire data set again.

Table 1.1. Matlab commands for a variety of descriptive statistics. In each case, x refers to the data set.

Command	Description
<code>mean(x)</code>	Returns arithmetic mean of data set x
<code>prod(x)^(1/length(x))</code>	Returns geometric mean of data set x
<code>geomean(x)</code>	Returns geometric mean of data set x (using the Statistics Toolbox is available)
<code>length(x)/sum(1./x)</code>	Returns harmonic mean of data set x
<code>harmmean(x)</code>	Returns harmonic mean of data set x (using the Statistics Toolbox is available)
<code>median(x)</code>	Returns median of data set x
<code>mode(x)</code>	Returns mode of data set x (when there are multiple values occurring equally frequently, <code>mode(x)</code> Returns the smallest of those values)
<code>min(x)</code>	Returns minimum value of data set x
<code>max(x)</code>	Returns maximum value of data set x
<code>var(x)</code>	Returns the variance of data set x
<code>std(x)</code>	Returns the standard deviation of data set x

Calculating Descriptive Statistics in Matlab

Now that we know how to enter our data sets into Matlab, we can use Matlab to quickly compute basic descriptive statistics. Table 1.1 shows the commands for the descriptive statistics described earlier in this chapter.

Each of the commands in Table 1.1 returns its corresponding answer and names the answer `ans`. If we wish to save the answer for future use, we must name the output of the command. For example, if we wish to save the arithmetic mean, we can type

```
xbar = mean(x)
```

into Matlab. If you are typing this into the command window, you will see that the value that is returned is named `xbar`.

Notice there are no commands for calculating the range or the midrange. We can calculate these, however, by using the `min` and `max` commands. To calculate the midrange, we use

```
(min(x)+max(x))/2
```

and to calculate the range, we use

```
max(x)-min(x)
```

As an example, suppose we wanted to calculate the mean, median, mode, midrange, geometric mean, harmonic mean, range, variance, and standard deviation for the data set in Example 1.1.

The following shows the input typed into the command window (always preceded by `»`) and its corresponding output:

```
Command Window
>> y = [65 70 90 95 82 84 61 83 120 83 72 70 72 71 92 85 102 69]
y =
Columns 1 through 11
    65    70    90    95    82    84    61    83    120    83    72
Columns 12 through 18
    70    72    71    92    85    102    69

>> ybar = mean(y)
ybar =
    81.4444

>> ymed = median(y)
ymed =
    82.5000

>> ymode = mode(y)
ymode =
    70

>> ymidrange = (min(y)+max(y))/2
ymidrange =
    90.5000

>> ygeo = geomean(y)
ygeo =
    80.2747

>> yharm = harmmean(y)
yharm =
    79.1871

>> yrange = max(y)-min(y)
yrange =
    59

>> yvar = var(y)
yvar =
    217.3203

>> ystd = std(y)
ystd =
    14.7418
```

1.4 Exercises

1.1 The capacity for physical exercise (in seconds) was determined for each of 11 patients who were being treated for chronic heart failure.

906 1320 711 1170 684 1200 837 1056 897 882 1008

- (a) Determine the mean and the median of the data.
- (b) Determine the geometric and harmonic means of the data.
- (c) How do the three different measures of the mean differ?

- 1.2** Daily crude oil output (in millions of barrels) for the U.S. is shown below for the years 1971 to 1990.

9.45 9.40 9.25 8.75 8.30 8.10 8.25 8.70 8.55 8.60
8.55 8.65 8.70 8.70 8.91 8.60 8.20 7.70 7.20 6.75

Compute the mean, median, and mode for the data.

- 1.3** Suppose the scale of a data set is changed by multiplying each measurement by a positive constant. How would this affect the mean, median, mode, and range?
- 1.4** Ten hospital employees on a standard American diet agreed to adopt a vegetarian diet for 1 month. Below is the change in the serum cholesterol level (before – after).

49 -10 27 13 36
19 48 21 8 16

- (a) Compute the median and mean change in cholesterol.
(b) Compute the range, variance, and standard deviation of the data. Are the data fairly spread out or close together?

- 1.5** Twelve sheep were fed pingue (a toxin-producing weed of the southwestern United States) as a part of an experiment and died as a result. The time of death in hours after the ingestion of pingue for each sheep follows:

44 27 24 24 36 36
44 120 29 36 36 36

Compute the range, variance, and standard deviation of the sample.

- 1.6** The National Weather Service reports data on the number of hurricanes to strike the United States in decades in the last century (using the Saffir-Simpson category). Calculate the mean of the number of hurricanes per decade.

Decade	No. of Hurricanes
1901–1910	18
1911–1920	21
1921–1930	13
1931–1940	19
1941–1950	24
1951–1960	17
1961–1970	14
1971–1980	12
1981–1990	15
1990–2000	14

- 1.7** Consider these two sets of data [71]:

$A = \{0, 5, 10, 15, 25, 30, 35, 40, 45, 50, 71, 72, 73, 74, 75, 76, 77, 78, 100\}$
 $B = \{0, 22, 23, 24, 25, 26, 27, 28, 29, 50, 55, 60, 65, 70, 75, 85, 90, 95, 100\}$

For both sets of data, calculate the range, median, the first quartile, and the third quartile. Do these values adequately represent the distribution in each data set?

- 1.8** Suppose the mean score on a national test is 400 with a standard deviation of 50. If each score is increased by 25, what are the new mean and standard deviation?
- 1.9** Suppose the mean score on a national test is 400 with a standard deviation of 50. If each score is increased by 25%, what are the new mean and standard deviation?
- 1.10** Use the following simple data set to calculate the SID for these trees in a particular plot [21]. Interpret your results as a probability.

Species of Trees	No. of Trees in Plot
Eastern rosebud	3
Black oak	4
Post oak	5
White pine	3
Honey locust	1

- 1.11** Below are some data from the Citizen Science program in the Great Smoky Mountains National Park that record the species of salamanders observed in a particular area in 2000 [21]. Calculate the SID for salamanders in this area using these data.

Species	No. of Salamanders
Desmog	3
Spotted dusky	7
Black bellied	22
Seal	16
Blue ridged Two lined	8
Imitator	2
Southern redback	1
Black chinned	1

Index

- absolute maximum, 377, 393–394
- absolute minimum, 377, 393–394
- albinism, 185, 195–198, 235–236
- Allee growth, 556
- alleles. *See also* population genetics
 - defined, 183
 - Hardy-Weinberg equilibrium, 247–250
 - Matlab Skills, probability, 211–212
- allometry
 - defined, 54–55
 - growth rates, separation of variables, 521–522
 - rates of change and, 315–316
- American bison project, 172–174
- antiderivatives
 - average values, 450–453
 - defined, 442–444
 - Exercises, 456–458
 - families of, 446
 - fundamental theorem of calculus, 444–445
 - integrals and, 446–449
 - Matlab Skills, 453–455
 - overview, 441
 - separation of variables method, 518
 - substitution method of integration, 459–465
- antidifferentiation. *See* integration
- area
 - rectangle, 415
 - trapezoid, 415
 - between two curves, 472–476
- area under curve. *See also* calculus, fundamental theorem of
 - area below horizontal axis, 430–433
 - estimating with rectangles, 417–424
 - estimating with trapezoids, 424–426
 - estimating, overview, 414–417
 - estimation, accuracy of, 426–430
 - Exercises, 436–439
 - Matlab Skills, 433–436
- arithmetic mean, 4, 5, 6–7
- arithmetic sequences, 93
- arrays, Matlab Skills, 566–568
- arteries, rate of flow, 481–482
- asymptotes, graphs of, 380–382
- Audubon Society, 85
- average, *See* mean
- average rate of change
 - derivatives of exponential functions, 330–334
 - overview, 306–308
 - populations, 315
- average value of a function, 450–453
- average velocity, 309–311
- axes
 - linear analysis of data, 32
 - rescaling data, log-log and semilog graphs, 55–62
 - scatter plots, 23–24
- bacteria, growth in sausage, 547–548
- bar charts
 - construction of, 16–18
 - frequency distributions, 15–16, 17
 - vector representations, 109–110
- Bayes' theorem, 238–242
- Beer-Lambert Law, 52–53
- Bernoulli experiment, 188–189
- bimodal data, 22
- binomial experiments, 188–189

- binomial probability, 188–189
- binomial probability distribution, 188–189
- biodiversity, Student Projects, 299–301
- bioinformatics, 176
- biological data types, 3–4
- biomass rate of change, 315, 330–334
- bird watching, waiting times, 500–507
- birth rates. *See* Leslie matrix models
- bivariate data
 - correlation, 37–40
 - defined, 31
 - exercises, 43–45
 - least-squares fit, 35–37
 - Matlab Skills, 41–43
- blood flow rates, 481–482, 550
- blood type
 - compound events, overview of, 201–204
 - genotype frequency, 249
 - independence, 223
 - probability, computing, 185–186, 208
- body temperature, homeostasis, 539–541
- boundary condition, 363, 517, 519
- budworm differential equation, 555–556

- calculus. *See also* limits
 - definition, 259–260
 - history of, 326
- calculus, fundamental theorem of
 - antiderivatives and calculus, 446–449
 - average values, 450–453
 - Exercises, 456–458
 - integrals, defined, 441–442
 - Matlab Skills, 453–455
 - overview, 440–441, 444–445
- carbon dating, 365–366
- cardiovascular system, rate of flow, 481–482, 550
- carriers, recessive alleles, 184
- carrying capacity, populations
 - density dependent growth, 532–534
 - graphing of, 536–539
 - logistic growth equation, 269–270
 - logistic growth curve, 388–391
- categorical data, 4
- causation, 37
- central limit theorem, 497
- central tendency, measures of, 4–6
- chain rule, derivatives
 - fundamental theorem of calculus, 445
 - overview, 354–359
 - proof of, 573–574
 - substitution method of integration, 460–461
- change. *See* rate of change
- characteristic equation, 158–159
- Christmas Bird Count, 85
- chromosomes, 183–186
- circadian rhythms, 324–325, 328–330, 334–336
- circulatory system, rate of flow, 481–482, 550
- coefficient of determination, 39
- coefficient of variability (variance), 7
- coin toss, probability and, 177–179, 190–195
- column vectors, 131
- combinations, probability and, 186–188
- complement, event probability, 203–204, 205
- complex roots, 162
- composition of functions, chain rule and, 354–359
- compound events
 - computing probability of, 204–209
 - Exercises, 213–215
 - Matlab Skills, 210–212
 - overview, 201–204
- concave down, defined, 386
- concave up, defined, 386
- conditional probability
 - Bayes’ theorem, 238–242
 - Exercises, 230–232
 - independence, 220–225
 - Matlab Skills, 225–230
 - overview, 216–220
- constant coefficients, linear difference equation and, 93–96
- constant functions, derivatives and, 329, 336, 353
- constant multiple, derivatives, 353
- consumption, Holling’s functional responses, 359–362, 370–371
- continuity. *See also* continuous random variables; derivatives
 - derivatives and, 336–341
 - overview of, 259–260
 - properties of, 284–289
 - Student Projects, 299–301
- continuous data, 4, 15–16, 17
- continuous functions, limits of
 - continuity, properties of, 284–289
 - Exercises, 295–298
 - intermediate value theorem, 290–292
 - Matlab Skills, 292–294
 - overview, 282–283
 - right and left limits, 283
- continuous random variables
 - defined, 490
 - Exercise, probability, 507–509
 - expected and mean values, 493–495
 - Matlab Skills, waiting times, 500–507
 - normal distributions, 495–498
 - probability and, 490–493
 - waiting times, 498–500
- correlation, 37–40
- correlation coefficient (ρ)
 - Matlab Skills, 41–43
 - overview, 37–40
- cosecant, reciprocal rule, 362
- cosine function
 - chain rule and, 359, 361–362
 - higher derivatives, 372
 - proof of derivative, 577
- cotangent, chain and quotient rules, 361–362

- cricket chirp rates, 305–306, 308, 317–320
- critical numbers, 379
- critical points
 - concavity, 386–387
 - defined, 379
 - second derivative test, 391–394
- curves, area between two, 472–476
- curves, area under. *See also* calculus, fundamental theorem of; integrals
 - area below horizontal axis, 430–433
 - estimating with rectangles, 417–424
 - estimating with trapezoids, 424–426
 - estimating, overview, 414–417
 - estimation, accuracy of, 426–430
 - Exercises, 436–439
 - Matlab Skills, 433–436
- data displays
 - bar charts, 16–18, 109–110
 - exercises, 27–29
 - frequency distributions, 15–16, 17
 - histograms, 18–23, 24–25
 - overview, 14–15
 - rescaling data, log-log and semilog graphs, 55–62
 - scatter plots, 23–24
- data types
 - continuous *vs.* discrete, 4
 - interval scales, 3
 - nominal scales, 4
 - ordinal scales, 3–4
 - ratio scale, 3
- death rates, 445. *See also* Leslie matrix models
- death, time of, 366–367
- decay (half-life), 49–51, 365–366
- decay constant, 50
- decay rate, 365–366
- decreasing function, defined, 377
- definite integral
 - approximation of, 451–453
 - defined, 446
 - examples of, 448–449
 - integration by parts, 466–469
 - substitution method of integration, 463–465
- demography, 80, 82–83, 157–163
- density functions
 - distribution function and, 492–493
 - overview, 482–485
 - probability density function, 490–492
- density-dependent hypothesis, 532–535
- dependent variables, defined, 514
- derivatives. *See also* antiderivatives; calculus, fundamental theorem of
 - allometric properties, 315–316
 - average rate of change, 306–308
 - biomass rate of change, 315
 - chain rule, 354–359
 - concavity, 385–394
 - constant function, 329, 336
 - constant multiple rule, 353
 - continuity and, 336–341
 - derivative at a point, defining, 316
 - derivative product rule, 330, 336
 - derivative sum rule, 328–329, 336
 - drug absorption rates, 315
 - Exercises, 320–323, 349–351, 372–375, 404–409
 - exponential functions, 330–334, 336, 362–369
 - exponential growth model, 363–364
 - first derivative test, 377–382
 - function rules, summary chart, 353
 - higher derivatives, 369–372
 - integrals and, 441–442
 - limit definition of functions, 326–330
 - linear function, 329, 336
 - logarithmic functions, 341–345
 - Matlab Skills, 316–320, 345–349, 402–404
 - maxima and minima, overview, 376–377
 - mean value theorem, 382–385
 - Newton’s Law of Cooling, 366–369
 - optimization problems, 394–401
 - overview of, 303–304, 324–326
 - photosynthesis, rates of, 311–314
 - population growth rates, 315
 - power rule, 353–354
 - quotient and reciprocal rules, 359–362
 - radioactive decay, 365–366
 - rate of change estimations, 308–309
 - rate of change, overview, 305–306
 - second derivative test, 391–394
 - trigonometric functions, 334–336
 - velocity, 309–311
- descriptive statistics. *See also* bivariate data; data displays; exponential functions; linear regression; logarithmic functions
 - central tendency, measures of, 4–6
 - data types, 3–4
 - dispersion, measures of, 6–9
 - Exercises, 11–13
 - Matlab skills, 9–11
 - overview of, 1–2
 - Student Projects, 71–77
- design of experiment, 1–2
- determinant, 159–162
- dice, probability and, 177–180, 182–183, 206, 207, 221–222
- difference equations
 - boundary conditions, solving with, 519
 - defined, 91, 514
 - Exercises, 102–106
 - first-order difference equations, 91
 - logistic difference equations, 102
 - overview, 513–514
- difference quotient, 316, 326–330
- differentiable at a point, 337–341
- differentiable on an open interval, 337–341
- differentiable, defined, 337

- differential equations
 - defined, 362–363
 - Exercises, equilibrium and stability, 541–542
 - Exercises, implicit differentiation and related rates, 551–554
 - Exercises, separation of variables, 527–528
 - Gompertz growth, 534–535
 - homeostasis, 539–541
 - implicit differentiation, 543–548
 - limited population growth models, 531–535
 - logistic growth, 532–534
 - Matlab Skills, separation of variables, 522–526
 - population growth, overview, 529–530
 - related rates, 549–551
 - separation of variables, 515–522
 - Student Projects, 555–556
- discontinuous functions, 284–289, 336–341
- discrete data
 - bar charts, 16–18
 - defined, 4
 - frequency distributions, 15–16, 17
- discrete difference equations
 - Exercises, 102–106
 - linear difference equation with constant coefficient, 93–96
 - logistic difference equation, 102
 - Matlab Skills, 100–103
 - overview, 90–91
 - pharmacokinetics, 97–100
- discrete time modeling, 79–83. *See also* discrete difference equations; matrices; sequences; vectors
- disease. *See also* Leslie matrix models, epidemiology
 - AIDS, spread of, 516–517
 - genetic diseases, 184
 - spread of, 176, 514
- dispersion, measures of, 6–9
- displays. *See* data displays
- distributions
 - expected value, 493–495
 - frequency, 15–16, 17
 - median value, 493–495
 - normal distribution, 495–498
 - probability function, 492–493
 - uniform distribution, 493
- diversity, measures of, *See also* Simpson's Index of Diversity, 9
- dominant alleles, 183
- dominant eigenvalue, 159
- doubling time, 49–51, 364
- drugs
 - absorption rates, 315, 336–338
 - blood concentration, changes in, 308–309
 - dose determination, 97–100
 - drug testing, 218–219, 227–230, 240–241
- dynamics, *See also* differential equations, discrete difference equations. vectors, 112–120
- earthquakes, Richter scale, 53–54
- ecology, Holling's functional responses, 359–362, 370–371
- eigenvalues
 - dominant eigenvalue, 159
 - Exercises, 168–170
 - long-term population structures, 163–164
 - Matlab Skills, 165–168
 - oscillating populations, 162–163
 - overview, 156–163
- eigenvectors
 - Exercises, 149–151, 168–170
 - long-term population structures, 163–164
 - Matlab Skills, 149, 165–168
 - overview of, 142–146
 - stability and, 147–149
- elementary events, 178–181
- empty set, event probability, 204
- epidemiology
 - AIDS, spread of, 516–517
 - infections, spread of, 514
 - probability and, 176
- equilibrium
 - concavity and, 385–394
 - defined, 143
 - eigenvectors, 142–146
 - Exercises, 149–151, 253–254, 404–409, 541–542
 - feedback, overview, 529–530
 - first derivative test, 377–382
 - graphing of, 535–539
 - Hardy-Weinberg equilibrium, 247–254
 - homeostasis, 303–304, 529–530, 539–541
 - limited population growth models, 531–535
 - Matlab Skills, 149, 402–404
 - maxima and minima, overview, 376–377
 - mean value theorem, 382–385
 - optimization problems, 394–401
 - overview of, 141–142
 - stability, 147–149
 - Student Projects, foraging, 410–412
- equilibrium population, 80–81
- equiprobable sample space, 181
- errors in measurement, 495
- estimation, 2
- evenness, diversity measures, *See also* Simpson's Index of Diversity, 9
- events
 - combinations and permutations, 186–188
 - compound events, overview, 201–204
 - compound events, probability computation, 204–209
 - Exercises, 213–215
 - Matlab Skills, compound events, 210–212
 - Matlab Skills, conditional probability, 225–227
 - Matlab Skills, probability, 193–195
 - probability of an event, 181–186
 - probability, conditional, 216–220
 - probability, independence and, 220–225
 - probability, overview of, 178–181

- sequential, Bayes' theorem, 238–242
- sequential, partition theorem, 233–238
- evolution. *See* population genetics
- Exercises
 - area under the curve, 436–439
 - bivariate data, 43–45
 - derivatives of functions, 349–351, 372–375
 - descriptive statistics, 11–13
 - differential equations, separation of variables, 527–528
 - discrete difference equations, 102–106
 - equilibrium and eigenvectors, 149–151
 - equilibrium and stability, 541–542
 - exponential functions, 67–70
 - implicit differentiation, 551–554
 - integrals and antiderivatives, 456–458
 - integrals, area and volume, 485–488
 - integration, methods of, 469–470
 - Leslie matrix model, 168–170
 - limits of continuous functions, 295–298
 - linear regression, 43–45
 - logarithmic functions, 67–70
 - matrices, 138–140
 - maxima and minima values, 404–409
 - probability, 198–200
 - probability in continuous context, 507–509
 - probability, compound events, 213–215
 - probability, conditional, 230–232
 - probability, population genetics, 253–254
 - probability, sequential events, 242–245
 - rates of change, 320–323
 - related rates, 551–554
 - sequences, 102–106
 - vectors, 120–122
 - visual data displays, 27–29
- expansion by minors, 160
- expected value, 493–495
- experiment, defined, 1
- experimental design, 1–2
- explicit function, 544
- exponential functions
 - allometry, 54–55
 - Beer-Lambert Law, 52–53
 - continuous functions, 286
 - derivatives of, 330–334, 336, 353, 362–369
 - derivatives, proof of, 574–575
 - Exercises, 67–70
 - exponential decay function, 47
 - exponential density function, 499–500
 - exponential growth function, 47, 363–364, 520
 - Matlab Skills, 62–63, 500–507
 - overview, 46–47
 - oxygen consumption, 51–52
 - rescaling data, log-log and semilog graphs, 56–62
- extrapolate, 37, 41
- eye color, probability, 205, 255–257
- factoring limits, 267
- family of antiderivatives, 443–444
- family of solutions, 516–517
- family planning, 224–225
- fecundity rate, 155. *See also* Leslie matrix models
- feedback mechanisms, 513, 529–530. *See also* difference equations
- Fibonacci sequence, 91
- first derivative test, 377–382
- first derivatives, 370–372
- first-order difference equation, 91
- first-order differential equation, 514, 515–522. *See also* differential equations
- fish, ocean density and, 482–484
- fishery populations, 95–96
- flow rates, Poiseuille's law, 477, 480–482, 485–488
- for loops*, Matlab, 101–103
- foraging, optimization of, 410–412
- founder effect, 176
- fprintf, Matlab output, 570
- freehand linear fit, 33–34
- frequency distributions, 15–16, 17, 22–23
- functions, average values, 450–453
- functions, increasing and decreasing, 377
- functions, limits of. *See* limits
- fundamental theorem of calculus
 - antiderivatives and integrals, 446–449
 - average values, 450–453
 - Exercises, 456–458
 - Matlab Skills, 453–455
 - overview, 440–441, 444–445
- gender, probability and, 206, 224–225
- genetics and genotypes. *See also* blood type; population genetics
 - albinism, partition theorem, 235–236
 - albinism, probability estimates, 195–198
 - combinations and permutations, 187–188
 - conditional probability, 216–220
 - genes, defined, 91
 - genetic testing, 241–242
 - genetics terminology, 183–186
 - Hardy-Weinberg selection model, 250–253
 - human pedigree, defined, 233, 234
 - Matlab Skills, 211–212, 225–227
 - Mendel's pea plants, 180–181, 182
 - population genetics, probability and, 176
 - probability examples, 183–186
 - Tay-Sachs disease, 237–238
- genomics, probability and, 176
- Geographical Information Systems (GIS), 81–83
- geometric growth, 80
- geometric mean, 5
- geometric sequences, 91–93
- global maximum, 377
- global minimum, 377
- Gompertz growth curve, 534–535, 538
- Gompertz survival function, 445
- Gompertz, Benjamin, 445
- growth function, 532–535

- growth rates
 - intrinsic growth rate, 334
 - per capita growth rate, 334
- half-life, 49–51, 365–366
- Hardy-Weinberg equilibrium, 247–250, 253–254
- Hardy-Weinberg selection model, 250–254
- harmonic mean, 5
- heterozygous genes, 183
- histograms, 15–23, 24–25
- Holling’s functional responses, 359–362, 370–371
- homeostasis. *See also* equilibrium
 - differential equations and, 539–541
 - feedback, overview, 529–530
 - rates of change, measuring, 303–304
- homogeneous difference equation, 93–96
- homozygous dominant genes, 183
- homozygous recessive genes, 183
- horizontal asymptote, 269
- human pedigrees, 233, 234, 237
- hypertension, rate of flow, 481–482
- hypotheses
 - inferential statistics and, 2
 - linear analysis and, 30
- implicit differentiation, 543–548, 551–554
- implicit function, 544
- increasing function, defined, 377
- indefinite integral, 446, 447–448, 459–463
- independence, probability and, 220–225
- indeterminate form, 270
- index, Matlab *for loops*, 101–103
- infection. *See also* Leslie matrix models
 - AIDS, 516–517
 - probability and, 176
 - spread of, 514
- inferential statistics, overview, 2
- infinite discontinuity, 284–285
- infinity, limits and, 272–273
- inflection point, 386–394
- initial condition, 363, 517
- inner function, 354
- instantaneous growth rate, 315
- instantaneous per capita growth rate, 315
- instantaneous rate of change. *See also* derivatives
 - defined, 308–309
 - derivative at a point, defining, 316
 - overview, 303–304, 325–326
 - photosynthesis, 312–314
- integrals. *See also* integration
 - antiderivatives and, 446–449
 - applications, overview, 471–472
 - approximation of, 451–453
 - area between two curves, 472–476
 - average values, 450–453
 - defined, 441–442
 - density functions, 482–485
 - Exercises, 456–458, 469–470, 485–488
 - expected and median values, 493–495
 - fundamental theorem of calculus, 444–445
 - integration by parts, 465–469
 - Matlab Skills, 453–455, 500–507
 - normal distributions, 495–498
 - probability density function, 490–492
 - probability distribution function, 492–493
 - properties of, 446–447
 - separation of variables method, 518
 - Student Projects, 510–511
 - substitution method of integration, 459–465
 - volume of a solid of revolution, 477–482
 - waiting times, 498–500
- integrand, 441
- integration. *See also* integrals
 - area below horizontal axis, 430–433
 - area estimation, accuracy of, 426–430
 - area under curve, overview, 414–417
 - area, rectangle estimates, 417–424
 - area, trapezoid estimates, 424–426
 - Exercises, 436–439, 469–470
 - limits of, 441
 - Matlab Skills, 433–436
 - overview, 413
 - by parts, 465–469
 - substitution method, 459–465
- intermediate value theorem, 290–292
- interpolate, 37, 41
- intersection, event probability, 202–203, 207
- interval scales, 3
- intrinsic growth rate, 334, 364
- jump discontinuity, 284–285
- Krebs, John, 410
- lake pollution, measuring, 472–476, 511
- laminar flow, 477, 479, 550
- landscapes, descriptions of, 81–83
- Law for Rate of Flow, Poiseuille’s, 477–482, 550
- Law of Cooling, Newton, 366–369
- LD 50, 4–5
- least-squares fit, 35–37
- least-squares regression, 317–318
- left-hand limits, 283
- Leibniz, Gottfried Wilhelm, 326
- Leslie matrix models
 - American bison project, 172–174
 - eigenvalues, 156–163
 - Exercises, 168–170
 - long-term population structure, 163–164
 - Matlab Skills, 165–168
 - oscillating populations, 162–163
 - overview, 152–156
- light. *See also* photosynthesis, rates of
 - Beer-Lambert Law, 52–53
 - Michaelis-Menten curve, 263
- limit, sequences, 87–90

- limits
 - carrying capacity, 269–270
 - derivative functions and, 326–330
 - Exercises, 277–281
 - of functions, 262–266
 - of integration, 441
 - mathematical notation of, 571–572
 - Matlab Skills, 274–277
 - overview of, 259–260
 - properties of, 266–274
 - simplifying, 267–268
 - Student Projects, 299–301
- limits, continuous functions
 - continuity, properties of, 284–289
 - Exercises, 295–298
 - intermediate value theorem, 290–292
 - Matlab Skills, 292–294
 - overview, 282–283
 - right and left limits, 283
- linear difference equation
 - with constant coefficients, 93–96
 - pharmacokinetics, 97–100
- linear functions, derivatives and, 329, 336, 353
- linear regression
 - correlation, 37–40
 - defined, 32
 - Exercises, 43–45
 - least-squares fit, 35–37
 - Matlab skills, 41, 63–67
 - overview, 30–31
 - rescaling data, 58–67
- linear relationships, 31–32
- local maximum, 377
- local minimum, 377, 392–394
- loci, chromosomes, 183
- log-log graphs, 55–62
- logarithmic functions
 - continuous functions, 286
 - derivatives of, 341–345, 353
 - Exercises, 67–70
 - half-life, 49–51
 - integration by parts, 466
 - Matlab Skills, 62–63
 - overview, 46–49
 - Richter Scale, 53–54
- logistic difference equation, 102
- logistic growth equation, 269, 388–391, 532–534
- long-term dynamics. *See* equilibrium;
Leslie matrix models
- long-term growth rate, 157–163
- loops, Matlab Skills, 101–103

- m-file. *See* Matlab Skills
- Malthus, Thomas, 80, 157
- Malthusian growth rate, 80, 157–163
- mathematical notation
 - limit, definition of, 571–572
 - pi, 571–572
 - sigma, 571–572
- Matlab Skills
 - albinism, probability of, 195–198
 - area under the curve, 433–436
 - arrays (vectors and matrices), 566–568
 - basic arithmetic, 562–563
 - command window, working from, 562–565
 - correlation coefficients, 41–43
 - dataset entry, 9–10
 - derivatives of functions, 345–349
 - descriptive statistics, 10–11
 - differential equations, separation of variables, 522–526
 - eigenvectors, 149
 - exponential functions, 62–63
 - extrapolation, 41
 - histograms, 24–25
 - integrals, 453–455
 - interpolation, 41
 - least-squares regressions, 317–318
 - Leslie matrix models, 165–168
 - limits of continuous functions, 292–294
 - limits of functions, 274–277
 - linear regression, 41
 - logarithmic functions, 62–63
 - loops, 101–103
 - m-files, creating and running, 568–569
 - m-files, writing as a function, 191–193
 - matrix operations, 133–138
 - maxima and minima values, 402–404
 - output, formatting of, 570
 - polynomials, roots of, 564–565
 - probability, 189–198
 - probability, compound events, 210–212
 - probability, conditional, 225–230
 - random number generation, 189–191
 - rates of change, 316–320
 - rescaling data and linear regression, 63–67
 - rounding, 563–564
 - scatter plots, 25–27
 - starting Matlab, 561–562
 - Student Project: dendrology measurement, 74–76
 - Student Project: tobacco measurements, 76–77
 - waiting times, 500–507
- matrices. *See also* Leslie matrix models
 - applications of, 129–133
 - column vectors, 131
 - defined, 124
 - determinant, 159–162
 - dominant eigenvalue, 159
 - Exercises, 120–122, 138–140
 - Matlab Skills, entering and using, 133–138, 566–568
 - Matlab Skills, Leslie matrix models, 165–168
 - matrix addition, 124–125
 - matrix multiplication, 116, 123–128
 - square matrices, 131
 - Student Projects, 171–174
 - transfer matrix, 116

- matrices (*continued*)
 - vector algebra, 110–112
 - vector dynamics, 112–120
 - vectors, overview, 107–110
- maxima
 - absolute maximum, 377, 393–394
 - concavity, 385–394
 - Exercises, 404–409
 - first derivative test, 377–382
 - Matlab Skills, 402–404
 - mean value theorem, 382–385
 - optimization problems, 394–401
 - overview, 376–377
 - second derivative test, 391–394
 - Student Projects, foraging, 410–412
- mean
 - arithmetic mean, 4, 5, 6, 16
 - geometric mean, 5
 - harmonic mean, 5
 - mean value theorem, 382–385
 - mean waiting time, 499
- measurement errors, 495
- measurement scales, 3–4
- median, 4–5, 493–495
- memoryless property, 500
- Mendel, Gregor, 180–181, 211–212
- Mendel's pea plants, 180–181, 182, 187–188, 189
- Michaelis-Menten curve, 89–90, 263, 313
- midrange, 5
- minima
 - absolute minimum, 377, 393–394
 - concavity, 385–394
 - Exercises, 404–409
 - first derivative test, 377–382
 - Matlab Skills, 402–404
 - mean value theorem, 382–385
 - optimization problems, 394–401
 - overview, 376–377
 - second derivative test, 391–394
 - Student Projects, foraging, 410–412
- minors, expansion by, 160
- mode, 5
- modeling. *See also* Leslie matrix models,
 - differential equations
 - discrete time modeling, 79–83
 - exponential growth model, 363–364
 - Hardy-Weinberg equilibrium, 247–250
 - Hardy-Weinberg selection model, 250–253
 - limited population growth models, 531–535
 - predator-prey models, 171–172
- modern synthesis, population genetics, 246
- multimodal data, 22
- multiplication principle, 180
- multivariate data, overview of, 14–15
- mutation rates, 60–62
- mutually exclusive events, 204, 220–225
- myelin sheath, 341–345
- natural selection. *See* population genetics
- negative infinity, 272–273
- nervous system growth, 341–345
- neurons, 341–345
- neutral equilibrium, 537
- Newton, Sir Isaac, 326
- Newton's Law of Cooling, 366–369
- nitrogen, soil concentration of, 490–492, 494–495
- nodes of Ranvier, 341–345
- noise, 495
- nominal data, 15–17
- nominal scales, 4, 9
- normal distributions, 15–16, 17, 495–498
- normal probability density, 495–498
- null set, event probability, 204
- observation, defined, 1
- ocean, density functions, 482–485
- ocean, salinity of, 485
- optimal foraging theory, 410–412
- optimization problems, 394–401
- ordinal data, 15–16, 17
- ordinal scale, 3–4
- ordinary differential equations, 514. *See also* differential equations
- oscillating populations, 162–163
- outer function, 354
- oxygen consumption, 51–52
- parabola, solid of revolution, 479–480
- parameter estimation, 2
- particular solution, 94–96
- partition theorem, 233–238
 - Bayes' theorem and, 238–242
- partition, defined, 233–234
- pea plants, probability and, 180–181, 182, 187–188, 189, 211–212
- pedigrees, human, 233, 234, 237
- per capita growth rate, 334
- perfectly negatively correlated data, 39–40
- perfectly positively correlated data, 39
- permutations, probability and, 186–188
- pesticides, timing of application, 429
- pharmacokinetics
 - absorption rates, 315, 336–338
 - blood, drug concentration in, 308–309
 - dose determination, 97–100
 - drug testing, 218–219, 227–230, 240–241
- phenotype, 183–184
- photosynthesis, rates of
 - chain rule derivatives for, 354–357
 - circadian rhythms and, 324–325, 328–330, 334–336
 - estimating by time interval (integration), 422–424, 428–433
 - integration methods, 459–465
 - intermediate value theorem and, 290–292
 - limits of functions, 261–266, 270–272
 - mean rate of change, 383–385

- Michaelis-Menten curve, 263
- rate of change and, 311–314
- sequences, 86–90
- tools for measuring, 282, 285
- pi, 564, 571–572
- placebos, probability of, 218–219, 227–230
- point-intercept form, 32
- point-slope form, 32
- points of inflection, 386–394
- Poiseuille, Jean, 477
- Poiseuille's Law, 477–482, 550
- pollution in a lake, 472–476, 511
- polynomial functions
 - continuous functions, 286
 - graph, sketching of, 379–380
 - roots of, Matlab Skills, 564–565
- population biodiversity, Student Project, 299–301
- population genetics
 - Exercises, 253–254
 - Hardy-Weinberg equilibrium, 247–250
 - Hardy-Weinberg selection model, 250–253
 - overview, 246
 - probability and, 176, 183–186
 - Student Projects, bison extinction, 257–258
- population growth. *See also* equilibrium
 - American bison matrix model, 172–174
 - average value of a function, 450
 - bacteria in sausage, 547–548
 - biomass measures, 315
 - carrying capacity, 269–270
 - chain rule, population cycles, 359
 - derivatives of exponential functions, 330–334
 - differential equations, separation of variables, 520–522
 - discrete time modeling, overview, 79–83
 - doubling time, 49–51
 - eigenvalues, long-term growth, 156–163
 - equilibria, graphing of, 536–539
 - Exercises, Leslie matrix model, 168–170
 - exponential growth, 46, 47, 363–364
 - geometric and arithmetic sequences, 92–93
 - Gompertz growth curve, 534–535
 - Gompertz survival function, 445
 - intrinsic growth rate, 334
 - Leslie matrix models, overview, 152–156
 - linear difference equation, 93–96
 - logarithmic growth, 46
 - logistic growth equation, 269, 388–391, 532–534
 - long-term population structure, 163–164
 - Malthusian growth rate, 157
 - models of limited growth, 531–535
 - oscillating populations, 162–163
 - per capita growth rate, 334
 - predator-prey models, 171–172
 - rates of change, 315
 - rescaling data graphs, 57–58
 - specific growth rate, 534–535
 - Student Projects, 556
 - world population estimates, 430
- power function
 - continuous functions, 286
 - defined, 47
 - power rule, derivatives, 286, 353
 - substitution method of integration, 463
- power rule, derivatives, 353–354, 573
- predator-prey models, 171–172
- pregnancy, length of, 497–498
- probability. *See also* population genetics
 - of an event, 181–186
 - Bayes' theorem, 238–242
 - binomial experiments, 188–189
 - combinations and permutations, 186–188
 - compound events, computing probability, 204–209
 - compound events, overview, 201–204
 - conditional probability, 216–220
 - in continuous context, 489–493
 - dart board analogy, 209–210
 - Exercises, compound events, 213–215
 - Exercises, conditional probability, 230–232
 - Exercises, events, 198–200
 - Exercises, in continuous context, 507–509
 - Exercises, population genetics, 253–254
 - Exercises, sequential events, 242–245
 - expected value and median value, 493–495
 - genetics examples, 183–186
 - human pedigrees, 233, 234
 - independence, 220–225
 - Matlab Skills, compound events, 210–212
 - Matlab Skills, conditional probability, 225–230
 - Matlab Skills, events, 189–198
 - Matlab Skills, waiting times, 500–507
 - normal distribution, 495–498
 - overview of, 175–178
 - partition theorem, 233–238
 - sample spaces and events, 178–186
 - Student Projects, 255–258, 299–301
 - waiting times, 498–500
- probability density function
 - Exercises, 507–509
 - expected and median values, 493–495
 - overview, 490–492
 - waiting times, 499
- probability distribution function, 492–493
- probability function, 181–186
- product of functions, derivatives and, 329–330, 353
- product rule, derivatives, 330
- proofs
 - chain rule, 573–574
 - cosine derivative, 577
 - exponential functions, derivatives of, 574–575
 - power rule, 573
 - sine derivative, 575–576
- proportional relationships, 31
- Punnett square, 184
- Punnett, Reginald C., 184

- quartiles, 5
- queuing theory, 499–500
- quotient rule, derivatives, 359–362

- radiant flux density, 52–53
- radii, Poiseuille’s law, 477–482
- radioactive decay rate, 365–366
- random number generation, 189–191
- random samples, probability and, 490–493
- random variables
 - defined, 210
 - Exercises, probability, 507–509
 - expected and median values, 493–495
 - Matlab Skills, waiting times, 500–507
 - normal distributions, 495–498
 - waiting times, probability and, 498–500
- range, 6, 18–23
- ranking data, 5
- rate of change. *See also* derivatives; integration
 - allometric properties, 315–316
 - average rate of change, 306–308
 - average value of a function, 450–453
 - biomass, 315
 - chain rule, 354–359
 - concavity, 385–394
 - derivative at a point, defining, 316
 - derivatives of exponential functions, 330–334
 - drug absorption, 315
 - estimation of, 308–309
 - Exercises, 320–323
 - Holling’s functional responses, 359–362
 - instantaneous rate of change, 303–304, 308–309
 - Matlab Skills, 316–320
 - mean value theorem, 382–385
 - optimization problems, 394–401
 - overview, 305–306
 - photosynthesis example, 311–314
 - population growth, 315
 - velocity, 309–311
- rate of cooling, 366–369
- rate of flow, Poiseuille’s law for, 477, 480–482, 485–488
- rate-of-decay, pharmacokinetics, 97–100
- rates, as measurements, 261–262
- ratio scale, 3
- rational functions, 463
- real sequence, 86
- recessive alleles, 183
- reciprocal rule, derivatives, 359–362
- rectangles, area estimates and, 417–424, 426–430
- rectangles, area of, 415
- regression, defined, 31. *See also* linear regression
- related rates, 549–551
- relative frequency, histograms, 22–23
- rescaling data, log-log and semilog graphs, 55–62
 - Matlab Skills, 63–67
- revolution, solid of, 477–482
- Rh classification. *See* blood type
- rho (ρ), 37–39

- richness, diversity measures, 9
- Richter scale, 53–54
- right-hand limits, 283
- rounding, Matlab, 563–564

- salinity, ocean water, 485
- sample
 - defined, 490
 - probability and, 490–493
 - sample variance, 6–7
- sample spaces
 - combinations and permutations, 186–188
 - overview, 178–181
 - partition theorem, 233–238
 - probability of an event, 181–186
- scalars, 108, 125
- scales. *See also* logarithmic functions
 - dispersion, nominal scale data and, 9
 - importance of, 14–15
 - interval scale, 3
 - nominal scale, 4
 - ordinal scale, 3–4
 - ratio scale, 3
 - rescaling, log-log and semilog graphs, 55–62
 - Richter scale, 53–54
- scatter plots, 23–24, 25–27, 32–33
- secant, chain and quotient rules, 362
- second derivative test, 391–394
- second derivatives, 370–372
- semilog graphs, 55–62
- sensitivity, probability and, 239–242
- separation of variables
 - Exercises, 527–528
 - Matlab Skills, 522–526
 - overview of, 515–522
- sequences
 - discrete difference equations and, 90–91
 - Exercises, 102–106
 - Fibonacci sequence, 91
 - geometric and arithmetic, 92–93
 - limits, 87–89
 - linear difference equation, constant coefficient, 93–96
 - Matlab Skills, 100–103
 - overview, 84–87
- sequential events
 - Bayes’ theorem, 238–242
 - Exercises, 242–245
 - partition theorem, 233–238
- sickle cell anemia, 247–248, 250
- sigma, notation of, 571–572
- sign chart, 378
- Simpson’s Index of Diversity (SID), 9, 299–301
- sinusoidal (sine) functions, derivatives of
 - chain and quotient rules, 361–362
 - maxima and minima, 394
 - overview, 334–336, 353
 - proof of, 575–576
 - substitution method of integration, 461

- slant asymptote, 380–381
- slope, 32, 325–326
- smiley test, 392
- soil, nitrogen concentration, 490–492, 494–495
- solid of revolution, 477–482
- solutions, family of, 516–517
- species evenness, 9
- species richness, 9
- specific growth rate, 534–535
- specificity, 240–242
- speed, 310
- square matrices, 131
- stability
 - Exercises, 541–542
 - feedback and, 529–530
 - graphing of, 535–539
 - limited population growth models, 531–535
 - long-term growth rates, 153–163
 - overview, 147–149
- stable equilibrium, 537
- standard deviation, 7, 16, 495–498
- Stephens, David, 410
- Student Projects
 - American bison matrix model, 172–174
 - American bison population extinction, 257–258
 - biodiversity, limits and continuity, 299–301
 - descriptive statistics, 71–77
 - differential equations, 555–556
 - eye color, human, 255–257
 - optimal foraging theory, 410–412
 - predator-prey models, 171–172
 - probability, 255–258
 - trapezoid rule, 510
- substitution method of integration, 459–465, 468, 469–470
- succession, ecological. *See also* equilibrium
 - discrete time modeling, 81–83
 - Matlab Skills, matrices, 133–138
 - matrix applications, 129–133
 - vector dynamics, 112–120
- sum rule, derivatives, 328–329, 353
- survival rate, 155. *See also* Leslie matrix models
- system of discrete difference equations, 172
- tangent
 - chain and quotient rules, 361–362
 - derivative functions and, 325–326
 - derivatives of logarithmic functions, 341–345
 - equation of tangent line, 327
- Tay-Sachs disease
 - Hardy-Weinberg selection model, 250–253
 - partition theorem and, 237–238
 - probability of, 216–218, 223–227
- temperature, homeostasis, 539–541
- temperature, rate of cooling, 366–369
- tendon strain, measures of, 451
- theory
 - defined, 1
 - thermoregulation, homeostasis, 539–541
 - third derivatives, 370–372
 - time. *See also* integration
 - average value of a function, 450–453
 - homeostasis, overview of, 530
 - photosynthesis rate of change, 311–314
 - time of death, 366–367
 - velocity and, 309–311
 - waiting times, probability and, 498–500
 - time modeling. *See also* discrete time modeling;
equilibrium; Leslie matrix models; matrices;
population genetics; vectors
Matlab Skills, plotting time dynamics, 137–138
 - vector dynamics, 112–120
- transfer matrix
 - defined, 116
 - eigenvalue of, 160
 - long-term population structures, 163–164
- trapezoid, area estimates and, 424–430, 510
- trapezoid, area of, 415
- trigonometric functions
 - continuous functions, 286
 - derivatives of, 334–336
- tumor growth rate, 534–535, 538
- uncorrelated data, 39
- uniform distribution
 - defined, 493
 - Exercises, probability, 507–509
 - waiting times, 503
- uniform sample space, 181
- unimodal data, 22
- union, event probability, 202, 207
- unstable equilibrium, 537
- upwelling, chain rule and, 357–358
- variables
 - allometry, 54–55
 - bivariate data, 31
 - dependent variables, defined, 514
 - differential equations, variable separation, 515–522
 - Exercises, separation of variables, 527–528
 - Matlab Skills, separation of variables, 522–526
 - random variable, defined, 210
- variance
 - measures of, 6–7
 - normal distributions, 496–498
- variation. *See* probability
- vectors
 - column vectors, 131
 - dynamics, 112–120
 - eigenvectors, 142–146, 163–164
 - equilibrium, 142
 - Exercises, 120–122, 138–140
 - Matlab Skills, entering and using, 566–568
 - Matlab Skills, matrices, 133–138
 - matrix addition, 124–125
 - matrix applications, 129–133

- vectors (*continued*)
 - matrix multiplication, 123–128
 - overview, 107–110
 - vector algebra, 110–112
- velocity, 309–311, 326, 477
- Venn diagrams, 203
- vision, probability and, 176
- visual data displays
 - bar charts, 16–18
 - exercises, 27–29
 - frequency distributions, 15–16, 17
 - histograms, 18–23, 24–25
 - overview, 14–15
 - rescaling data, log-log and semilog graphs, 55–62
 - scatter plots, 23–24
- Vogel, Steven, 400
- volume of a solid of revolution, 477–482
- waiting times, 498–500
 - Matlab Skills, 500–507
- water, density functions, 482–485
- wound healing rate, 367–369
- XTick, 25
- y-intercept, 32